

# GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address for GSA *Advantage!* is: GSAAdvantage.gov.

For more information on ordering from Federal Supply Schedules click on the GSA Schedules link www.gsa.gov.

#### MULTIPLE AWARD SCHEDULE (MAS)

FEDERAL SUPPLY GROUP: Security and Protection

**CONTRACT NUMBER:** GS-07F-0200W

**CONTRACT PERIOD:** February 5, 2015 through February 4, 2025

**MODIFICATION NUMBER:** PS-0057, effective 10/21/2020

**CONTRACTOR:** Samsung Opto-Electronics America, Inc.

dba Hanwha Techwin America 500 Frank W. Burr Blvd., Suite 43

Teaneck, NJ 07666

Phone Number: 201-325-2634 | Fax Number: 201-632-4833

E-mail: <u>a.vansant@hanwha.com</u> | website: www.hanwhasecurity.com

CONTRACT ADMIN: Alyssa Van Sant | a.vansant@hanwha.com

BUSINESS SIZE: Large Business



#### **CUSTOMER INFORMATION**

**1a. Special Item Numbers:** SIN 334290 Security and Detection Systems

SIN 334512 Total Solution Support Products for Facilities

Management Systems

SIN OLM Order-Level Materials

Ancillary Services under SIN 334290 excludes:

 Construction (construction is defined as alteration, or repair of buildings, structures, or other real property)

- Architectural Engineering Services (A&E) under the Brooks Architect-Engineers Act as stated in Federal Acquisition Regulation (FAR) Part 36. These services shall be ordered only in accordance with Part 36 and agency procedures, and shall not be included on a GSA contract order as an open market item.
- Personal services.
- Stand-alone services which are applicable to the Service Contract Act (SCA)

Contractors are responsible for the following when performing services under this SIN:

- Contractors may subcontract any ancillary services ordered under this Special Item Number, unless specifically prohibited by the contracting officer issuing the order against the Multiple Award Schedule contract.
- Contractors are responsible for insuring that the scope of work is completed and all warranties are honored.
- Subcontractors must be licensed and bonded, as applicable.
- Compliance with all local laws, regulations, and ordinances are the responsibility of the prime contractor.
- The prime contractor shall accept full responsibility and liability for all work performed by subcontractors, at any level or tier.
- The Government reserves the right to apply liquidated damages whenever the required delivery date is not met.
- Contractors are required to maintain insurance in accordance with Clause 52.228-5, Insurance Work on a Government Installation.
- Agencies' Scope of Work will inform the Contractor of the Required insurance amounts.
- Clause 52.228-5 is made part of this contract by reference.
- The contracting officer for the ordering agency may insert any agency unique requirements for the job, including employee suitability determination requirements (security checks), into the scope of work.
- Contractor quotations shall specifically detail all products and services with the contract price and provide a single price for services.
- Sales of ancillary services shall not be combined or reported with the product SIN.

The ordering agency is responsible for:

- Defining and issuing the statement of work for ancillary services. Accurate definition of the scope and statement of work is essential to facilitate realistic quotations. The statement of work shall also inform the contractor of any applicable insurance requirements.
- Ordering agencies shall obtain pricing information from the schedule contractors, and will negotiate for ancillary services on an order by order basis, based on complexity and level of effort. Ancillary services shall be priced as separate line items on each order.
- Pricing of services has been determined fair and reasonable by GSA. However, ordering
  agencies shall make a determination that the total price is fair and reasonable based on
  the level of effort and the mix of labor proposed.
- Ordering agencies will comply with all appropriation laws and ensure that the correct types of funds are obligated on each order.
- Reference FAR 8.4 for an explanation of ordering procedures used when purchasing through a Multiple Award Schedule contract.

OFFERORS MAY ONLY OFFER THIS SPECIAL ITEM NUMBER IN CONJUNCTION WITH SYSTEMS OFFERED UNDER THIS SCHEDULE. THE PRINCIPAL PURPOSE OF THIS SCHEDULE IS FOR THE PURCHASE OF ALARM AND SIGNAL SYSTEMS/FACILITY MANAGEMENT SYSTEMS.

**1b.** Lowest Priced Item: SBP-HCF/KUS 1.5" Coupler Price: \$9.82 each

**2. Maximum Order:** SIN 334512 - \$250,000 per SIN and \$250,000 per Order

SIN 334290 - \$250,000 per SIN and \$250,000 per Order

\*Ordering activities may request a price reduction at any time before placing an order, establishing a BPA, or in conjunction with the annual BPA review. However, the ordering activity shall seek a price reduction when the order or BPA exceeds the simplified acquisition threshold. Schedule contractors are not required to pass on to all schedule users a price reduction extended only to an individual ordering activity for a specific

order or BPA.

**3. Minimum Order:** \$100.00

**4. Geographic Coverage:** Domestic, 48 states, Washington D.C., Puerto Rico, US

Territories and to a CONUS port or consolidation point for

orders received from overseas activities.

5. Points of Production: USA and South Korea

**6. Statement on Net Price:** Prices shown in pricelist are net (negotiated discount has

been applied and the IFF has been added).

**7. Quantity Discounts:** 1% discount for orders over \$500k.

**8. Prompt Payment Terms:** Net 30 days, 0 %

9a. Government purchase

cards at/below micro-purchase

threshold: Accepted at or below the micro-purchase

threshold

9b. Government purchase

cards above micro-purchase

threshold: Accepted at or above the micro-purchase

threshold

**10.** Foreign Items: N/A

**11a.** Time of Delivery: 30 days ARO

**11b. Expedited Delivery:** Contact Participating Dealer or Contractor's

Representative

**11c.** Overnight and Two-day Delivery: None offered.

**11d. Urgent Requirements:** Consult with Contractor.

**12. F.O.B Points:** Destination

**13a.** Ordering Address: IAW Clause 552.216-73, Samsung or their

designated participating dealers may accept orders via fax or mail. Reference approved Dealer List for contact information. Orders accepted by Samsung can be mailed or fax

to:

Participating Dealer at Dealer Address

See attached Dealer List

**13b.** Ordering procedures: For supplies and services, the ordering

procedures, information on Blanket Purchase Agreements (BPA's) are found in

FAR 8.405-3

**14.** Payment Address: Participating Dealer at Dealer Address or

Samsung.

**15**. **Warranty Provision:** Standard Commercial Warranty per SOW. 16. **Export Packing Charges:** N/A **17**. Terms and conditions of Contract Contractor for credit card limit **Government commercial** acceptance over micro purchase threshold. credit card acceptance: 18. Terms and conditions of Government rental, maintenance, and repair: Rental not applicable; maintenance and repair per SIN 246-1000 19. Terms and conditions of Installation Per SIN 334290 20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices Contact Samsung 20a. Terms and conditions for any other services N/A 21. List of service and distribution points Contact Participating Dealer 22. **List of participating dealers:** See attached list 23. **Preventive Maintenance:** N/A **Environmental Attributes:** 24a. N/A 24b. Section 508 Compliance: As Applicable 25. **DUNS Number:** 939063293 26. **CCR (SAM) Registration:** SAM Registration valid and current.

### SAMSUNG OPTO-ELECTRONICS AMERICA'S GSA APPROVED DEALERS

Company	Address	City	State	Zip	Point of Contact	Email	Telephone
21st Century Alarm/Data Inc.	810 Main Street	Salem	ОН	44460	Gary Weikart	gdw@21stcenturyalarm.com	(330) 332-9743
A.J. Labourdette, Inc.	5417 Powell St	Harahan	LA	70123	Tracy Mayfield	tracy@ajlab.net	(504) 733-0772
AAA Network Solutions, Inc	8401 Page St	Buena Park	CA	90621	David Ngo	dngo@aaansi.com	(714) 484-2711
AdaptToSolve, Inc	111 Airport Pkwy	LaGrange	GA	30240	Lara Bennett	sales@adapttosolve.com	(706) 298-2734
Advanosys Security and							(=00) 000 ==00
Automation Technologies	PO Box 5247	Gaithersburg	MD	20882	Romps Robert	rromps@advanosys.com	(720) 839-5789
Advant Communications Inc	250 Maraday day da Blood	Distala	D.4	45204	Constitution of		(724) 046 2500
Advent Communications, Inc.	250 Meadowlands Blvd	Pittsburgh	PA	15301	Greg Sinnamond	gsinnamond@adventcom.com	(724) 916-2500
AES Systems, Inc.	1167 North 450 West	Springville	UT	84663	Scott Woodard	swoodard@aessystems.com	(801) 491-3804
ALS Systems, Inc.	1107 NOITH 450 West	Springville	UI	84003	Scott Woodard	swoodard@aessystems.com	(801) 491-3804
AllCom Global Services	201 Stag Industrial Blvd	Lake St. Louis	МО	63367	Matt Walkenbach	mwalkenbach@allcomgs.com	(636) 625-1717
Allied Universal dba Universal	201 Stag MadStrial Biva	Edite St. Louis	1110	03307	Widte Walkerload!	mwakensaang alleanigs.com	(630) 623 1717
Protection Security Systems	3440 Sojourn Drive Suite 240	Carrolton	TX	75006	Darrin Chambers	darrin.chambers@aus.com	(469) 310-6116
		JACKSON					(100) 000 0000
Alpha Sum Business Machines	3327 91ST ST	HEIGHTS	NY	11372	Walter Klein	walter@alphasum.com	(718) 898-0242
·							
APL Access & Security, Inc.	115 S. William Dillard Drive	Gilbert	AZ	85233	Terri Landreth	tlandreth@aplsecurity.com	(480) 497-9471
Arock Technologies, LLC	PO Box 2320	Oregon City	OR	97045	Caitlin Rae	info@arocktech.com	(503) 502-0306
BL Technology, Inc	1730 S.Cherry Street	Tomball	TX	77375	Eric Daniel	edaniel@bltechnology.com	(832) 698-8000
Cam-Dex Security Corp. dba							
Cam-Dex Corporation	10 Central Ave.	Kansas City	KS	66118	Andrew Warn	awarn@cam-dex.com	(913) 621-6160
Care Security Systems Inc	7 Hemion Road	Montebello	NY	10901	Jerry Silverberg	jsilverberg@care-inc.com	(845) 354-3367

Centurion Building Services,							
LLC	305 Woodridge Drive	Port Ludlow	WA	98365	Ed Campbell	ed@videoplanet.com	(206)-236-6103
Can de stack Camiliana III.	40777 Main Church Cuite 200	Fataface	.,,	22020	Tom Francisco	Africa di sa Casa da da da da sa	(000) 042 0474
Condortech Services, Inc.	10777 Main Street Suite 200	Fairfax	VA	22030	Tom Francisco	tfrancisco@condortech.com	(800) 842-9171
Delta Services LLC	4676 Jennings Lane	Louisville	KY	40218	Bobby Taylor	btaylor@deltaservicesllc.com	(502) 491-2202
Delta Wireless Inc.	1700 W. Fremont Street	Stockton	CA	95203	Brent Fink	bfink@deltawireless.com	(209) 948-9611
Dynamic Security LLC	55 Carter Drive, Suite 106	Edison	NJ	8817	Tony Bruno	tony.bruno@dynamicsec.com	(732) 985-3331
Electronic Specialty Company	1325 Dunbar Avenue	Dunbar	WV	25064	Les Milam	les_milam@electronicspecialty.com	(304) 766-6277
Energy Management Consultants, LLC	1550 LaFolllette St.	Fennimore	WI	53809	Brian Utschig	brianu@emccontrols.com	(608)-822-3550
First Communications Co.	819 Veterans Memorial Blvd.	Kenner	LA	70062	Cory Mack	cory@firstcommunications.com	(504) 464-1717
Frey Electric dba. Buffalo Security & Fire	100 Pearce Ave	Tonawanda	NY	14150	Zwelling Michael	mzwelling@buffalosecurityfire.com	(716) 874-1710
GST, Inc dba Golden Star Technology	12881 166th Street	Cerritos	CA	90703	Min Joo	mjoo@gstes.com	(562) 345-8704
HEI Security, LLC	2948 South Redwood Road, Suite 280	Salt Lake City	UT	84119	Pearson Dan	dan.pearson@heisecurity.com	(801) 675-4347
In Control, Inc.	729 Emily Street, Suite E	Honolulu	НІ	96813	Schulberg Jeff	jeff.schulberg@incontrolinc.com	(808) 295-3115
Integrated Security Technologies, Inc.	520 Herndon Parkway, Suite C	Herndon	VA	20170	Mabe Heath	hmabe@istonline.com	(703) 464-4766
Kiwi Hifi LLC	16801 S Old Sonoita Hwy	Vail	AZ	85641	Murray Jude	jude@kiwihifi.com	(520) 243-3013
Knight Security Systems, LLC	4509 Freidrich Lane, Suite #110	Austin	TX	78744	Mark Morton	mmorton@knightsecurity.com	(512) 590-7870
Koorsen Fire and Security	6121 East 30th Street	Indianapolis	IN	46219	Bryan Smith	bryan.smith@koorsen.com	(317) 225-5968
Louisiana Radio Communication, Inc.	701 S. Martin Luther King Hwy	Lake Charles	LA	70601	Allen LeBlanc	aleblanc@Ircwireless.com	(337) 436-7573

Mechums River Security							
Concepts	198 Spotnap Road	Charlottesville	VA	22991	Jim Kelly	jim@mechumsriversecurity.com	(434) 975-0316
Microbiz Security Company, Inc.	444 Jessie Street	San Francisco	CA	94103	Service Service	service@mbiz.com	(415) 777-1151
Midwest Security Services, Inc.	8585 Cotter Street	Lewis Center	ОН	43035	Filia Jeremy	jfilia@mwsecurityservices.com	(614) 785-0595
Netronix Integration, Inc.	2170 Paragon Drive	San Jose	CA	95131	CRAIG JARRETT	cjarrett@netronixint.com	(408) 573-1441
Netsync Network Solutions,	2500 West Loop South, Ste. 410	Houston	TX	77027	Alcorn Dean	dalcorn@netsyncnetwork.com	(713) 218-5000
Ojo Technology Inc	1485 Bayshore Blvd #199	San Francisco	CA	94124	Chris Hottinger	chris.hottinger@ojotech.com	(877) 306-4656
Perry ProTech	545 W. Market St	Lima	OH	45801	Joey Garza	jgarza@perryprotech.com	(937) 742-4250
Precision West Technologies	3299 Swetzer Road	Loomis	CA	95650	Ben Buker	benb@precision-west.com	(916) 251-5938
REECE Complete Security Solutions	6755 SW Sandberg St.	Portland	OR	97223	Max Saldana	maxs@rcss.us	(503) 682-9900
Rexmoore Electrical Contractors & Engineers	6001 Outfall Circle	Sacramento	CA	95828	Cuthbert Doug	doug.cuthbert@rexmoore.com	(916) 231-7155
RJ Beck Protective Systems, Inc.	300 Industrial Parkway	Norwalk	ОН	44857	Steve Beck	sales@rjbeck.com	(419) 668-3056
RVA Security Integrators, Inc. dba Security 101	425 Southlake Blvd, Suite 2B	Richmond	VA	23236	Oxford Demus	doxford@security101.com	(804) 977-1768
S3 Integration, LLC	1530 Caton Center Drive, Suite N	Baltimore	MD	21227	Mike Simmons	msimmons@s3integration.com	(410) 536-1999
Schiller Hardware	11525 Blankenbaker Access Drive	Louisville	KY	40299	Sonny Wildt	swildt@schillerhardware.com	(859) 233-4427
Securadyne Systems Intermediate LLC	14900 Landmark Boulevard Suite 350	Dallas	TX	75254	Amarantes Heather	heather.amarantes@securadyne.com	(877) 894-4949
Securityhunter, Inc.	7249 Ambassador Road	Baltimore	MD	21244	Elbert Alexander	aelbert@securityhunter.com	(443) 436-0700
Senspex Technical Services, LLC	9798 Coors Blvd NW	Albuquerque	NM	87114	Dave Costello	info@senspex.com	(505) 891-0034

Short Circuit Electronics, Inc.	4201 NE Port Drive	Lee's Summit	МО	64064	Nate Wetmore	nate.wetmore@scekc.com	(816) 878-6700
SIGNET Electronic Systems,							
Inc.	90 Longwater Drive	Norwell	MA	2061	Kevin Wilhelm	kevin.wilhelm@signetgroup.net	(781) 871-5888
Silent Securities Inc dba							
Security 101	3301 Colley Ave Suite 101	Norfolk	VA	23508	Doug Hershberger	dhershberger@security101.com	(757) 503-1392
Sound & Signal Systems of							
New Mexico, Inc.	7131 Washington St NE	Albuquerque	NM	87109	Ken Perea	kperea@soundandsignalnm.com	(505) 884-1217
Sprig Electric Co.	1860 S 10th Street	San Jose	CA	95112	Jose Rivera	jrivera@sprigelectric.com	(408) 298-3134
Spring Liectric Co.		3411 3036	CA	93112	JOSE MIVELA	Jivera@sprigelectric.com	(408) 238-3134
TIC Security	6550 Rock Spring Drive, Suite 520	Bethesda	MD	20817	Derek Radoski	radoski@ticsecurity.com	(240)-683-3840
The Security	320	Detriesda	1112	20017	Der ek Hadoski	radoskie tieseedrity.com	(2.10) 003 30 10
Time & Alarm Systems	3828 Wacker Drive	Mira Loma	CA	91752	Anna Thompson	athompson@timeandalarm.com	(951) 685-1761
Trofholz Technologies, Inc.	2207 Plaza Drive, Suite 100	Rocklin	CA	95765	Kelly Keyser	kelly.keyser@trofholz.com	(916) 577-1903
Twin City Hardware Co.	720 Hale Ave N	Oakdale	MN	55128	Jon Krueger	jkrueger@tchco.com	(651) 731-7180
Unilux Ltd	7606 Lindbergh Drive	Gaithersburg	MD	20879	Luca Laura	laura@uniluxltd.com	(301) 258-7318
Van Cleve & Associates, Inc.	7910 Andrus Road, #4	Alexandria	VA	22308	Joseph Van Cleve IV	jvciv@vcasecurity.com	(703) 619-4007
Vision Southeast Companies,	7 910 Andrus Road, #4	Alexandria	VA	22300	Joseph van cieve iv	JVCIV@ VCasecurity.com	(703) 019-4007
Inc. dba Vision Security							
Technologies	143 BUSINESS CENTER DR	Brimingham	AL	35244	George Howard	ghoward@visionsoutheast.com	(205) 663-3332
Visual Sound Inc.	485 Park Way	Broomall	PA	19008	Shelly Braaksma	sbraaksma@visualsound.com	(610) 544-8700
World Wide Communication	4020 F. Calla Dallas Faturil	Cours Coursell	47	05224	Manatha Marra	linear na Quini na na sa	(602) 422 4272
Services	4920 E. Calle DeLas Estrellas	Cave Creek	AZ	85331	Kenetha Mann	kmann@wwcspro.com	(602) 432-1372
XIT Inc. dba XIT Solutions	1112 20th Street	Bakersfield	CA	93301	Santerre Shawn	ssanterre@xitsolutions.com	(877) 365-8721
ATT THE UDA ATT SOLUTIONS	1112 20111 311 661	Dakersheiu	CA	33301	Santerre Shawii	SSAITETTE@XILSUIULIUTIS.CUITI	(0//) 303-6/21

# SAMSUNG GSA DEALER SERVICES SIN 334290

SIN	Category	Approximate Related Experience	Education	Description of General Responsibilities	Zo	one 1	Z	one 2	Z	one 3	Zo	one 4
334290	Project Manager	Minimum of 4 years	BS/BA or 5 years experience	Responsible for cradle to grave management of assigned projects. He/she serves as Point of Contact with customers. Performs Site Surveys and develops Installation/Man Power Schedules. Oversee Operations of Projects. Prepares and submits Purchase Requisit	\$ ]	161.20	\$	146.09	\$I	136.02	\$	125.9-
334290	Security System Design	Minimum of 2 years	BS/BA or 3 years experience	Engineers electronic security systems based on contract requirements, site conditions, manufacturer specifications, and building codes. Verifies system design concept and equipment required for complex, multisite systems. May supervise other security engineers	\$ 1	151.13	S	141.05	S	136.02	S	125.9
334290	Senior Security System Technician	Minimum of 3 year	Associates degree or equivalent or 4 years experience	Responsible for installing, maintaining and repairing access systems and integrated management systems as well as video and other telecommunications and security equipment.	\$ 1	110.83	\$	100.75	s	95.71	\$	85.6
334290	Security System Technician 2	Minimum of 2 years	Associates degree or equivalent or 3 years experience	Responsible for installing, maintaining and repairing access systems and integrated management systems as well as video and other telecommunications and security equipment. This level employee will have the capability to supervise other technicians.	s	95,71	s	90.68	S	85.64	s	75.50
334290	Security System Technician 1	Minimum of 1 years	Associates degree or equivalent or 2 years experience	Responsible for installing, maintaining and repairing access systems and integrated management systems as well as video and other telecommunications and security equipment. This level employee will have the capability to supervise other technicians	S	90.68	S	85.64	S	75.56	\$6	60.45

#### ZONES PER STATE

22	Zone 1	AK, CA, HI, IL, MA, NY	200

SIN	Category	Approximate Related Experience	Education	Description of General Responsibilities	Zone 1	Zone 2	Zone 3	Zone
		Zone 2	DC, DE, FL, GA, IN, MD, MI, NC, NJ, OR, PA, RI, TX, UT, VA, WA, WI, WV	- 57				
		Zone 3	AR, AZ, CO, CT, LA, ME, MN, MO, ND, NV, SC, SD, WY					
		Zone 4	AL, IA, ID, KS, KY, MS, MT, NE, NH, NM, OH, OK, TN, VT					

## PRICING SIN 334512

MFR PART NO	PRODUCT NAME	PRODUCT DESCRIPTION	UOI	GSA PRICE
C2P-BASE/KUS	WAVE Integration - C2P	C2P WAVE integration middleware base license. Enables event and video integration between C2P integrated devices and Wisenet WAVE.  Requires minimum of 1 day On-site engineering service SKU: DIN-SSDA006/CO	each	1,093.70
C2P-G1-01/KUS	WAVE Integration - C2P	C2P WAVE integration middleware Group 1 (Access Control) single device license		
C2P-G1SUP- 01/KUS	WAVE Integration - C2P	C2P WAVE integration middleware Group 1 (Access Control) Software Upgrade Plan / 1 year	each	108.06
C2P-G1SUP- 02/KUS	WAVE Integration - C2P	C2P WAVE integration middleware Group 1 (Access Control) Software Upgrade Plan / 2 year	each	21.61
C2P-G1SUP- 03/KUS	WAVE Integration - C2P	C2P WAVE integration middleware Group 1 (Access Control) Software Upgrade Plan / 3 year	each each	38.90 48.63
C2P-G2-01/KUS	WAVE Integration - C2P	C2P WAVE integration middleware Group 2 (Asset Tracking, Banking, Biometrics, LPR, POS, Video Analytics, IoT, M2M, PLC) single device license		
C2P-G2SUP- 01/KUS	WAVE Integration - C2P	C2P WAVE integration middleware Group 2 (Asset Tracking, Banking, Biometrics, LPR, POS, Video Analytics, IoT, M2M, PLC) Software Upgrade Plan / 1 year	each	360.20
			each	72.04

C2P-G2SUP- 02/KUS	WAVE Integration - C2P	C2P WAVE integration middleware Group 2 (Asset Tracking, Banking, Biometrics, LPR, POS, Video Analytics, IoT, M2M, PLC) Software Upgrade Plan / 2 year		
			each	129.67
C2P-G2SUP- 03/KUS	WAVE Integration - C2P	C2P WAVE integration middleware Group 2 (Asset Tracking, Banking, Biometrics, LPR, POS, Video Analytics, IoT, M2M, PLC) Software Upgrade Plan / 3 year		
			each	162.09
HCB-6000/KUS	2MP Analog HD Box	Wisenet HD+ 2MP, Full HD(1080p) 30fps box camera, AHD/TVI/CVI/CVBS, 120 dB true WDR, RS485 /Coaxial Control, true D/N, 24VAC/12VDC (Require 2MP or higher CS Mount Lens)		
			each	117.88
HCB-6001/KUS	2MP Analog HD Box	Wisenet HD+ 2MP, Full HD(1080p) 30fps box camera, AHD/TVI/CVI/CVBS, 120 dB true WDR, RS485 /Coaxial Control, simple focus, true D/N, 24VAC/12VDC (Require 2MP or higher CS Mount Lens)		
			each	140.81
HCB-6001N/US	2MP Analog HD Box	WiseNet HD+ 2MP, Full HD(1080p) 30fps box camera, AHD/TVI/CVI/CVBS, 120 dB True WDR, RS485 /Coaxial Control, Simple Focus, True D/N, 24VAC/12VDC (Require 2MP or higher CS Mount Lens)	each	140.81
	2MP Wisenet HD+ Indoor Dome	Wisenet HD+ 2MP indoor dome camera, AHD, CVI, TVI, CVBS formats are	Cacii	140.01
HCD-6010	Camera	available, 2.8 mm fixed lens, true D/N, 12VDC		
			each	117.88
HCD-6020R	2MP Wisenet HD+ Indoor Dome Camera	Wisenet HD+ 2MP IR indoor dome camera, AHD, CVI, TVI, CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC		
			each	137.53
HCD-6070R/KUS	2MP Analog HD IR Indoor Dome	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, manual Vari-focal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 65 feet		
			each	176.83
HCD-6080R/KUS	2MP Analog HD IR Indoor Dome	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, motorized vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 65 feet		
			each	209.57

HCO-6020R	2MP Wisenet HD+ Bullet Camera	Wisenet HD+ 2MP IR bullet camera, AHD, CVI, TVI, CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC		
			each	137.53
HCO-6070R/KUS	2MP Analog HD IR Bullet	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor bullet camera, AHD/TVI/CVI/CVBS, manual Vari-focal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10		
		NII	each	196.47
HCO-6080R/KUS	2MP Analog HD IR Bullet	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor bullet camera, AHD/TVI/CVI/CVBS, motorized vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10		
			each	229.22
HCP-6320A/KUS	AHD PTZ	Wisenet HD+ 2MP, Full HD(1080p) 30fps PTZ camera, Optical zoom lens 32X (4.44~142.6mm), true WDR 120dB, RS485/Up coax (ACP protocol only) PTZ control, true D/N, 24VAC.		
			each	831.74
HCP-6320HA/KUS	AHD PTZ	Wisenet HD+ 2MP, Full HD(1080p) 30fps PTZ camera, Optical zoom lens 32X (4.44~142.6mm), RS485/Up coax (ACP protocol only) PTZ control, true WDR 120dB, true D/N, 24VAC, IP66 IK10.		
			each	962.72
HCP- 6320HAN/US	AHD PTZ	WiseNet HD+ 2MP, Full HD(1080p) 30fps PTZ Camera, Optical zoom lens 32X (4.44~142.6mm), True WDR 120dB, True D/N, 24VAC, IP66 IK10.		
			each	962.72
HCV-6070R/KUS	2MP Analog HD IR Outdoor Dome	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor dome camera, AHD/TVI/CVI/CVBS, manual Vari-focal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10		
			each	196.47
HCV-6080R/KUS	2MP Analog HD IR Outdoor Dome	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor dome camera, AHD/TVI/CVI/CVBS, motorized vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10		
			each	229.22
HCZ-6320/KUS	2MP Wisenet HD+ Zoom Box	Wisenet HD+ 2M zoom box, AHD or CVBS formats are available, true WDR (120dB), 32X optical zoom, RS485 /Coaxial Control, true D/N, 24VAC/12VDC		
			each	376.57

		Stainless steel pole mount adaptor		
HT-E-	Explosion Proof Accessories	Starriess steer pole mount adaptor		
BFP00CL/KUS	Pole Adaptor			
·			each	916.88
		Stainless steel Top mounting bracket		
HT-E-	<b>Explosion Proof Accessories</b>			
BFP00SW/KUS	Mounting Bracket			
			each	458.44
		Stainless steel wall mount for (TNO-6070EP, TNO-6320EP, TNO-		
HT-E-	Explosion Proof Accessories	6070EW2, TNO-6320EW2)		
BFW320SW/KUS	Wall Mount			
		Stainless steel wall mount for (TNO-6070EF2, TNO-6320EF2, TNO-	each	982.37
	Fundacion Board Assessmine	6070EWF2, TNO-6320EWF2)		
HT-E- BFW50SW/KUS	Explosion Proof Accessories Wall Mount	33.02.11.2, 11.0 33.20.11.2,		
D1 1130311/1103	Wall Would		each	1,080.60
		Stainless steel PTZ Wall mount for (TNP-xxx)	cacii	1,000.00
HT-E-	Explosion Proof Accessories			
BPW6800/KUS	PTZ wall Mount			
			each	884.13
		Stainless steel Washer tank for cameras with Wiper model (TNP-		
HT-E-	<b>Explosion Proof Accessories</b>	6320E2W, TNP-6320E2WF, TNP-6320E1W, TNP-6320E1WF, TNO- 6070E2WF, TNO-6320E2WF, TNO-6070E1W)		
XWP10UL/KUS	Washer Tank	6070E2WF, 1NO-6520E2WF, 1NO-6070E1W)		
	2MD D		each	2,586.90
	2MP Dome	Wisenet Q mini network indoor dome camera, 2MP @ 30fps, 2.8mm		
		fixed focal lens (113°), triple codec H.265/H.264/MJPEG with Wisestream		
QND-6011		II, 120dB WDR, defocus detection, hallway View, SD card, people counting, open platform, IP42, IK08, PoE, white color		183.38
QIVD OUTT	2MP IR Dome	Wisenet Q network indoor dome camera, 2MP @ 30fps, 2.8mm fixed		103.30
		focal lens (113°), triple codec H.265/H.264/MJPEG with Wisestream II,		
QND-6012R		120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way		
		audio and SD card, video analytics, CVBS, open platform, PoE/12VDC, white color	each	189.27
	2MP Dome		EdUI	103.27
	_ =	Wisenet Q mini network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream		
		II, 120dB WDR, defocus detection, hallway View, SD card, people		
QND-6021		counting, open platform, IP42, IK08, PoE, white color		183.38

	2MP IR Dome	Wisenet Q network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream II,		
QND-6022R		120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, PoE/12VDC, white color	each	189.27
QND-6032R	2MP IR Dome	Wisenet Q network indoor dome camera, 2MP @ 30fps, 6.0mm fixed focal lens (52°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, PoE/12VDC,		
QND-6082R	2MP IR Dome	white color  Wisenet Q network indoor dome camera, 2MP @ 30fps, motorized varifocal lens 3.1x (3.2 ~ 10.0mm) (109°~33°), triple codec  H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, PoE/12VDC, white color	each each	300.60
QND-8010R	5MP IR Dome	Wisenet Q network indoor dome camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color		261.96
QND-8011	5MP Dome	Wisenet Q mini network indoor dome camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, SD card, people counting, open platform, IP42, IK08, PoE, white color		261.96
QND-8020R	5MP IR Dome	Wisenet Q network indoor dome camera, 5MP @ 30fps, 4.0mm fixed focal lens (79°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color		261.96
QND-8021	5MP Dome	Wisenet Q mini network indoor dome camera, 5MP @ 30fps, 4.0mm fixed focal lens (80°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, SD card, people counting, open platform, IP42, IK08, PoE, white color		261.96
QND-8030R	5MP IR Dome	Wisenet Q network indoor dome camera, 5MP @ 30fps, 6.0mm fixed focal lens (49°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color		261.96

QND-8080R	5MP IR Dome	Wisenet Q network indoor dome camera, 5MP @ 30fps, motorized varifocal lens 3.1x (3.2 ~ 10.0mm) (100°~31°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color		425.69
QNE-8011R	5MP Flateye Camera	Wisenet Q mini network outdoor flateye camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, open platform, IP67, IK10, PoE, white color		327.46
QNE-8021R	5MP Flateye Camera	Wisenet Q mini network outdoor flateye camera, 5MP @ 30fps, 4.0mm fixed focal lens (80°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, open platform, IP67, IK10, PoE, white color		327.46
QNO-6012R	2MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	each	248.21
QNO-6022R	2MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	each	248.21
QNO-6032R	2MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 6.0mm fixed focal lens (52°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	each	248.21
QNO-6082R	2MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	each	339.90
QNO-8010R	5MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	each	327.46

QNO-8020R	5MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, 4.0mm fixed focal lens (79°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE		
		card, video analytics, CVB3, open platform, 1866, 1810, POE	each	327.46
QNO-8030R	5MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, 6.0mm fixed focal lens (49°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	each	327.46
QNO-8080R	5MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (100°~31°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	each	474.81
QNP-6230/KUS	2MP 23x PTZ	Wisenet Q network indoor PTZ camera, 2MP, Full HD(1080p) 30fps, H.265/H.264/MJPEG, Optical Zoom Lens 23x (4.44-102.1mm), 120dB WDR, true D/N, 500°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE+		
			each	982.37
QNP-6230H/KUS	2MP 23x PTZ	Wisenet Q network outdoor PTZ camera, 2MP, Full HD(1080p) 30fps, H.265/H.264/MJPEG, Optical Zoom Lens 23x (4.44-102.1mm), 120dB WDR, true D/N, 500°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE+, Analytics, IP66, IK10, Heater on -58°F 24VAC	each	1,113.35
QNV-6012R	2MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	each	258.69
QNV-6022R	2MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	each	258.69
QNV-6032R	2MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 6.0mm fixed focal lens (52°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	each	258.69

	2MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33°), triple codec		
QNV-6082R		H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card, video		
		analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	each	350.38
QNV-8010R	5MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	o a a la	227.20
QNV-8020R	5MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 5MP @ 30fps, 4.0mm fixed focal lens (79°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	each each	337.28
QNV-8030R	5MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 5MP @ 30fps, 6.0mm fixed focal lens (49°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	each	337.28
QNV-8080R	5MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 5MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (100°~31°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color		484.63
SBC-160B	Black cover	Black skin cover for indoor X-Plus series domes XND-6081xx, XND-8081xx, QTY of 3	o o o lo	
SBC-180B	Black cover	Black skin cover for outdoor X-Plus series domes XNV-6081xx, XNV-8081xx, QTY of 3	each	32.75
			each	32.75
SBD-110GP/KUS	Gangbox Plate	Adaptor plate for Single, Double, 4" Octagon, supported cameras (QND-6010R / 6020R / 6030R / 7010R / 7020R / 7030R, XND-6010 / 6020R / 8020R / 8030R / 8040R, HCD-7010R / 7020R/ 7030R) Pack of 5		
			each	29.47
SBD-120GP/KUS	Gangbox Plate	Adaptor plate for Single, Double, 4" Octagon, supported cameras (QND-6070R/7080R, HCD-7070R/6070R/6080R) Pack of 5		
			each	29.47

		fisheye camera Back box. (SNF-8010/VM, XNF-8010R/RV/RVM, PNF-		
		9010R/RV/RVM)		
SBF-100B1/KUS	Fisheye Back Box	30101/111/1111/		
	•			
			each	32.09
		Monitor stand for SMT-3231/3232/4031/4032/4032A		
CDM 2240CT/VIIC	Monitor Stand			
SBM-3240ST/KUS	World Stalla			
			each	51.74
		IR Bullet camera Back box. (SNO-L6083R / L5083R, QNO-6030R / 6020R /		
		6010R, QNO-7030R / 7020R / 7010R, QNO-7080R/6070R, SCO-6083R)		
SBO-100B1/KUS	Bullet Back Box			
				22.00
	Dullat David Davi	ID by list servers head here (VAIO I COCCD)	each	32.09
	Bullet Back Box	IR bullet camera back box. (XNO-L6080R)		
SBO-126B/KUS				
, , , , ,				
			each	32.09
		Indoor Wall mount for indoor domes (QND-		
		7080R/7030R/7020R/7010R/6070R/6030R/6020R/6010R, XND-		
SBP-120WM/KUS	Wall Mount	6010/6020/8020R/8030R/8040R, SND-L6083R/L6014R/L6013R/L6013/		
		SND-L6012/L5083R/L5013/SCD-		
		6083R/6023R/6021/5083R/5083/5082/5080)	each	16.37
		Indoor wall mount for indoor domes (QND-		
SBP-120WMW	Wall Mount	8080R/8030R/8020R/8010R/6082R/6032R/6022R/6012R), white color		16.37
		Cap adaptor for the (QND-7080R/6070R, QNV-7010R/20R/30R, QNV-		
		6010R/20R/30R, XNV-6010/20R, XNV-8020R/30R/40R) hanging mount		
SBP-122HM/KUS	Cap Adapter			
			oach	22.27
			each	22.27
		Cap adaptor for the (QND-8080R/6082R, QNV-8010R/20R/30R, QNV-		
SBP-122HMW	Cap Adapter	6012R/22R/32R), white color		22.27
		Outdoor wall mount for outdoor domes (QNV-		
SBP-		6010R/6020R/6030R/7010R/7020R/7030R, 7080R/6070R		
137WM1/KUS	Wall Mount	XNV-6010/6020/8020R/8030R/8040R, HCV-		
		6080R/6070R/7010R/7020R/7030R/7070R,		
		SCV-5082/5082R/5083/5083R/5085/6023R/6083R, SNV-L5083R/L6083R,	each	42.57

		XNP-6040H )		
		55.5.1,		
		Outdoor wall mount for outdoor domes (QNV-		
SBP-137WMW	Wall Mount	6012R/6022R/6032R/8010R/8020R/8030R, 8080R/6082R), white color		42.57
		23° tilt mount for vandal outdoor domes (XNV-6080/R/8080R/PNV-		1
		9080R/SNV-8081/8080/7084/R/6084/R/6085R/5084/R, SCV-6081R, XNV-		
SBP-160TM/KUS	Tilted Mount Adapter	6120/R, XNV-6085)		
			each	16.37
	Cap Adapter	Hanging cap (ivory) for the indoor X Plus dome cameras	Cucii	10.57
	22 10 22 10 22			
SBP-167HM				
			each	32.75
	Cap Adapter	Hanging cap (white) for the indoor X Plus dome cameras	Cucii	32.73
SBP-167HMW				
			each	32.75
		Cap Adapter for the XNP-6120H		02.70
		·		
SBP-168HM/KUS	Cap Adapter			
			each	51.74
	Cap Adapter	Hanging cap (ivory) for the outdoor X Plus dome cameras		02.7.
SBP-187HM				
			each	32.75
	Cap Adapter	Hanging cap (white) for the outdoor X Plus dome cameras		-
SBP-187HMW				
			each	32.75
		Cap Adapter for the PNM-9020V, HCM-9020VQ Multi-Sensor.		
CDD 2041 IN A live : 2				
SBP-201HM/KUS	Cap Adapter			
			each	32.09

	Cap Adapter	Cap adaptor for the PNM-9000VQ (Will fit the following accessories: SBP-		
	cap naupter	300WM1, SBP-300WM, SBP-390WM1, SBP-300LM, SBP-300CM)		
SBP-276HM/KUS				
			each	49.12
	2'x2' ceiling tile, 1.5" NPT female	2'x2' drop ceiling tile (or half of 2'x4' ceiling tile) accessory with 1.5" NPT	cacii	13.12
	thread	female thread, includes suspension wire, four turnbuckles, and anchors		
SBP-2CTW/KUS		to suspend from wood or concrete structures, supports up to 50lb,		
		scratch resistant fused epoxy white finish	each	98.24
		Wall Mount Base, Works with Mounts (SBP-300WM/300WM1), Ivory	Cacii	38.24
SBP-300B/KUS	Mount Base			
			each	58.29
		Pendant Mount Accessory, Ivory		
SBP-300CM/KUS	Pendant Mount			
3BF-300CIVI/K03	rendant Would			
			each	51.74
	Pendant Mount (White)	Pendant Mount Accessory, white		
SBP-300CMW				
SBI SOCCIVIV				
			each	51.74
		RJ-45 to Fiber mounting accessory for PTZ SNP-6320H/5430H		
SBP-300HF/KUS	Fiber Optic for PTZ			
			each	176.17
		Large Cap Adapter Accessory, (SCP-3430/3371/3370/3250/3120/2430/2371/2370/2271/2270/2250, SNP-		
SBP-	Cap Adapter	6200/5300/5200/3371/3302), Ivory		
300HM1/KUS	·	0200/3300/3200/3371/3302/, 1V01 Y		
			each	51.74
		Small Cap Adapter (Aluminum), Accessory for 5MP fisheye cameras (SNF-8010, SNF-8010VM, XNF-8010R/RV/RVM, PNF-9010R/RV/RVM), Works		
SBP-	Cap Adapter	with Mounts (SBP-300CM, SBP-300LM, SBP-300WM, SBP-300WM1)		
300HM5/KUS		, 55. 555, 55. 555, 55. 555, 55. 555		22.00
		Medium Cap Adapter (Aluminum) Accessory, (SCV-6081R, SNV-8081R,	each	32.09
CDD		SNV-8080, SNV-7084/R, SNV-6084/R, SNV-5084/R, PNV-9080R, XNV-		
SBP- 300HM6/KUS	Cap Adapter	6080/R, XNV-8080R, XNV-6120/R, XND-6085V, XNV-6085) Works with		
3001 11V10/ KU3		Mount (SBP-300WM1,SBP-300WM, SBP-300CM, SBP-300LM)	oooh	22.00
			each	32.09

SBP- 300HM7/KUS	Cap Adapter	Small Cap Adapter (Aluminum), Accessory for SNV-6013, XNV-6011, SND-L6013/R, SND-L5013, SND-L6012, SCD-6023R, QND-7010R/20R/30R, QND-6010R/20R/30R, XND-6010/20R, XND-8020R/30R/40R.		
			each	32.09
SBP- 300HM8/KUS	Cap Adapter	Cap Adapter for the PND-9080R, XND-6080V/RV, XND-8080RV	each	32.09
SBP- 300HMS6/KUS	Stainless Steel Cap Adaptor	Stainless steel cap adaptor for XNV-6080RS, XNV-8080RS, XNV-6120RS	caen	32.03
			each	317.63
SBP-300HMW7	Cap Adapter	Small cap adapter (aluminum), accessory for (XNV-6011W, QND-8010R/20R/30R, QND-6012R/22R/32R), white color		32.09
SBP-300KM/KUS	Corner Mount Base	Corner Mount Adapter Accessory, use with SBP-300WM, Ivory	each	51.74
SBP-300KMS/KUS	Stainless Steel Corner Mount Adaptor	Corner mount adaptor for the SBP-300WMS and SBP-300WMS1		
		21 500 200 40 444 144 1	each	98.24
SBP-300KMW	Corner Mount Base	Corner Mount Adapter Accessory, use with SBP-300WMW1, White		
			each	51.74
SBP-300LM/KUS	Parapet Mount	Parapet Mount Accessory, Ivory		
SBP-300LMW	Parapet Mount	Parapet Mount Accessory, compatible with all full size outdoor PTZs and all caps, White	each	258.69
			each	258.69

<u> </u>	Γ			1
SBP-300NB/KUS	Installation Box	Installation Back box compatible with (SBP-300WM, SBP-300WM1, SBP-300PM)		
			each	196.47
	Mounting accessory for the TNB-6030	PVM camera (TNB-6030) mounting hardware.		
SBP-300NM/KUS				
			each	42.57
		Pole Mount Adapter Accessory, use with SBP-300WM, Ivory		
SBP-300PM/KUS	Pole Mount Base			
			each	51.74
SBP-300PMS/KUS	Stainless Steel Pole Mount Adaptor	Pole mount adaptor for the SBP-300WMS and SBP-300WMS1		
			each	72.04
	Pole Mount Base	Pole Mount Adapter Accessory, use with SBP-300WMW1, White		
SBP-300PMW				
351 3001 14144				
		200 Till A. J. W. Harry and J. C. J. J. A. J. C. T. S. C.	each	51.74
SBP-300TM1/KUS	Tilted Mount Adapter	20° Tilt Angle Wall Mount Adapter (Poly Carbonate), Accessory for 5MP fisheye cameras (SNF-8010, SNF-8010VM, XNF-8010R/RV/RVM, PNF-9010R/RV/RVM), Ivory		
			each	38.64
SBP-300WM/KUS	Wall Mount	Wall Mount Accessory, (SCP-3430H/2430H, SCP-3370TH/3370H, SCP-2370TH/2370H, SCP-3250H/2250H, SCP-3120VH, SNP-5430H/6320H/6320RH, SNP-5200H/3302H, SNP-6321H/5321H/SNP-L6233H/L5233H/L6233RHH/SNP-3371TH/3371H, SNP-3120VH, All caps, SHP-3701H), Ivory	each	51.74
SBP- 300WM1/KUS	Wall Mount	Wall Mount Accessory, (SCP-3430H/2430H, SCP-3370TH/3370H, SCP-2370TH/2370H, SCP-3250H/2250H, SCP-3120VH, SNP-5430H/6320H/6320RH, SNP-5200H/3302H, SNP-6321H/5321H/SNP-L6233H/L5233H/L6233RHH/SNP-3371TH/3371H,SNP-3120VH, All caps except SBP-329HM, SHP-3701H), Ivory	each	51.74
SBP- 300WMS/KUS	Stainless Steel Wall Mount (Gooseneck)	Stainless Steel wall mount (gooseneck) for stainless steel cameras PTZ: XNP-6320HS and dome cameras: XNV-6080RS, XNV-8080RS, XNV-6120RS (need to purchase a seprate cap SBP-300HMS6 for the dome cameras)	each	311.08

	Stainless Steel Wall Mount	Stainless Steel wall mount for stainless steel cameras		
SBP-		PTZ: XNP-6320HS and dome cameras: XNV-6080RS, XNV-8080RS, XNV-		
300WMS1/KUS		6120RS (need to purchase a seprate cap SBP-300HMS6 for the dome		
3000010131/103		cameras)		400.22
	Mall Marriet (Mister)	Mall Marint Assessment white Commetible with white haveing assessment	each	409.32
	Wall Mount (White)	Wall Mount Accessory (white), Compatible with white hanging caps		
SBP-300WMW1				
			each	51.74
		RJ-45 to Fiber mounting accessory for PTZ SNP-6321H/5321H/SNP-		
SBP-301HF/KUS	Fiber Optic for PTZ	L6233H/L5233H		
3BF-30111F/K03	Fiber Optic for F12			
			each	176.17
		Small Cap Adapter (Aluminum) Accessory, (SCV-6083R/6023R, SCV-		
		5082/5083/5083R/6080, SCD-6080, SCV-3083/3082/3081, SCV-		
SBP-		2082R/2081R, SCV-2081, SND-7084/7084R, SND-7082, SND-		
301HM2/KUS	Cap Adapter	6084/6084R/6083, SND-5084/5084R/5083/5080, SND-3082, SNV-		
301111112/103		1080/1080R, SNV-L6083R/L5083R, QNV-7080R, QNV-6070R, HCV-6070R,		
		HCV-6080R, XNP-6040H) Works with Mounts (SBP-300WM/W1/CM/LM),		
		lvory	each	32.09
		Medium Cap Adapter Accessory, (SCV-2120/ 2080R/ 3120/ 3080/ 2080/		
SBP-	Cap Adapter	2060, SNV-7082/ 7080R/ 7080/ 5080R/ 5080/ 3120/ 3082, SCP-3371/		
301HM3/KUS	Cap Adapter	2373/ 2371, / 2273/ 2271, SNP-6320/ 6321/ 6201/ 5430/ 5321/ L6233/		
		L5233/ 5300), Ivory	each	32.09
		Medium Cap Adapter (Aluminum) Accessory, (SCD-6083R, SCD-5080,		
SBP-		SCD-5082, SCD-5083, SCD-5083R, SND-6011R, SNF-7010, SNF-7010V,		
301HM4/KUS	Cap Adapter	SNF-7010VM, SND-L6083R, SND-L5083R, HCD-6070R/6080R) Works with		
·		Mounts (SBP-300WM1, SBP300WM, SBP-300CM, SBP-300LM), Ivory	each	32.09
			Cucii	32.03
		Corell and advantagle business (ONE) (COCCE)		
CDD 20411N41N/2	Can Adamtan	Small cap adapter (aluminum) accessory, (QNV-8080R,QNV-6082R),		22.00
SBP-301HMW2	Cap Adapter	white color		32.09
		Pole Mount Adapter Accessory, use with SNO-8081R and PNO-9080R.		
SBP-301PM/KUS	Pole Mount Base			
,				
			each	51.74

SBP-302CM/KUS	Pendant Mount	Telescopic pendant mount Accessory, require a mounting plate SBP- 302CMA		
			each	229.22
SBP-302CM- 12/KUS	Extension pendant pipe 12"	Extension pendant pipe 12" long, fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes SBP-302CM-12 and SBP-302CM-36	each	42.57
SBP-302CM- 36/KUS	Extension pendant pipe 36"	Extension pendant pipe 36" long, fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes SBP-302CM-12 and SBP-302CM-36	each	68.77
		Mounting plate for the telescopic pendant mount SBP-302CM	Cucii	00.77
SBP- 302CMA/KUS	Mounting plate			
			each	32.75
SBP- 302CMAS/KUS	Swivel Joint + Telescopic pendant mount	Telescopic pendant mount accessory with 90 degrees swivel joint, 4.5' to 8' adjustable, includes SBP-302CMA for ceiling mount, Ivory color		
			each	261.96
SBP-302CMB/KUS	Pendant back box	Back box made to fit SBP-302CM telescopic pendant mount and the extension pipes (SBP-302CM-12 and SBP-302CM-36)		
			each	124.43
SBP-302CMS	Swivel adapter for pendant mount	Swivel adapter for pendant mount for SBP-302CM, SBP-302CM-12, SBP-302CM-36 and it also requires one mounting option either SBP-302CMA or SBP-302CMB		
			each	78.59
SBP-302F	Ceiling Tile Support Plate	Ceiling tile support plate for the XND-x081F, XND-x081FZ, XND-x081RF and SHD-3000F5		
			each	104.79
CDD 202US ///US	Eller Out 1 PTT	RJ-45 to Fiber mounting accessory for PTZ XNP-6370RH, PNP-9200RH		
SBP-302HF/KUS	Fiber Optic for PTZ			
			each	176.17

SBP-302PM/KUS	Pole Mount Base	Pole Mount Adapter Accessory, use with SBO-100B1, PNO-9080R, SBO-100B1		54.74
SBP-303HF	Fiber Optic for PTZ	RJ-45 to Fiber mounting accessory for PTZ XNP-6320H, XNP-6550RH and QNP-6230H	each	51.74
			each	176.17
SBP-303PM	Pole Mount Base	Pole mount adapter accessory for thermal bullet cameras, compatible with TNO-4040T, TNO-4030T, TNO-4050T, TNO-4030TR, TNO-4040TR	each	51.74
SBP-317HM/KUS	Cap Adapter	Large Cap adaptor (indoor)for the Multi-Directional cameras PNM-9080VQ and PNM-9081VQ (Will fit the following accessories: SBP-300WM1, SBP-300WM, SBP-300LM, SBP-300CM)		
		Large Cap adaptor (outdoor) for the Multi-Directional cameras PNM-	each	49.12
SBP-329HM/KUS	Cap Adapter	9080VQ and PNM-9081VQ (Will fit the following accessories: SBP- 300WM, SBP-300LM, SBP-300CM)		
			each	49.12
SBP- 35PVMB/KUS	PVM Mount	Telescopic PVM uni-strut mount, 3'-5.5' drop length, VESA comptabile 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black		
			each	104.79
SBP- 35PVMW/KUS	PVM Mount	Telescopic PVM uni-strut mount, 3'-5.5' drop length, VESA comptabile 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white		
			each	104.79
SBP- 390WM1/KUS	Wall Mount	Wall Mount Accessory, 2x knock out built-in, compatible with:  all full size outdoor PTZs and all caps, Ivory color		
			each	140.81
SBP- 59PVMB/KUS	PVM Mount	Telescopic PVM uni-strut mount, 5'-9' drop length, VESA comptabile 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black		
			each	130.98

SBP- 59PVMW/KUS	PVM Mount	Telescopic PVM uni-strut mount, 5'-9' drop length, VESA comptabile 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white		
39F VIVIVV/KO3			each	130.98
SBP-917PVMB	PVM Mount	Telescopic PVM uni-strut mount, 9.5'-17' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black		
			each	163.73
SBP-917PVMW	PVM Mount	Telescopic PVM uni-strut mount, 9.5'-17' drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white		
			each	163.73
SBP-B-100HM	Small Cap Adapter	Hanging Mount Cap Kit, (SNV-6013, SND-6011R, SCD-2080/B/E/EB, SCD-2082, SCD-2080R, SCD-2042R, SCD-2022R, SCD-2020R, SCD-3080/B, SCD-3083)		
			each	64.84
SBP-B- 100HM/KUS	Cap Adapter	Hanging Mount Cap Kit, (SNV-6013, XNV-6011, SND-6011R, SCD-2080/B/E/EB, SCD-2082, SCD-2080R, SCD-2042R, SCD-2022R, SCD-2020R, SCD-3080/B, SCD-3083, SCD-5080, SCD-5082, SCD-5083, SCD-5083R), Ivory		
		* Kit Includes SBP-B-100P plate for SNV-6013 installation	each	64.84
SBP-B-100P	Gang Box Plate	Single Gang Box Converter Plate, (SNV-6013, SND-6011R, SCD-2080/B/E/EB, SCD-2082, SCD-2080R, SCD-2042R, SCD-2022R, SCD-2020R, SCD-3080/B, SCD-3083)		
			each	25.54
SBP-B-100P/KUS	Gang box Plate	Single Gang Box Converter Plate for SNV-6013, XNV-6011		
			each	25.54
SBP-B-200P/KUS	Gang box Plate	Single/Double Gang Box, 4S Box Converter Plate, (SND-6011R, SCD-2080/B/E/EB, SCD-2082, SCD-2080R, SCD-2042R, SCD-2022R, SCD-2020R, SCD-3080/B, SCD-3083, SCD-5080, SCD-5082, SCD-5083, SCD-5083R, SND-6084/R,SND-7084/R, SND-5084/R, SND-6083), Ivory	each	34.71
SBP-HCF/KUS	1.5" coupler	1.5" coupler, female thread on both sides, Ivory		
			each	9.82

	Wall Mount	Wall mount for the TNU-6320		
SBU-500WM/KUS				
350 300 00 1017 103				
		D 11 311 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	each	212.85
	Dome back box	Back box with knockouts, compatible with XNV-6011, SNV-6013		
SBV-116B/KUS				
			each	32.09
		Weather cap for the following outdoor domes: (XNV-	Cacii	32.03
CDV 4201416/4416		6010/6020/8020R/8030R/8040R, QNV-		
SBV-120WC/KUS	Weather Cap	6010R/6020R/6030R/7010R/7020R/7030R)		
			each	19.65
		Weather cap for the following outdoor domes: (QNV-		
SBV-120WCW	Weather Cap	6012R/6022R/6032R/8010R/8020R/8030R), white color  Back Box with knockouts and water proof design, Compatible with	each	19.65
		SNV-L6083R, SNV-L5083R, SCV-5082, SCV-5083, SCV-5085, SCV-5083R,		
SBV-136B/KUS	Dome Back Box	SCV-6083R/ 6023R, QNV-7080R,QNV-6070R, HCV-6070R/6080R,XNP-		
		6040H	each	32.09
				5-300
SBV-136BW	Dome Back Box	Back box with knockouts (QNV-8080R,QNV-6082R), white color	each	32.09
		vandal dome camera Back box. (SNV-5084/R,SNV-6084/R, SNV-7084/R,		
SBV-158G/KUS	Dome Back box	SNV-8081R, SNV-8080, PNV-9080R, XNV-6080/R, XNV-8080R, XNV-6120/R, XNV-6085)		
		0120/N, ANV 0003/		55.67
		Weather cap for the following outdoor domes: (XNV-	each	55.67
		6080/R/8080R/PNV-9080R/SNV-		
SBV-160WC/KUS	Weather Cap	8081/8080/7084/R/6084/R/6085R/5084/R, SCV-6081R, XNV-6120/R)		
			each	19.65
		Wisenet HD+ 2MP, Full HD(1080p) 30fps, 1/2.9" 2M CMOS, 60dB DWDR,	23011	23.00
CCD C002/W15	AUD D	RS485 /Coaxial Control, true D/N, 24VAC/12VDC		
SCB-6003/KUS	AHD Box	(Require 2MP or higher CS Mount Lens)		
			each	104.13

SCB-6003AN/US	AHD Box	WiseNet HD+ 2MP, Full HD(1080p) 30fps, 1/2.9" 2M CMOS, 60dB DWDR, RS485 /Coaxial Control, True D/N, 24VAC/12VDC (Require 2MP or higher CS Mount Lens)		
			each	104.13
SCD-6013/KUS	AHD Dome	Wisenet HD+ 2MP, Full HD(1080p) 30fps dome camera, 1/2.9" 2M CMOS, 2.8mm Fixed Focal lens, 60dB DWDR, Coaxial Control, true D/N, 12VDC Only		
			each	98.24
SCD-6023R/KUS	AHD IR Dome	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR dome camera, 1/2.9" 2M CMOS, 4mm Fixed Focal lens, 60dB DWDR, Coaxial Control, true D/N, 12VDC Only, IR distance 65.62 feet		
			each	114.61
SCD-6023RAN/US	AHD IR Dome	WiseNet HD+ 2MP, Full HD(1080p) 30fps IR Dome Camera, 1/2.9" 2M CMOS, 4mm Fixed Focal Iens, 60dB DWDR, Coaxial Control, True D/N, 12VDC Only, IR distance 65.62 feet		
			each	114.61
SCD-6083R/KUS	AHD IR Dome	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR dome camera, 1/2.9" 2M CMOS, vari-focal Lens (4.3X) (2.8-12mm), 60dB DWDR, Coaxial Control, true D/N, 24VAC/12VDC, IR distance 65.62 feet		
			each	150.63
SCD-6083RAN/US	AHD IR Dome	WiseNet HD+ 2MP, Full HD(1080p) 30fps IR Dome Camera, 1/2.9" 2M CMOS, vari-focal Lens (4.3X) (2.8-12mm), 60dB DWDR, Coaxial Control, True D/N, 24VAC/12VDC, IR distance 65.62 feet		
			each	150.63
SCO-6023R/KUS	AHD IR Bullet	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR bullet camera, 1/2.9" 2M CMOS, 4mm Fixed Focal lens, 60dB DWDR, Coaxial Control, true D/N, 12VDC Only, IR distance 65.62 feet, IP66 IK10		
			each	114.61
SCO-6023RAN/US	AHD IR Bullet	WiseNet HD+ 2MP, Full HD(1080p) 30fps IR bullet Camera, 1/2.9" 2M CMOS, 4mm Fixed Focal lens, 60dB DWDR, Coaxial Control, True D/N, 12VDC Only, IR distance 65.62 feet, IP66 IK10		
			each	114.61
SCO-6085R	AHD IR Bullet	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR bullet camera, 1/2.8" 2M CMOS, vari-focal Lens (3.1X) (3.2-10mm), 60dB DWDR, Coaxial Control, true D/N, 24VAC/12VDC, IR distance 98.43 feet, IP66 IK10		
			each	163.73

				1
SCV-6083R/KUS	AHD IR Vandal Dome	Wisenet HD+ 2MP, Full HD(1080p) 30fps IR vandal dome camera, 1/2.9" 2M CMOS, Vari-focal Lens (4.3X) (2.8-12mm), 60dB DWDR, true D/N, 24VAC/12VDC, IR distance 98.43 feet, IP66 IK10		
			each	163.73
SCV-6083RAN/US	AHD IR Vandal Dome	WiseNet HD+ 2MP, Full HD(1080p) 30fps IR Vandal Dome Camera, 1/2.9" 2M CMOS, Vari-focal Lens (4.3X) (2.8-12mm), 60dB DWDR, True D/N, 24VAC/12VDC, IR distance 98.43 feet, IP66 IK10		
			each	163.73
SHB-4200/KUS	Fixed Housing	Indoor/Outdoor Housing w/Mounting Bracket Accessory, 14°F~122°F, IP66		
			each	58.94
SHB-4200H/KUS	Fixed Housing	Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower, -31°F~122°F, 24VAC, IP66		
			each	91.69
SHB-4300H1/KUS	Fixed Housing	Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower -58°F~122°F, 24VAC, IP66		
			each	228.56
SHB-4300HP/KUS	Fixed Housing	Indoor/Outdoor PoE Housing w/Mounting Bracket Accessory, Heater/Blower, IP66		
			each	294.71
SHD-100C	Heavy Duty Corner Mount	Heavy Duty Corner Mount Accessory, (SNV-8080, SNV-7084/R, SNV-6084/R, SNV-5084/R), Ivory		
			each	287.51
SHD-100C/KUS	Corner Mount	Heavy Duty Corner Mount Accessory, (SNV-8081R, SNV-8080, SNV-7084/R, SNV-6084/R, SNV-5084/R, PNV-9080R, XNV-6080/R, XNV-8080R) Ivory		
			each	287.51
SHD-200C	Corner Mount	Medium Size Triangle Corner Mount Accessory, (SNB-6010, SNB-6011), Ivory		
			each	130.33

SHD-200C/KUS	Corner Mount	Medium Size Triangle Corner Mount Accessory, (SNB-6010, SNB-6011), Ivory		
			each	130.33
SHD-3000F1/KUS	Flush mount	In-ceiling Flush Mount Accessory for HD-SDI, Wisenet III SCD-6081R, SCV-6081R, SND-7084R/7084. SND-6084R/6084/6083, SND- 5084R/5084/5083 SNV-7084R/7084, SNV-6084R/6084, SNV-5084, SNV-8080, SNV-8081R, PNV-9080R, XNV-6080/R, XNV-8080R)	each	51.74
SHD-3000F2	In-ceiling flush mount	In-ceiling Flush Mount Accessory for WiseNet Lite Vari-Focal Indoor Dome, (SND-L5083R, SND-L6083R), Ivory		
			each	51.74
SHD-3000F2/KUS	Flush mount	In-ceiling Flush Mount Accessory for Indoor dome (Beyond, WN Lite) SND-L6083R/L5083R, SCD-5080/5082/5083/5083R, SCD-6083R, HCD-6070R/6080R, QND-7080R, QND-6070R		
			each	51.74
SHD-3000F3	In-ceiling flush mount	In-ceiling Flush Mount Accessory for WiseNet Lite Vari-Focal Outdoor Dome, (SNV-L5083R, SNV-L6083R), Ivory		
			each	51.74
SHD-3000F3/KUS	Flush mount	In-ceiling Flush Mount Accessory for vandal dome (Beyond, WN Lite) SNV-L6083R/L5083R, SCV-5082/5083/5083R/5085, SCV-6083R/6023R, QNV-7080R,QNV-6070R, HCV-6070R/6080R, XNP-6040H		
			each	51.74
SHD-3000F4/KUS	Flush mount	In-ceiling Flush Mount Accessory for PND-9080R, XND-6080RV, XND-6080V & XND-8080RV		
			each	51.74
SHD-3000F5	Flush mount	In-ceiling Flush Mount Accessory for PNM-9000VQ, plenum rated (UL2820)		
			each	163.73
SHD-3000FW2	Flush Mount	In-ceiling flush mount accessory for Indoor dome (QND-8080R, QND-6082R), white color		51.74

SHD-3000FW3	Flush Mount	In-ceiling flush mount accessory for vandal dome (QNV-8080R,QNV-6082R), white color		51.74
		Compact Size Corner Mount Accessory, (SNB-6010, SNB-6011), Ivory		-
CHD 300C	Company Manual			
SHD-300C	Corner Mount			
			each	130.33
		Compact Size Corner Mount Accessory, (SNB-6010, SNB-6011), Ivory		
SHD-300C/KUS	Corner Mount			
,				
		2V2 describing the flesh secret adapter for the DNM 0000VO and DNM	each	130.33
		2X2 drop ceiling tile flush mount adaptor for the PNM-9080VQ and PNM- 9081VQ		
SHD-317F/KUS	Flush mount	300114		
			each	163.73
		In-ceiling Flush Mount Accessory for SNV-6013, Aluminum Body, Ivory	Cucii	103.73
CUD 400F	la asilias fluela manust			
SHD-400F	In-ceiling flush mount			
			each	77.93
		In-ceiling Flush Mount Accessory for SNV-6013, XNV-6011, Aluminum		
SHD-400F/KUS	Flush mount	Body, Ivory		
,				
	Flush door Jamb Lens Housing (black)	Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and	each	77.93
	Flush door Jamb Lens Housing (black)	XNB-6001 (not included), black color		
SHD-46VDB/KUS		(		
			each	98.24
	Flush door Jamb Lens Housing (silver)	Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and		
CLID ACVIDE (KLIC		XNB-6001 (not included), silver color		
SHD-46VDE/KUS				
			each	98.24
		In-ceiling Flush Mount Accessory for SNF-8010, Aluminum Body, Ivory		
SHD-500F/KUS	Flush mount			
•				77.00
			each	77.93

SHD-B-3100FP1	In-ceiling flush mount	Plenum rated In-ceiling Flush Mount Accessory, (SCV-2080, SCV-3080, SCV-6081R, SNV-3082, SNV-3120, SNV-5080, SNV-5080R, SNV-5084, SNV-6084, SNV-6084R, SNV-7082, SNV-7080R, SNV-7084, SNV-7084R, SND-5084, SND-5084R, SND-6083, SND-6084, SND-6084R, SND-7084, SND-7084R)	each	113.95
SHD-B- 3100FP1/KUS	Flush mount	Plenum rated In-ceiling Flush Mount Accessory, SNV-5084/R, SNV-6084/R, SNV-7084/R, SNV-8081R/SNV-8080, PNV- 9080R, XNV-6080/R, XNV-8080R SND-5084/R, SND-6084/R, SND-7084/R, SND-L6083R, SND-L5083R	each	113.95
SHF-1500F/KUS	Flush Mount	In-ceiling Flush Mount Accessory for XNF-8010R/RV/RVM, PNF- 9010R/RV/RVM	each	51.74
SHP-1680F/KUS	Flush mount	In-ceiling Flush Mount Accessory for XNP-6120H, XND-6085V, XNV-6085	each	51.74
SHP-3701F/KUS	Flush mount	PTZ In-Ceiling Flush Mount Accessory SCP-3430, SCP-3370, SCP-3250, SCP-2430, SCP-2370, SCP-2330, SCP- 2270, SCP-2250, SCP-3371, SCP-2373, SCP-2371, SCP-2273, SCP-2271. SNP-5200, SNP-3371, SNP-3302, SNP-6321, SNP-6320, SNP-6201, SNP-6200, SNP-5430, SNP-5321, SNP-5320, SNP-5300, SNP-L6233/L5233	each	130.98
SHP-3701FB/KUS	Flush Mount	PTZ In-Ceiling Flush Mount Accessory with a tinted bubble HCP-6320/A, SNP-6321 / 6320 / 5430 / 5321 / L6233 / L5233, XNP-6320, QNP-6230	each	130.98
SHP-3701H/KUS	PTZ Outdoor Housing	PTZ Housing Accessory, IP66, IK10, Built-in Heater -58°F SCP-3430, SCP-3370, SCP-3250, SCP-2430, SCP-2370, SCP-2330, SCP-2270, SCP-2250, SCP-3371, SCP-2373, SCP-2371, SCP-2273, SCP-2271. SNP-5200, SNP-3371, SNP-3302, SNP-6321, SNP-6320, SNP-6201, SNP-6200, SNP-5430, SNP-5321, SNP-5320, SNP-5300, SNP-L6233/L5233	each	359.55
SLA-2812DN/KUS	Lens	Lens, 1/3" DC, Vari-focal (2.8-12mm), Auto Iris, CS-Mount	each	58.29

	PNM-9320VQP Lens module	1/2.8" 2MP CMOS with a 12.0mm fixed focal lens, FoV: H: 26.3°, V: 14.9°,		
SLA-		for the PNM-9320VQP		
2M1200P/KUS				
			each	55.67
		1/2.8" 2M CMOS with a 2.4mm fixed focal lens, FoV: H: 135.4°, V: 71.2°		
SLA- 2M2400D/KUS	PNM-7000VD Lens module			
			each	55.67
SLA-	PNM-9320VQP Lens module	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H: 135.4°, V: 71.2° for the PNM-9320VQP		
2M2400P/KUS			each	55.67
SLA-	PNM-9000VQ Lens module	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H: 135.4°, V: 71.2° for the PNM-9000VQ		
2M2400Q/KUS			each	55.67
		1/2.8" 2M CMOS with a 2.8mm fixed focal lens, FoV: H: 107.4°, V: 62.2°		
SLA- 2M2800D/KUS	PNM-7000VD Lens module			
			each	55.67
SLA- 2M2800P/KUS	PNM-9320VQP Lens module	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H: 107.4°, V: 62.2°, for the PNM-9320VQP		
,			each	55.67
SLA- 2M2800Q/KUS	PNM-9000VQ Lens module	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H: 107.4°, V: 62.2°, for the PNM-9000VQ		
21012800Q/KU3			aaab	55.67
		1/2.8" 2M CMOS with a 3.6mm fixed focal lens, FoV: H: 94.8°, V: 49.3°	each	33.07
SLA-	PNM-7000VD Lens module	, 1 2 2 2 2 2 2 2 2		
2M3600D/KUS	700072 Lens module		each	55.67
SLA-	PNM-9320VQP Lens module	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H: 94.8°, V: 49.3°, for the PNM-9320VQP	230	
2M3600P/KUS			each	55.67

	PNM-9000VQ Lens module	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H: 94.8°, V: 49.3°,		
SLA-	Tivivi 3000 v Q Eeris module	for the PNM-9000VQ		
2M3600Q/KUS				
2101360000/103				
		4/2 011 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	each	55.67
		1/2.8" 2M CMOS with a 6.0mm fixed focal lens, FoV: H: 50.4°, V: 28.8°		
SLA-	PNM-7000VD Lens module			
2M6000D/KUS				
			each	55.67
	PNM-9320VQP Lens module	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, FoV: H: 50.4°, V: 28.8°,		
SLA-		for the PNM-9320VQP		
2M6000P/KUS				
			each	55.67
	PNM-9000VQ Lens module	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, FoV: H: 50.4°, V: 28.8°,		33.07
SLA-	•	for the PNM-9000VQ		
2M6000Q/KUS				
ZWIOOOOQ KOS				FF 67
		Lens, 1/3" DC, Vari-focal (5-50mm), Auto Iris, CS-Mount	each	55.67
		Lens, 1/3 DC, Vani-local (3-3011111), Auto Ins, C3-Would		
SLA-550DV/KUS	Lens			
			each	90.38
	PNM-9320VQP Lens module	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H: 97.5°, V: 71.9°		
SLA-		for the PNM-9320VQP		
5M3700P/KUS				
			each	163.73
	PNM-9000VQ Lens module	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H: 97.5°, V: 71.9°		
SLA-		for the PNM-9000VQ		
5M3700Q/KUS				
			each	163.73
	PNM-9320VQP Lens module	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H: 77.9°, V: 57.9°		
SLA-		for the PNM-9320VQP		
5M4600P/KUS				
3141-0001 / 1003			00.5	162.72
	DNIM 0000VO Long module	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H: 77.9°, V: 57.9°	each	163.73
	PNM-9000VQ Lens module	for the PNM-9000VQ		
SLA-		TOT THE FINIVI-3000VQ		
5M4600Q/KUS				
			each	163.73

	PNM-9320VQP Lens module	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H: 50.7°, V: 37.8°		
SLA-		for the PNM-9320VQP		
5M7000P/KUS			each	163.73
SLA- 5M7000Q/KUS	PNM-9000VQ Lens module	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H: 50.7°, V: 37.8° for the PNM-9000VQ		
3W7000Q7K03			each	163.73
		Lens, 1/2", 6MP, Vari-focal (12-40mm), Auto DC Iris, CS-Mount		
SLA-E- M1240DNB/KUS	Megapixel DC-iris Lens			
			each	163.07
SLA-F- M1550DN/KUS	Megapixel DC-iris Lens	Lens, 1/2.7", 3 MP, Vari-focal (15-50mm), Auto DC Iris, CS-Mount, Tele Range		
WIISSON, KOS			each	241.66
SLA-F-M1550DNL	Megapixel DC-iris Lens	Lens, 1/2.7", 3 MP, Vari-focal (15-50mm), Auto DC Iris, CS-Mount, Tele Range 3.3x		
			each	241.66
SLA-F- M226DN/KUS	Megapixel DC-iris Lens	Lens, 1/2.7", 3 MP, Vari-focal (2.2-6.0mm), Auto DC Iris, CS-Mount, Wide Angle		
WIZZODIN/ ROS			each	176.17
		Lens, 1/1.8", 6MP, Vari-focal (4.1-9mm), Auto DC Iris, CS-Mount		
SLA-F- M419DN/KUS	Megapixel DC-iris Lens			
			each	195.82
		Lens, 1/2.8", 3 MP, Vari-focal (2.8-9.0mm), Auto DC Iris, CS-Mount		
SLA- M2890DN/KUS	Megapixel DC-iris Lens			
,			each	130.33
		Lens, 1/2.8", 3 MP, Vari-focal (2.8-9.0mm), Auto P Iris, CS-Mount		
SLA- M2890PN/KUS	Megapixel P-iris Lens			
			each	163.07

CI A M		Super Wide Angle Lens, 1/2", f2.1mm/F1.8 Fixed Focal, 2.0 MP, M12  Mount		
SLA-M- M21D/KUS	Megapixel Fixed Lens	Compatible With SNV-6012M, SNV-6013		
			each	32.09
SLA-M- M36D/KUS	Megapixel Fixed Lens	1/2", f3.6mm/F2.0 Fixed Focal, 2.0 MP, M12 Mount Compatible With SNV-6013		
		1011 50 0 170 0 71 17 1 0 0 0 0 0 0 0	each	32.09
SLA-M- M60D/KUS	Megapixel Fixed Lens	1/2", f6.0mm/F2.0 Fixed Focal, 2.0 MP, M12 Mount Compatible With SNV-6013		
			each	32.09
SLA-T1080F/KUS	1.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)	1.6mm fixed lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.03 Lux, 120dB WDR, 187º horizontal field of view, 8 meters cable (26 feet cable)		
			each	203.02
SLA-T2480/KUS	2.4mm Lens/Imager straight body for XNB-6001 (8.0m cable)	2.4mm fixed lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.45 Lux, 120dB WDR, 138º horizontal field of view, 8 meters (26 feet cable)		
			each	140.81
SLA-T2480V/KUS	2.4mm Lens/Imager right angle body for XNB-6001 (8.0m cable)	2.4mm fixed lens module, compatible with the XNB-6001, right angle body style, 2MP @ 60fps, 0.45 Lux, 120dB WDR, 138º horizontal field of view, 8 meters/ 26 feet cable		
	7.1.12 0002 (c.c 000.c)		each	140.81
SLA-T4680/KUS	4.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)	4.6mm pinhole lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.06 Lux, 120dB WDR, 73º horizontal field of view, 8 meters/ 26 feet cable		
			each	140.81
SLA-T4680D/KUS	Door Jamb Lens (black)	Door Jamb head with a 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, black color		
			each	176.83
SLA- T4680DS/KUS	Door Jamb Lens (silver)	Door Jamb head with a 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, silver color		
			each	176.83

SLA- T4680DW/KUS	Door Jamb Lens (white) Special order ONLY	Door Jamb head with a 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, white color		
SLA-T4680V/KUS	4.6mm Lens/Imager right angle body for	4.6mm pinhole lens module, compatible with the XNB-6001, right angle body style, 2MP @ 60fps, 0.06 Lux, 120dB WDR, 73º horizontal field of view, 8 meters/ 26 feet cable	each	176.83
	XNB-6001 (8.0m cable)		each	140.81
SMT-1935/KUS	4:3 19" LED Monitor	19" LED Monitor, 600TVL (1280 x 1024), 2 BNC Loop Through, HDMI, VGA, 4:3 aspect ratio, Built-in Speaker (2X1W), VESA DPM Compatible		
			each	451.89
SMT-2233/KUS	1080P 22" LED monitor	22" LED Monitor, 1080p (1920x1080), 2 BNC loop through, HDMI, 16:9 aspect ratio, Built-in Speaker (2W), Tempered Glass, VESA DPM Compatible		
			each	648.36
SMT- 2701PVM/KUS	27" IP PVM Monitor (Black)	27" IP public view monitor,1080p (1920x1080), HDMI, VGA, ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(73.8°H), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	each	1,767.61
SMT- 2702PVM/KUS	27" IP PVM Monitor (White)	27" IP public view monitor,1080p (1920x1080), HDMI, VGA, ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), white casing, face detection display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(73.8°H), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	each	1,767.61
SMT-3211PVM	32" PVM Without PIP	32" IP public view monitor,1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(73.8°H), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	each	2,291.54

SMT-3211PVM- PIP	32" PVM with PIP	32" IP public view monitor,1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, PIP, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(73.8°H), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	each	2,553.50
SMT-3233/KUS	1080p 32" LED Monitor	32" LED Monitor, 1080p (1920x1080), DVI, HDMI, VGA, CVBS, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm)		
SMT-4033/KUS	1080p 40" LED Monitor	40" LED Monitor, 1080p (1920x1080), DVI, HDMI, VGA, CVBS, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm)	each	1,106.80
		Tinted bubble (XND-6010/6020/8020R/8030R/8040R)	each	1,630.73
SPB-IND11/KUS	Tinted Bubble	Timed Bubble (AND 6010/6020/3020N/3030N/3040N/	each	16.37
SPB-IND12/KUS	Tinted Bubble	Tinted bubble (QND- 6010R/6020R/6030R / 7010R/7020R/7030R)		
SPB-IND5/KUS	Tinted Bubble	Accessory, tinted replacement Bubble for SND-5084/6083/6084/7084, SND-5084R/6084R/7084R	each	16.37
SPB-IND6/KUS	Tinted Bubble	Accessory, tinted replacement Bubble for SCD-6083R, SCD-5080, SCD-5082, SCD-5083R, SND-6011R, SND-L6083R, SND-L5083R, HCD-6080R/6070R	each	25.54
SPB-IND7/KUS	Tinted Bubble	Accessory, tinted replacement Bubble for SCD-6080, SND-3080, SND-3082, SND-5080, SND-7080, SND-7082	each each	25.54

		Tinted bubble (QND-6070R/7080R)		
SPB-IND72/KUS	Tinted Bubble			
3PB-1ND/2/KU3	титей вирые			
			each	16.37
		Tinted bubble (XND-6080V/XND-6080RV XND-8080RV)		
SPB-IND81V/KUS	Tinted Bubble			
				20.47
		Tinted replacement Bubble for XND-6085V	each	29.47
		Timed replacement busine for AND 6005V		
SPB-IND83V/KUS	Tinted Bubble			
			each	49.12
		Accessory, tinted replacement Bubble for Indoor PTZ: SNP-		
SPB-PTZ6/KUS	Tinted Bubble	6321/6320/5430/5321, SNP-L6233/L5233, SCP-		
3PB-P120/NU3	титей вирые	3371/2373/2371/2273/2271		
			each	64.84
		Accessory, tinted replacement Bubble for Outdoor PTZ: SNP-		
SPB-PTZ7/KUS	Tinted Bubble	6321H/6320H/5430H/5321H/SNP-L62333H/L5233H, SCP- 3371H/2373H/2371H/2273H/2271H		
		337 111/237311/237111/227311/227111		04.00
		Tinted replacement Bubble for XNP-6040H	each	91.03
		Timed replacement bubble for XIVI 004011		
SPB-PTZ71/KUS	Tinted Bubble			
			each	49.12
		Tinted replacement Bubble for XNP-6120H		
SPB-PTZ73/KUS	Tinted Bubble			
3FB-F12/3/KU3	Tillted Bubble			
			each	65.49
		Tinted bubble (XNV- 6010/6020/ 8020R/8030R/8040R)		
SPB-VAN11/KUS	Tinted Bubble			
			0000	16.27
		Tinted bubble (QNV- 6010R/6020R/6030R/ 7010R/7020R/7030R)	each	16.37
		ווווכם שמשטוב (ענייי סטבטוץ טטבטון יטבטון יטבטון יטבטון יטבטון יטבטון יטבטון		
SPB-VAN12/KUS	Tinted Bubble			
			each	16.37

SPB-VAN3/KUS	Tinted Bubble	Accessory, tinted replacement Bubble for SNV-8081R, SNV-8080, SNV-5084/6084/7084, SNV-5084R/6084R/7084R, SCV-6081R, XNV-6080/R, XNV-8080R		
			each	45.19
SPB-VAN4/KUS	Tinted Bubble	Accessory, tinted replacement Bubble for SCV-5082/5083/5083R, SNV-L5083R, SNV-L6083R, SCV-6083R/6023R, QNV-7080R, QNV-6070R, HCV-6070R/6080R		
			each	45.19
SPB-VAN71/KUS	Tinted Bubble	Tinted replacement Bubble for XNV-6120, XNV-6120R		
			each	52.39
		Tinted bubble (QNV-6070R/7080R)		
SPB-VAN72/KUS	Tinted Bubble			
			each	22.92
		Tinted replacement Bubble for XNV-6085		
SPB-VAN81/KUS	Tinted Bubble			
			each	52.39
SPC-100AC	24VAC module QTY of 10	24VAC module for the X Plus outdoor domes, compatible with XNV- x081xx QTY of 10		
			each	212.85
SPC-1010/KUS	Controller	Controller, PTZ joystick controller, 2 line text LCD display, up to 255 PTZ/zoom cameras, RS-485		
			each	326.80
		Controller, USB 3D joystick		
SPC-2000/KUS	Controller			
			each	522.62
SPC-2010/KUS	Controller	Controller, 3D joystick, 2 line text LCD display, built-in jog shuttle, up to 255 PTZ/zoom cameras, RS-485, DVR, supports Multi-protocol		
			each	588.11

		Controller, IP system keyboard with touch screen TFT LCD,		
		Interchangeable 3D joystick & jog shuttle for left or right handed users,		
SPC-7000/KUS	Controller	RS-485, DVR/NVR, Matrix & PTZ control, 1CH video input/output, SSM		
		using USB interface only.	each	851.39
		Black cover for QND-6010R / 20R / 30R, QND-7010R / 20R / 30R		
CDC IND42D/KIIC	Plank and			
SPG-IND12B/KUS	Black cover			
			each	16.37
		Black cover for QND-6070R, QND-7080R		
SPG-IND72B/KUS	Black cover			
31 0 110720/103	Black cover			
			each	16.37
		Black cover for SND-6084/R, SND-5084/R, SND-7084/R		
SPG-IND73B/KUS	Black cover			
			each	19.65
	IR Illuminators for the TNU-6320	IR emitter up to 200m (656 feet), 25° IR angle, 850nm wave length, 24VAC, IP67, -40°C ~ +60°C (-40°F ~ 140°F).		
SPI-50/KUS		Compatible with the TNU-6320		
		Compatible with the 1100 0320		
		OTV (2 UDD L L') ( IL TDM 4640	each	1,473.55
		QTY of 2 x HDD tray kit for the TRM-1610		
SPZ-NK110/KUS	HDD Tray Kit			
			!-	404.70
		Wall/Ceiling Mount Accessory for Box cameras	each	104.79
		Wall/Celling Would Accessory for Box Califeras		
STB-4150V/KUS	Box Camera Mount			
			each	18.99
	PVM Camera	PVM camera powered by Wisenet 5, 1080p (1920x1080), micro HDMI	Cacii	10.55
	3	output, 16:9 aspect ratio, face detection display for visual deterrent,		
TNB-6030/KUS		customizable text overlay, 4.6mm fixed lens(73.8°H), 150dB WDR,		
		H.265/H.264/MJPEG, WiseStream II compression technology, micro		
		SD/SDHC/SDXC, bi-directional audio, hallway view mode	each	464.33
		Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 13mm fixed focal lens (48.6°), triple codec		
		H.265/H.264/MJPEG with Wisestream II, SD card, advanced video		
		analytics and sound classification, PTZ handover, open platform,		
TNO-4030T	Thermal Camera	DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white	each	4,584.38

		color		
		Wisenet T network outdoor vandal Radiometric bullet camera		
		(uncooled), 640x480 @ 30fps, 13mm fixed focal lens (48.6°), triple codec H.265/H.264/MJPEG with Wisestream II, SD card, advanced video		
		analytics and sound classification, PTZ handover, up to 3 user		
		programmable temperature detection areas, temperature detection		
TNO 4020TD	Thermal Camera	range is from (-4°F ~ 266°F), open platform, DIS(Gyro), integrated back	aaab	6 221 66
TNO-4030TR	Thermai Camera	box, IP66, IK10, PoE/12VDC/24VAC, white color	each	6,221.66
		Wisenet T network outdoor vandal thermal bullet camera (uncooled),		
		640x480 @ 30fps, 19mm fixed focal lens (32°), triple codec		
		H.265/H.264/MJPEG with Wisestream II, SD card, advanced video		
		analytics and sound classification, PTZ handover, open platform,		
TNO 4040T		DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white		4.504.30
TNO-4040T	Thermal Camera	color	each	4,584.38
		Wisenet T network outdoor vandal Radiometric bullet camera		
		(uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32°), triple codec		
		H.265/H.264/MJPEG with Wisestream II, SD card, advanced video		
		analytics and sound classification, PTZ handover, up to 3 user		
		programmable temperature detection areas, temperature detection		
	_, , , _	range is from (-4°F ~ 266°F), open platform, DIS(Gyro), integrated back		
TNO-4040TR	Thermal Camera	box, IP66, IK10, PoE/12VDC/24VAC, white color	each	6,221.66
		Wisenet T network outdoor vandal thermal camera (uncooled), 640x480		
		@ 30fps, 19mm fixed focal lens (32°), triple codec H.265/H.264/MJPEG		
		with Wisestream II, SD card, advanced video analytics and sound		
		classification, PTZ handover, open platform, DIS(Gyro), IP66, IK10,		
	_, , , ,	PoE/12VDC/24VAC, white color		
TNO-4041T	Thermal Camera	RS485/422, built to go on PT head unit	each	4,584.38
		Wisenet T network outdoor vandal Radiometric bullet camera		
		(uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32°), triple codec		
		H.265/H.264/MJPEG with Wisestream II, SD card, advanced video		
		analytics and sound classification, PTZ handover, up to 3 user		
		programmable temperature detection areas, temperature detection		
		range is from (-4°F ~ 266°F) , open platform, DIS(Gyro), integrated back		
		box, IP66, IK10, PoE/12VDC/24VAC, white color		
TNO-4041TR	Thermal Camera	RS485/422, built to go on PT head unit	each	6,221.66

		Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 35mm fixed focal lens (17.2°), triple codec H.265/H.264/MJPEG with Wisestream II, SD card, advanced video		
		analytics and sound classification, PTZ handover, open platform,		
		DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white		
TNO-4050T	Thermal Camera	color	each	5,501.26
		Wisenet T network outdoor vandal thermal camera (uncooled), 640x480		
		@ 30fps, 35mm fixed focal lens (17.2°), triple codec H.265/H.264/MJPEG with Wisestream II, SD card, advanced video analytics and sound		
		classification, PTZ handover, open platform, DIS(Gyro), IP66, IK10,		
		PoE/12VDC/24VAC, white color		
TNO-4051T	Thermal Camera	RS485/422, built to go on PT head unit	each	5,501.26
		Wisenet T network mobile front facing camera, 2MP @ 60fps, 2.8mm fixed focal lens (113°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, true D/N, SD card, hallway view, HLC, defog detection, DIS (Gyro), PoE, IP66, IK10, M12 connector (M12 to RJ45 is not		
TNO-6010M	2MP Front Face Camera	included)	each	491.18
TNO-6070E1W- C/KUS	Explosion Proof Fixed Camera	Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-C" for cLC CSA		
			each	6,008.82
TNO-6070E1W- M/KUS	Explosion Proof Fixed Camera	Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-M" for INMETRO		
			each	6,008.82
TNO-6070E1W- Z/KUS	Explosion Proof Fixed Camera	Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1		
			each	6,008.82
TNO-6070E2F- C/KUS	Explosion Proof Fixed Camera	Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-C" for cLC CSA		
			each	8,120.91
TNO-6070E2F- M/KUS	Explosion Proof Fixed Camera	Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-M" for INMETRO		
			each	8,120.91

		T = 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 110VAC		
TNO-6070E2F-	Explosion Proof Fixed Camera	Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1		
Z/KUS	Expression From Fixed Camera	+00 C (-40 F +140 F), IP00/IP07, IP08, -2 101 CLCUS C1/D1		
			each	8,120.91
		Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 110VAC		
TNO-6070E2WF-	- 1 6-1 .	Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~		
C/KUS	Explosion Proof Fixed Camera	+60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-C" for cLC CSA		
·			each	8,939.55
		Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 110VAC	Cucii	0,555.55
TNO 60705314/5		Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~		
TNO-6070E2WF- M/KUS	<b>Explosion Proof Fixed Camera</b>	+60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-M" for INMETRO		
IVI/ KUS		,, ,, ,, ,,		
			each	8,939.55
		Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 110VAC		
TNO-6070E2WF-	Explosion Proof Fixed Camera	Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~		
Z/KUS	Explosion Froot Fixed Camera	+60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1		
			each	8,939.55
		Explosion proof housing using the SNB-6004 + 2.8~9mm Lens PoE Only		
TNO-6070EP-		(No Wiper), cLCus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F),		
C/KUS	Explosion Proof Fixed Camera	IP66/IP67,IP68, "-C" for cLC CSA		
,			each	4,371.54
		Explosion proof housing using the SNB-6004 + 2.8~9mm Lens PoE Only		.,072.01
TNO-6070EP-		(No Wiper), cLCus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F),		
M/KUS	<b>Explosion Proof Fixed Camera</b>	IP66/IP67,IP68, "-M" for INMETRO		
IVI/ KUS		, , ,		4 274 54
		5 1 1 1 1 1 1 1 1 CND COOL 2 0 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	each	4,371.54
		Explosion proof housing using the SNB-6004 + 2.8~9mm Lens PoE Only		
TNO-6070EP-	Explosion Proof Fixed Camera	(No Wiper), cLCus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F),		
Z/KUS	zapresien i est i med edinera	IP66/IP67,IP68, "-Z" for cLCus C1/D1		
			each	4,371.54
		Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 24VAC		
TNO-6071E1W-	5 1 · 5 (5: 10	Only with wiper, cLCus C1/D1 certification, -60°C $^{\sim}$ +40°C (-67°F $^{\sim}$		
C/KUS	Explosion Proof Fixed Camera	+104°F), IP66/IP67,IP68, "-C" for cLC CSA		
			each	6,434.51
		Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 110VAC	Cucii	5, 15 1151
TNO-6071E2F-		Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -60°C ~		
C/KUS	<b>Explosion Proof Fixed Camera</b>	+40°C (-67°F ~ +104°F), IP66/IP67,IP68, "-C" for cLC CSA		
C/NU3		, , , , , , , , , , , , , , , , , , , ,		0.546.66
			each	8,546.60

		T = 1		
TNO-6071E2WF- C/KUS	Explosion Proof Fixed Camera	Explosion proof housing using the SNB-6004 + 2.8~9mm Lens 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67,IP68, "-C" for cLC CSA		
5,1.00			each	9,365.24
TNO-6320E1W- C/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 24VAC Only with wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67,IP68, "-C" for cLC CSA		,
			each	6,270.78
TNO-6320E1W- M/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-M" for INMETRO c		
			each	6,270.78
TNO-6320E1W- Z/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 24VAC Only with wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1		
			each	6,270.78
TNO-6320E2F- C/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-C" for cLC CSA		,
			each	8,382.87
TNO-6320E2F- M/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-M" for INMETRO		
			each	8,382.87
TNO-6320E2F- Z/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1		
			each	8,382.87
TNO-6320E2WF- C/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-C" for cLC CSA		
			each	9,201.51
TNO-6320E2WF- M/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-M" for INMETRO		
			each	9,201.51
		•		

				1
TNO-6320E2WF- Z/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1		
			each	9,201.51
TNO-6320EP- C/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 PoE Only (No Wiper), cLCus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F), IP66/IP67,IP68, "-C" for cLC CSA		
			each	4,633.50
TNO-6320EP- M/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 PoE Only (No Wiper), cLCus C1/D1 certification, -10°C $^{\sim}$ +55°C (+14°F $^{\sim}$ +131°F), IP66/IP67,IP68, "-M" for INMETRO		
			each	4,633.50
TNO-6320EP- Z/KUS	Explosion Proof Zoom Camera	Explosion proof housing using the SNZ-6320 PoE Only (No Wiper), cLCus C1/D1 certification, -10°C $^{\sim}$ +55°C (+14°F $^{\sim}$ +131°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1		
			each	4,633.50
TNO-6321E1W- C/KUS	Explosion Proof Fixed Camera	Explosion proof housing using the SNZ-6320 24VAC Only with wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67,IP68, "-C" for cLC CSA		
			each	6,696.47
TNO-6321E2F- C/KUS	Explosion Proof Fixed Camera	Explosion proof housing using the SNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67,IP68, "-C" for cLC CSA		
			each	8,808.56
TNO-6321E2WF- C/KUS	Explosion Proof Fixed Camera	Explosion proof housing using the SNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67,IP68, "-C" for cLC CSA		
			each	9,627.20
TNP-6320E1W- C/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 24VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-C" for cLC CSA		
			each	18,075.57
TNP-6320E1WF- C/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-C" for cLC CSA		
			each	18,828.72
				· · · · · · · · · · · · · · · · · · ·

TNP-6320E1WF- M/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-M" for INMETRO		
			each	18,828.72
TNP-6320E1WF- Z/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-Z" for cLCus C1/D1		
			each	18,828.72
TNP-6320E1W- M/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 24VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-M" for INMETRO		
			each	18,075.57
TNP-6320E1W- Z/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 24VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-Z" for cLCus C1/D1		
			each	18,075.57
TNP-6320E2W- C/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 110VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-C" for cLC CSA		
			each	18,075.57
TNP-6320E2WF- C/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-C" for cLC CSA		
			each	18,828.72
TNP-6320E2WF- M/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-M" for INMETRO		
			each	18,828.72
TNP-6320E2WF- Z/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-Z" for cLCus C1/D1		
			each	18,828.72
TNP-6320E2W- M/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 110VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-M" for INMETRO		
			each	18,075.57

TNP-6320E2W- Z/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 110VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-Z" for cLCus C1/D1		
			each	18,075.57
TNP-6321E1W- C/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 24VAC Only, with Wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, "-C" for cLC CSA		
			each	18,501.26
TNP-6321E1WF- C/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -60°C $^{\sim}$ +40°C (-67°F $^{\sim}$ +104°F), IP66/IP67, "-C" for cLC CSA		
			each	19,254.41
TNP-6321E2W- C/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 110VAC Only, with Wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, "-C" for cLC CSA		
			each	18,501.26
TNP-6321E2WF- C/KUS	Explosion Proof PTZ Camera	Explosion proof PTZ housing using the SNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -60°C $^{\sim}$ +40°C (-67°F $^{\sim}$ +104°F), IP66/IP67, "-C" for cLC CSA		
			each	19,254.41
TNU-4041T	Thermal Camera	Wisenet T network outdoor thermal positioning camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32°), pan: 360° endless, Tilt: -90°~40°, triple codec H.265/H.264/MJPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box, IP66, IK10, 24VAC, white color	each	9,332.49
		Wisenet T network outdoor thermal positioning camera (uncooled), 640x480 @ 30fps, 35mm fixed focal lens (17.2°), pan: 360° endless, Tilt: -90°~40°, triple codec H.265/H.264/MJPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, open		
TNU-4051T	Thermal Camera	platform, DIS(Gyro), integrated back box, IP66, IK10, 24VAC, white color	each	10,478.59
TNV-7010RC/KUS	3MP IR Vandal Corner Camera	Wisenet T powered by Wisenet 5 network outdoor IR corner mount camera, 3MP, 2048*1536 @ 30fps, 2.8mm fixed lens (102°*75°), 940nm IR 32', built-in mic, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, advanced video analytics and business analytics, single SD card, HLC, defog detection, DIS, PoE, IP66,Nema 4X, IK10	each	982.37

	Varacity Coldeters 211 454TD	Voracity Coldstora 211 400mbns 1 A LD with CEC dial filing and		
	Veracity Coldstore 3U, 154TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system,		
VER-CSTORE15-		requires WAVE Server (not included) to operate, 15 internal SATA HDD		
154TB		bays, 154TB raw (effective: 140TB Normal COLDSTORE mode)		
			each	28,338.04
	Veracity Coldstore 3U, 182TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system,		,
VER-CSTORE15-	,	requires WAVE Server (not included) to operate, 15 internal SATA HDD		
182TB		bays, 182TB raw (effective: 168TB Normal COLDSTORE mode)		
10210		(* * * * * * * * * * * * * * * * * * *		
			each	31,638.79
	Veracity Coldstore 3U, 210TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system,		
VER-CSTORE15-		requires WAVE Server (not included) to operate, 15 internal SATA HDD		
210TB		bays, 210TB raw (effective: 196TB Normal COLDSTORE mode)		
			each	34,939.55
		[Promotion until 3/31/2018. Receive Free NVR license for new and	Cucii	J-,,JJJ.JJ
		existing P, X, Q series NVR customers. Discount applied on Invoice.		
WAVE-EMB-	WAVE, 4 channel embedded recorder	Unused license will expire on 4/30/2018] WAVE Embedded Recorder		
04/KUS	vvAvE, 4 channel embedded recorder	License. Enables four (4) channel Hanwha Embedded Recorder playback,		
		includes life-time SW upgrade. No annual & maintenance cost required.	each	108.06
		[Promotion until 3/31/2018. Receive Free NVR license for new and	Cacii	100.00
		existing P, X, Q series NVR customers. Discount applied on Invoice.		
WAVE-EMB-	WAVE, 8 channel embedded recorder	Unused license will expire on 4/30/2018] WAVE Embedded Recorder		
08/KUS		License. Enables eight (8) channel Hanwha Embedded Recorder		
00/103		playback, includes life-time SW upgrade. No annual & maintenance cost		
		required.	each	216.12
		[Promotion until 3/31/2018. Receive Free NVR license for new and	eacii	210.12
		existing P, X, Q series NVR customers. Discount applied on Invoice.		
\A/A\/F FNAD	MANE 16 shannel ambaddad	Unused license will expire on 4/30/2018] WAVE Embedded Recorder		
WAVE-EMB- 16/KUS	WAVE, 16 channel embedded recorder	License. Enables sixteen (16) channel Hanwha Embedded Recorder		
10/KU3	recorder	playback, includes life-time SW upgrade. No annual & maintenance cost		
			each	432.24
		required.  [Promotion until 3/31/2018. Receive Free NVR license for new and	eacii	432.24
\\/\/\/E EN/P	WAVE, 32 channel embedded	existing P, X, Q series NVR customers. Discount applied on Invoice. Unused license will expire on 4/30/2018] WAVE Embedded Recorder		
WAVE-EMB-	*	· · · · · · · · · · · · · · · · · · ·		
32/KUS	recorder	License. Enables thirty-two (32) channel Hanwha Embedded Recorder		
		playback, includes life-time SW upgrade. No annual & maintenance cost	oach	864.48
		required.  [Promotion until 3/31/2018. Receive Free NVR license for new and	each	004.48
WAVE-EMB-	WAVE, 64 channel embedded	existing P, X, Q series NVR customers. Discount applied on Invoice.		
64/KUS	recorder	Unused license will expire on 4/30/2018] WAVE Embedded Recorder		
		License. Enables sixty-four (64) channel Hanwha Embedded Recorder		4 720 07
		playback, includes life-time SW upgrade. No annual & maintenance cost	each	1,728.97

		required.		
		WAVE Encoder License. Enables up to four (4) recording channels,		
		includes life-time SW upgrade. No annual & maintenance cost required.		
WAVE-ENC-	WAVE, 4 channel encoder license	includes ine-time sw upgrade. No annual & maintenance cost required.		
04/KUS				
			each	108.06
		WAVE I/O License. Enables one (1) I/O module, includes life-time SW		
		upgrade. No annual & maintenance cost required.		
WAVE-IO-01/KUS	WAVE, I/O module license			
			each	108.06
		WAVE Professional License. Enables one (1) IP stream recording, includes		
WAVE-PRO-		life-time SW upgrade. No annual & maintenance cost required.		
01/KUS	WAVE, 1x IP camera license			
01/103				
			each	108.06
		WAVE Professional License. Enables four (4) IP stream recording,		
WAVE-PRO-	MANE AND some linear	includes life-time SW upgrade. No annual & maintenance cost required.		
04/KUS	WAVE, 4x IP camera license			
			each	432.24
		WAVE Professional License. Enables eight (8) IP stream recording,	Cacii	432.24
		includes life-time SW upgrade. No annual & maintenance cost required.		
WAVE-PRO-	WAVE, 8x IP camera license	includes life-time sw upgrade. No allitual & maintenance cost required.		
08/KUS				
			each	864.48
		WAVE Professional License. Enables sixteen (16) IP stream recording,		
MANE DDO		includes life-time SW upgrade. No annual & maintenance cost required.		
WAVE-PRO-	WAVE, 16x IP camera license	το τη θ		
16/KUS				
			each	1,728.97
		WAVE Professional License. Enables twenty-four (24) IP stream		
WAVE-PRO-		recording, includes life-time SW upgrade. No annual & maintenance cost		
24/KUS	WAVE, 24x IP camera license	required.		
_ ,,				2 502 45
		MANE Designation of Linear English Co. 1, 11, (40) ID 1	each	2,593.45
		WAVE Professional License. Enables forty-eight (48) IP stream recording,		
WAVE-PRO-	WAVE, 48x IP camera license	includes life-time SW upgrade. No annual & maintenance cost required.		
48/KUS	WAVE, 40x IF Callield licelise			
			each	5,186.90
			Cacii	3,100.30

WAVE-VW- 02/KUS	WAVE, Video Wall license	WAVE Video Wall License. Enables up to two (2) monitors, includes life- time SW upgrade. No annual & maintenance cost required.		
			each	916.88
WRR-5301- 12TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps recording B/W, 8 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	5,627.00
WRR-5301- 16TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps recording B/W, 8 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	6,323.83
WRR-5301- 20TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 20TB raw, 470 Mbps recording B/W, 8 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	7,020.65
WRR-5301- 24TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw, 470 Mbps recording B/W, 8 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	7,717.48
WRR-5301- 28TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 28TB raw, 470 Mbps recording B/W, 8 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	8,414.31
WRR-5301- 32TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 32TB raw, 470 Mbps recording B/W, 8 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	9,111.13
WRR-5301- 36TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw, 470 Mbps recording B/W, 8 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	9,807.96

ı		ALLER CHANGE ALL LAND BY A STATE OF THE STAT		I
		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
WRR-5301-	M/AV/F	Wisenet WAVE pre-installed, 42TB raw, 470 Mbps recording B/W, 8 HDD		
42TB/KUS	WAVE recording server	Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT		
		Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W	ooob	10.052.20
		power supply, Keyboard and mouse included, Rail kit included  2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,	each	10,853.20
		·		
WRR-5301-	MANE recording conver	Wisenet WAVE pre-installed, 48TB raw, 470 Mbps recording B/W, 8 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT		
48TB/KUS	WAVE recording server	Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	11,898.44
		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,	eacii	11,090.44
		Wisenet WAVE pre-installed, 56TB raw, 470 Mbps recording B/W, 8 HDD		
WRR-5301-	MANE recording conver	Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT		
56TB/KUS	WAVE recording server	Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
			each	13,292.09
		power supply, Keyboard and mouse included, Rail kit included  2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,	eacii	15,292.09
		Wisenet WAVE pre-installed, 60TB raw, 470 Mbps recording B/W, 8 HDD		
WRR-5301-	WAVE recording server	Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT		
60TB/KUS	WAVE recording server	Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	13,988.92
		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses.	Eacii	13,366.32
		Wisenet WAVE pre-installed, 64TB raw, 470 Mbps recording B/W, 8 HDD		
WRR-5301-	WAVE recording server	Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT		
64TB/KUS	WAVE recording server	Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	14,685.74
		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,	eacii	14,003.74
		Wisenet WAVE rectwork video recorder with 4 1 roles should need as, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording B/W, 8 HDD		
WRR-5301-	WAVE recording server	Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT		
8TB/KUS	WAVE recording server	Enterprise, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	4,930.18
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,	Cucii	1,550.10
	vv/vv_recording server	Wisenet WAVE pre-installed, 12TB raw, 470 Mbps recording B/W, 8 HDD		
WRR-5301L-		Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu		
12TB/KUS		16.04 LTS, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	5,627.00
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,	555	-,0
	The second section	Wisenet WAVE pre-installed, 24TB raw, 470 Mbps recording B/W, 8 HDD		
WRR-5301L- 24TB/KUS		Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu		
		16.04 LTS, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	7,717.48

	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
	<b>0</b>	Wisenet WAVE pre-installed, 36TB raw, 470 Mbps recording B/W, 8 HDD		
WRR-5301L-		Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu		
36TB/KUS		16.04 LTS, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	9,807.96
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
WDD 53041	_	Wisenet WAVE pre-installed, 48TB raw, 470 Mbps recording B/W, 8 HDD		
WRR-5301L-		Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu		
48TB/KUS		16.04 LTS, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	11,898.44
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
WDD 53041		Wisenet WAVE pre-installed, 64TB raw, 470 Mbps recording B/W, 8 HDD		
WRR-5301L- 64TB/KUS		Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu		
041B/KU3		16.04 LTS, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	14,685.74
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
WRR-5301L-		Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording B/W, 8 HDD		
8TB/KUS		Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu		
81B/KU3		16.04 LTS, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W		
		power supply, Keyboard and mouse included, Rail kit included	each	4,930.18
		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps recording		
WRR-5501-	WAVE recording server	B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive,		
16TB/KUS	WAVE recording server	Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and		
		DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard		
		and mouse included, Rail kit included	each	7,371.69
		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 20TB raw, 470 Mbps recording		
WRR-5501-	WAVE recording server	B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive,		
20TB/KUS	W/WE recording server	Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and		
		DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard		
		and mouse included, Rail kit included	each	8,068.51
		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 24TB raw, 470 Mbps recording		
WRR-5501-	WAVE recording server	B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive,		
24TB/KUS		Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and		
		DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard		0 0 /
		and mouse included, Rail kit included	each	8,765.34

WRR-5501- 28TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 28TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	9,462.17
WRR-5501- 32TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 32TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	10,158.99
WRR-5501- 36TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 36TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	10,855.82
WRR-5501- 40TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 40TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	11,552.64
WRR-5501- 44TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 44TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	12,249.47
WRR-5501- 48TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 48TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	12,946.30
WRR-5501- 54TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 54TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	13,991.54

WRR-5501- 60TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 60TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	15,036.78
WRR-5501- 66TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 66TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	16,082.02
WRR-5501- 80TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 80TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	18,520.91
WRR-5501- 88TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 88TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	19,914.56
WRR-5501- 96TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 96TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	21,308.21
WRR-5501L- 16TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu 16.04 LTS, RAID-6 pre-configured, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	7,371.69
WRR-5501L- 32TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 32TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu 16.04 LTS, RAID-6 pre-configured, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	10,158.99

WRR-5501L- 40TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 40TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu 16.04 LTS, RAID-6 pre-configured, Support RAID 0/1/5/6 +		
,		BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	11,552.64
WRR-5501L- 48TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 48TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu 16.04 LTS, RAID-6 pre-configured, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	aach	12,946.30
WRR-5501L- 66TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 66TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu 16.04 LTS, RAID-6 pre-configured, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each each	16,082.02
WRR-5501L- 96TB/KUS	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 96TB raw, 470 Mbps recording B/W, 12 HDD Bay (3.5"), Intel Core i5, 8GB RAM, 256GB SSD OS drive, Linux Ubuntu 16.04 LTS, RAID-6 pre-configured, Support RAID 0/1/5/6 + BBU, HDMI, DP, and DVI output, Dual GbE NICs, Redundant 800W power supply, Keyboard and mouse included, Rail kit included	each	21,308.21
XNB-6000/KUS	2MP Box	Wisenet X powered by Wisenet 5 network box camera, 2MP, Full HD(1080p) @60fps, simple focus, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), 12VDC/24VAC/PoE	each	556.68
XNB-6001/KUS	2MP Covert Camera Main Module	Wisenet X powered by Wisenet 5 covert camera body, 2MP, full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, lens module is not included compatible lens modules (SLA-T2480, SLA-T2480V, SLA-T4680, SLA-T4680V, SLA-T1080F)	each	334.01

Features 1/2" sensor, 2MP, Full HD(1080p) @60fps, triple codec H. 265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE each 622.17  Wisenet X powered by Wisenet S network box camera, SMP @30fps, simple focus, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, sallway view, HLC, defog detection, DIS using a Gyro sensor, each 622.17  Wisenet X powered by Wisenet S network ATM camera, ZMP, Full HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.255/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS 12VDC/PoE, 14*F* 131*F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet S network ATM camera, ZMP, Full HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.255/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, 14*F* 131*F, cable Length is 8 m (26 feet).  Wisenet X powered by Wisenet S network Bands Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4*), triple codec H.255/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, 144*F* 131*F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet S network plantole camera wit			Wisenet X powered by Wisenet 5 network box camera, eXtraLUX		1
NRB-6005/KUS   extraLUX Box Camera   H.256/H.264/MIPEG with WiseStream II technology, 1206 WDR, USB port for easy installation, advanced videe analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLL, Clefog detection, DIS (Gyro), 12VDC/24VAC/PoE   each   622.17					
ANB-H0US/RUS  EXTRALUX BOX Camera  port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SO card, hallway view, HLC, defing detection, DIS (Gyro), 12VDC/24VAC/POE  Wisenet X powered by Wisenet 5 network box camera, SNIP @30fps, simple focus, triple codec H-L265/H, 264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, true D/N, dual SD card, hallway view, HLC, defing detection, DIS using a Gyro sensor, 12VDC/24VAC/POE  2MP Network ATM Camera Kit  Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H-265/H-264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business on the stream of the control of the stream of the contr					
classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE each 622.17  Wisenet X powered by Wisenet 5 network box camera, 5MP @30fps, simple focus, triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, Use David Cassification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS using a Gyro sensor, 12VDC/24VAC/PoE  XNB-H6240A/KUS  ZMP Network ATM Camera Kit Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F ~131*F, cable Length is 1.5m (4.9 feet).  each 556.02  Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F ~131*F, cable Length is 8m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107-4*), triple codec H.265/H264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14*F ~131*F, cable Length is 1.5m (4.9 feet).  each 556.02  Wisenet X powered by Wisenet 5 network prohibole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73*), triple codec H.265/H264/MIPEG with WiseStream II technology, 120dB WDR, micro	XNB-6005/KUS	eXtraLUX Box Camera			
View, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE   each   622.17					
Wisenet X powered by Wisenet S network box camera, SMP @30fps, simple focus, triple codec H.265/H.264/MIPEG with WiseStream II technology, 1208 WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS using a GV posensor, 12VDC/24VAC/PoE  Wisenet X powered by Wisenet S network ATM camera, 2MP, Full HD1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F ~ 131*F, cable Length is 1.5m (4.9 feet).  ZMP Network ATM Camera Kit  ZMP Network ATM Camera Kit  Wisenet X powered by Wisenet S network ATM camera, 2MP, Full HD1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F ~ 131*F, cable Length is MD1080p) 60fps, 2.4mm fixed lens (107.4*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F ~ 131*F, cable Length is Sm (5 feet).  Wisenet X powered by Wisenet S network Bandit Barrier camera, 2MP, Full HD1(1080p) 60fps, 2.4mm fixed lens (107.4*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view in the technology, 120dB WDR, micro SD/SDHC/SDXC, USB port				each	622.17
simple focus, triple codec H_265/H_264/MIPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS using a Gyro sensor, 12VDC/24VAC/P9E  2MP Network ATM Camera Kit  Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H_265/H_264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F* 131*F, cable Length is 1.5m (4.9 feet).  2MP Network ATM Camera Kit  3NB-H6241A/KUS  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H_165/H_264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F* 131*F, cable Length is 8m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed (107.4*), triple codec H_165/H_264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F* 131*F, cable Length is 1.5m (14 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73*), triple codec H_165/H_264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation					022.27
technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS using a Gyro sensor, 12VDC/24VAC/PoE  2MP Network ATM Camera Kit  Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138"), triple codec H.265/H.264/MPEG with WiseStream II technology, 120dB WDR, micro SD/SDH-C/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14"F ~ 131"F, cable Length is 1.5m (4.9 feet).  2MP Network ATM Camera Kit  Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138"), triple codec H.265/H.264/MPEG with WiseStream II technology, 120dB WDR, micro SD/SDH-C/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14"F ~ 131"F, cable Length is 18m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4"), triple codec H.265/H.264/MPEG with WiseStream II technology, 120dB WDR, micro SD/SDH-C/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14"F ~ 131"F, cable Length is 14, 44 per etchnology, 120dB WDR, micro SD/SDH-C/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card Slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14"F ~ 131"F, cable Length is 14, 49 feet).  2MP Pinhole Height Strip Camera  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing. 2MP, Full HD(1080p) 60fps, 4-6mm fixed lens					
ANB-BOUU/KUS  Analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS using a Gyro sensor, each 622.17  Wisenet X powered by Wisenet 5 network ATM camera, ZMP, Full HD(1080p) 60fps, 2.4mm fixed lens (138"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14"F ~ 131"F, cable Length is 1.5m (4.9 feet).  ANB-H6241A/KUS  AN					
SD card, hallway view, HLC, defog detection, DIS using a Gyro sensor, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138"), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14"F ~ 131"F, cable Length is 8m (26 feet).  2MP Network ATM Camera Kit Wisenet X powered by Wisenet 5 network ATM camera ZMP, Full HD(1080p) 60fps, 2.4mm fixed lens (138"), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14"F ~ 131"F, cable Length is 8m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet S network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4"), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14"F ~ 131"F, cable Length is 1.5m (4.9 feet).  2MP Pinhole Height Strip Camera  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73"), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14"F ~ 131"F, cable Length is 1.5m (4.9 feet).	XNB-8000/KUS	5MP Box			
2MP Network ATM Camera Kit  XNB-H6240A/KUS  XN					
HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F ~ 131*F, cable Length is 1.5m (4.9 feet).  ZMP Network ATM Camera Kit SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F ~ 131*F, cable Length is 8m (26 feet).  Each S56.02  Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14*F ~ 131*F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14*F ~ 131*F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4, 6mm fixed lens (73*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14*F				each	622.17
HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F ~ 131*F, cable Length is 1.5m (4.9 feet).  ZMP Network ATM Camera Kit SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14*F ~ 131*F, cable Length is 8m (26 feet).  Each S56.02  Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14*F ~ 131*F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14*F ~ 131*F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4, 6mm fixed lens (73*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14*F		2MP Network ATM Camera Kit	Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full		
H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14"F ~ 131"F, cable Length is 1.5m (4.9 feet).					
and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F					
slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet S network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet).  ZMP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 2.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F	XNB-H6240A/KUS		SD/SDHC/SDXC, USB port for easy installation, advanced video analytics		
Cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet S network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet).  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F			and sound classification and business analytics, true D/N, dual SD card		
Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138*), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet).  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F			slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F,		
HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MIPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F				each	556.02
H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8 m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet S network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F			· · · · · · · · · · · · · · · · · · ·		
XNB-H6241A/KUS  2MP Network ATM Camera Kit  SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F			, , , , , , , , , , , , , , , , , , , ,		
and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14°F ~ 131°F, cable Length is 8m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/POE, +14°F			, ,		
Slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F	XNB-H6241A/KUS	2MP Network ATM Camera Kit			
Cable Length is 8m (26 feet).  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F					
XNB-H6280B  2MP Bandit Barrier  Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F				_	
Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F				each	556.02
H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F		2MP Bandit Barrier	1		
SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F					
and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F	VND UCAGOD				
detection, DIS, 12VDC/PoE, +14°F ~ 131°F,	YMR-HP580R				
Cable Length is 1.5m (4.9 feet).  Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F					
Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F				oach	951 20
strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F				EdCII	031.33
Codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F			, , ,		
XNB-H6461H/KUS  2MP Pinhole Height Strip Camera  micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F					
analytics and sound classification and business analytics, true D/N, dual SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F					
SD card slots, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F	XNB-H6461H/KUS	2MP Pinhole Height Strip Camera			
~ 131°F,			<u> </u>		
cable Length is 8m (26 feet). each 690.93				each	690.93

		Wisenet X powered by Wisenet 5 network indoor vandal dome camera,		
		2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (139°), triple codec		
		H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB		
XND-6010/KUS	2MP Indoor Vandal Dome	port for easy installation, advanced video analytics and sound		
		classification and business analytics, true D/N, dual SD card, hallway		
		view, HLC, defog detection, DIS, 12VDC/PoE, IK08	each	392.95
		Wisenet X powered by Wisenet 5 network flush mount dome camera,	cucii	332.33
		2MP, Full HD(1080p) @ 60fps, 2.8mm fixed lens (112°), triple codec		
		H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB		
XND-6011F/KUS	2MP Flush Mount	port for easy installation, advanced video analytics and sound		
AND OUTTI/KOS	Zivii Tiasii Woulit	classification and business analytics, built-in Mic, magnetic cover,		
		electronic D/N, SD card, hallway view, HLC, defog detection, DIS, PoE,		
		(Black and white covers are optional)	each	327.46
		Wisenet X powered by Wisenet 5 network indoor vandal dome camera,	eacii	327.40
		2MP, Full HD(1080p) @60fps, 4mm fixed lens (88.6°), triple codec		
		H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB		
XND-6020R/KUS	2MP Indoor IR Vandal Dome	port for easy installation, advanced video analytics and sound		
AND-0020K/KUS	ZIVIP IIIUOOI IK Valiual Dollie	classification and business analytics and business analytics, high powered		
		IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog		
			ooob	392.95
		detection, DIS, 12VDC/PoE, IK08 Wisenet X powered by Wisenet 5 network IR indoor vandal dome	each	392.95
		l ' '		
		camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x		
XND-6080RV/KUS	2MP Indoor IR Vandal Dome	(2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with		
XIND-0080KV/KUS	ZIMP INDOOR IR Vandal Dome	WiseStream II technology, 150dB WDR, USB port for easy installation,		
		advanced video analytics and sound classification, high powered IR LEDs		
		range of 98', true D/N, dual SD card, hallway view, HLC, defog detection,		C07 CC
		DIS, 12VDC/PoE, IK08	each	687.66
		WiseNet X powered by WiseNet 5 network IR indoor vandal dome		
		camera, 2MP, Full HD(1080p) @60fps WDR off or @30fps WDR on,		
XND-	204D Indoor ID Vandal Dama	Motorized Vari-Focal Lens 4.3x (2.8~12mm) (119.5°~27.9°),		
6080RVN/US	2MP Indoor IR Vandal Dome	H.265/H.264/MJPEG, WiseStream II compression technology, 150dB		
		WDR, USB port for easy installation, Advanced video analytics and sound		
		classification, High powered IR LEDs range of 164', True D/N, Dual SD		607.66
		card, Hallway view, HLC, Defog detection, DIS , 12VDC/PoE, IK08	each	687.66
		Wisenet X powered by Wisenet 5 network indoor vandal dome camera,		
		2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm)		
XND-6080V/KUS	2MP Indoor Vandal Dome	(119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II		
, , ,	-	technology, 150dB WDR, USB port for easy installation, advanced video		
		analytics and sound classification, true D/N, dual SD card, hallway view,		
		HLC, defog detection, DIS, 12VDC/PoE, IK08	each	622.17

XND-6081F	2MP Flush Mount Dome	Wisenet X series Plus powered by Wisenet 5 network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification		
		and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum rate(UL2820)	each	720.40
XND-6081FZ	2MP Flush Mount PTRZ Dome	Wisenet X Plus powered by Wisenet 5 network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro),		0.0.54
XND-6081RF	2MP IR Flush Mount Dome	12VDC/PoE, IP52, plenum rate(UL2820)  Wisenet X series Plus powered by Wisenet 5 IR network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum rate(UL2820)	each	785.89
XND-6081RV	2MP IR Indoor Dome	Wisenet X series Plus powered by Wisenet 5 IR network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white		785.89
XND-6081V	2MP Indoor Vandal Dome	color, ivory skin included, optional black skin cover  Wisenet X series Plus powered by Wisenet 5 network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	each	720.40

	2MP Indoor PTRZ Dome	Wisenet X Plus powered by Wisenet 5 network indoor vandal dome		
	2.711 1110001 1 1112 201110	camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized		
		vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), PTRZ, triple codec		
		H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB		
XND-6081VZ		port for easy installation, advanced video analytics, sound classification		
		and business analytics, shock detection, audio playback, built-in mic, true		
		D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro),		
		12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black		
		skin cover	each	818.64
		Wisenet X powered by Wisenet 5 network indoor vandal dome camera,		
		eXtraLUX features 1/2" sensor with F0.94 Lens, PTRZ, 2MP, Full		
		HD(1080p) @60fps, motorized vari-focal lens 4.0x (4.1~16.4mm)		
XND-6085V/KUS	eXtraLUX Indoor PTRZ Dome	(100°~26.2.9°), triple codec H.265/H.264/MJPEG with WiseStream II		
		technology, 150dB WDR, USB port for easy installation, advanced video		
		analytics and sound classification, true D/N, dual SD card, hallway view,		
		HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP51, IK08	each	851.39
		Wisenet X powered by Wisenet 5 network flush mount dome camera,		
		5MP @ 30fps, 3.7mm fixed lens (97.5°), triple codec H.265/H.264/MJPEG		
		with WiseStream II technology, 120dB WDR, USB port for easy		
XND-8020F/KUS	5MP Flush Mount	installation, advanced video analytics and sound classification and		
		business analytics, built-in Mic, magnetic cover, electronic D/N, SD card,		
		hallway view, HLC, defog detection, DIS, PoE, (Black and white covers are		
		optional)	each	392.95
		Wisenet X powered by Wisenet 5 network IR indoor vandal dome		
		camera, 5MP @30fps, 3.7mm fixed focal lens (97.5°), triple codec		
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB		
XND-8020R/KUS	5MP Indoor IR Vandal Dome	port for easy installation, advanced video analytics and sound		
		classification and business analytics, high powered IR LEDs range of 98',		
		true D/N, dual SD card, hallway view, HLC, defog detection, DIS,		507.50
		12VDC/PoE, IK08	each	507.56
		Wisenet X powered by Wisenet 5 network IR indoor vandal dome		
		camera, 5MP @30fps, 4.6mm fixed focal lens (77.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB		
XND-8030R/KUS	5MP Indoor IR Vandal Dome	port for easy installation, advanced video analytics and sound		
VIAD-OO20K/VO2	Sivir illudoi ik valluai Dollie	classification and business analytics, high powered IR LEDs range of 98',		
		true D/N, dual SD card, hallway view, HLC, defog detection, DIS,		
		12VDC/PoE, IK08	each	507.56
		Wisenet X powered by Wisenet 5 network IR indoor vandal dome	Cucii	307.30
		camera, 5MP @30fps, 7mm fixed focal lens (50.7°), triple codec		
XND-8040R/KUS	5MP Indoor IR Vandal Dome	H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB		
13.12 33 7011,1133	S Made Valladi Bollic	port for easy installation, advanced video analytics and sound		
		classification and business analytics, high powered IR LEDs range of 98',	each	507.56

		true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08		
		Wisenet X powered by Wisenet 5 network IR indoor vandal dome		
XND-8080RV/KUS	5MP Indoor IR Vandal Dome	camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9~9.4mm) (92.1°~38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS,		
		12VDC/PoE, IK08	each	884.13
XND-8081FZ	5MP Flush Mount PTRZ Dome	Wisenet X Plus powered by Wisenet 5 network indoor flush mount vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6~9.4mm) (102.5°~38.7°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE,		
		IP52, plenum rate(UL2820)	each	1,047.86
XND-8081RF	5MP IR Flush Mount Dome	Wisenet X series Plus powered by Wisenet 5 IR network indoor flush mount vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6~9.4mm) (102.5°~38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum rate(UL2820)	each	1,015.11
XND-8081RV	5MP IR Indoor Dome	Wisenet X series Plus powered by Wisenet 5 IR network indoor vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6~9.4mm) (102.5°~38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PDE, IP52, IK10, white color, ivory skin		
		included, optional black skin cover	each	1,015.11
XND-8081VZ	5MP Indoor PTRZ Dome	Wisenet X Plus powered by Wisenet 5 network indoor vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6~9.4mm) (102.5~38.7°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation,	a a a b	1 047 05
		advanced video analytics, sound classification and business analytics,	each	1,047.86

		shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover		
XND- L6080RV/KUS	2MP Indoor IR Vandal Dome	Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm) (109°~33.2°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, high powered IR LEDs range of 98.43', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IK08	each	540.30
XND-L6080V/KUS	2MP Indoor Vandal Dome	Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm) (109°~33.2°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IK08	each	474.81
XNF-8010R/KUS	X-Series Indoor IR Fisheye	Wisenet X powered by Wisenet 5 network indoor fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, 12VDC/PoE	each	622.17
XNF-8010RV/KUS	X-Series Outdoor IR Fisheye	Wisenet X powered by Wisenet 5 network outdoor vandal fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	each	687.66
XNF- 8010RVM/KUS	X-Series Mobile IR Fisheye	Wisenet X powered by Wisenet 5 network mobile vandal fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, For Mobile Application (M12 Connector) RJ45 to M12 adapter is NOT included, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	each	753.15
XNF- 8010RW/KUS	X-Series Indoor IR Fisheye	Wisenet X powered by Wisenet 5 network indoor fisheye (white color), 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual	each	622.17

		SD card, HLC, defog detection, DIS, 12VDC/PoE		
			İ	
			ì	
			•	
		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet	·	
		camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed focal lens (139°),	Ī	
		triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB	Ī	
XNO-6010R/KUS	2MP IR Bullet	WDR, USB port for easy installation, advanced video analytics and sound	Ī	
, , , , ,		classification and business analytics, high powered IR LEDs range of 65',	•	
		true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox	Ī	
		included, 12VDC/PoE, IP67, IK10, Nema 4X	each	425.69
		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet		
,		camera, 2MP, Full HD(1080p) @60fps, 4mm fixed focal lens (88.6°), triple	i	
		codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR,	ı	
XNO-6020R/KUS	2MP IR Bullet	USB port for easy installation, advanced video analytics and sound	r	
		classification and business analytics, high powered IR LEDs range of 98',	•	
		true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox	Ī	
		included, 12VDC/PoE, IP67, IK10, Nema 4X	each	425.69
		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet	1	
		camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x	Ī	
		(2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with	Ī	
XNO-6080R/KUS	2MP IR Bullet	WiseStream II technology, 150dB WDR, USB port for easy installation,	Ī	
ANO OOONAKOS	ZIVII IN Builet	advanced video analytics and sound classification, high powered IR LEDs	Ī	
		range of 164', true D/N, dual SD card, hallway view, HLC, defog	Ī	
		detection, DIS, backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema	Ī	
		4X, -40°C ~ +55°C (-40°F ~ +131°F)	each	753.15
		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet	Ī	
		camera, eXtraLUX features 1/2" sensor with F0.94 Lens, back box, 2MP,	Ī	
		Full HD(1080p) @60fps, motorized vari-focal lens 4.0x (4.1~16.4mm)	Ī	
		(100°~26.2.9°), triple codec H.265/H.264/MJPEG with WiseStream II	Ī	
XNO-6085R/KUS	eXtraLUX IR Bullet	technology, 150dB WDR, USB port for easy installation, advanced video	Ī	
		analytics and sound classification, high powered IR LEDs range of 229',	Ī	
		true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro),		
		backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~		
		+55°C (-40°F ~ +131°F)	each	884.13
		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera,	r	
		2MP, Full HD(1080p) @60fps, 12X optical zoom lens (5.2mm ~62.4mm)	r	
XNO-6120R/KUS	2M 12X IR Bullet	(54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II	r	
		technology, 150dB WDR, USB port for easy installation, advanced video	r	
		analytics and sound classification, high powered IR LEDs range of 229',	oach	982.37
		true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro),	each	J82.37

		backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~		
		+55°C (-40°F ~ +131°F)		
		,		
		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera,		
		5MP @30fps, 3.7mm fixed lens (97.5°), triple codec H.265/H.264/MJPEG		
		with WiseStream II technology, 120dB WDR, USB port for easy		
XNO-8020R/KUS	5MP IR Bullet	installation, advanced video analytics and sound classification and		
		business analytics, high powered IR LEDs range of 98', true D/N, dual SD		
		card, hallway view, HLC, defog detection, DIS, backbox included,		
		12VDC/PoE, IP67, IK10, Nema 4X	each	589.42
		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera,		
		5MP @30fps, 4.6mm fixed lens (77.9°), triple codec H.265/H.264/MJPEG		
		with WiseStream II technology, 120dB WDR, USB port for easy		
XNO-8030R/KUS	5MP IR Bullet	installation, advanced video analytics and sound classification and		
		business analytics, high powered IR LEDs range of 98', true D/N, dual SD		
		card, hallway view, HLC, defog detection, DIS, backbox included,		
		12VDC/PoE, IP67, IK10, Nema 4X	each	589.42
		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera,		
		5MP @30fps, 7mm fixed lens (50.7°), triple codec H.265/H.264/MJPEG		
		with WiseStream II technology, 120dB WDR, USB port for easy		
XNO-8040R/KUS	5MP IR Bullet	installation, advanced video analytics and sound classification and		
		business analytics, high powered IR LEDs range of 98', true D/N, dual SD		
		card, hallway view, HLC, defog detection, DIS, backbox included,		
		12VDC/PoE, IP67, IK10, Nema 4X	each	589.42
		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera,		
		5MP @30fps, motorized vari-focal lens 2.4x (3.7~9.4mm) (100.2°~38.7°),		
		triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB		
XNO-8080R/KUS	5MP IR Bullet	WDR, USB port for easy installation, advanced video analytics and sound		
		classification, high powered IR LEDs range of 164', true D/N, dual SD		
		card, hallway view, HLC, defog detection, DIS, backbox included,		
		12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	each	1,015.11
		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera,		
		2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm)		
VNO 1 6000D /// 16	2MD ID Dullet	(109°~33.2°), triple codec H.265/H.264/MJPEG with WiseStream II		
XNO-L6080R/KUS	2MP IR Bullet	technology, 120dB WDR, USB port for easy installation, high powered IR		
		LEDs range of 98.43', true D/N, single SD card, hallway view, HLC, defog		
		detection, DIS, PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	each	605.79

		Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP,		
		Full HD(1080p) @ 60fps, 4.3X optical zoom lens (2.8mm ~12mm) (119.5º		
VAID CO 4011/1/116	2040 4 27/ 077	~ 27.9º), Pan: 0°~350°. Tilt: 0°~ 90°, triple codec H.265/H.264/MJPEG		
XNP-6040H/KUS	2MP 4.3X PTZ	with WiseStream II technology, 150dB WDR, USB port for easy		
		installation, advanced video analytics and sound classification, true D/N,		
		dual SD card, HLC, defog detection, DIS(Gyro), 12VDC/PoE, IP66, IK10, -		
		22°F ~ 131°F	each	785.89
		Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP,		
		Full HD(1080p) @ 60fps, 12X optical zoom lens (5.2mm ~62.4mm)		
		(54.58º ~ 5.30º), Pan: 360° endless. Tilt: -5°~ 185°, triple codec		
XNP-6120H/KUS	2MP 12X PTZ	H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB		
		port for easy installation, advanced video analytics and sound		
		classification, true D/N, dual SD card, HLC, defog detection, DIS(Gyro),		
		12VDC/PoE, IP66, IK10, -22°F ~ 131°F	each	1,113.35
		Wisenet X powered by Wisenet 5 network indoor PTZ camera, 2MP, Full		
		HD(1080p) @ 60fps, 32X optical zoom lens (4.44mm ~142.6mm) (61.8º ~		
		2.19º), Pan: 360° endless. Tilt: -15°~ 195°, triple codec		
XNP-6320/KUS	2MP 32X PTZ	H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB		
		port for easy installation, advanced video analytics and sound		
		classification, true D/N, dual SD card, HLC, defog detection,		
		DIS(Gyro),24VAC/PoE+	each	2,619.65
		Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP,		
		Full HD(1080p) @ 60fps, 32X optical zoom lens (4.44mm ~142.6mm)		
		(61.8º ~ 2.19º), Pan: 360° endless. Tilt: -15°~ 195°, triple codec		
XNP-6320H/KUS	2MP 32X PTZ	H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB		
XIVP-032UH/KUS	2IVIP 32X P12	port for easy installation, advanced video analytics and sound		
		classification, true D/N, dual SD card, HLC, defog detection,		
		DIS(Gyro),24VAC/PoE+, IP66/IK10, -58°F ~ +131°F W/ 24VAC power		
		supply	each	2,848.87
		Wisenet X powered by Wisenet 5 network stainless steel PTZ camera,		
		2MP, Full HD(1080p) @ 60fps, 32X optical zoom lens (4.44mm		
		~142.6mm) (61.8º ~ 2.19º), Pan: 360° endless. Tilt: -15°~ 195°, triple		
AND COOLIE/ATIC	2MD 22v Stainless staal DT7	codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR,		
XNP-6320HS/KUS	2MP 32x Stainless steel PTZ	USB port for easy installation, advanced video analytics and sound		
		classification, true D/N, dual SD card, HLC, defog detection,		
		DIS(Gyro),24VAC/PoE+, IP66/IK10, -58°F ~ +131°F W/ 24VAC power		
		supply	each	4,125.94
		Wisenet X powered by Wisenet 5 network IR PTZ camera, IR range for up		
		to 656', 2MP, Full HD(1080p) @60fps, triple codec H.265/H.264/MJPEG,		
		32x optical zoom lens (4.44mm ~142.6mm) (61.8º ~ 2.19º), triple codec		
		H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR,		
XNP-6320RH	2MP IR 32x PTZ	advanced video analytics and sound classification, auto tracking, true	each	2,947.10

		D/N, dual SD card, HLC, defog detection, DIS(Gyro), IP66/IK10, 24VAC/HP0E		
XNP-6321	2MP 32x PTZ Indoor	Wisenet X powered by Wisenet 5 network indoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 32X optical zoom lens (4.44mm ~142.6mm) (61.8° ~ 2.19°), Pan: 360° endless. Tilt: -15°~ 195°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, HLC, defog detection, DIS(Gyro),24VAC/PoE+	each	1,899.24
XNP-6321H	2MP 32x PTZ Outdoor	Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 32X optical zoom lens (4.44mm ~142.6mm) (61.8° ~ 2.19°), Pan: 360° endless. Tilt: -15°~ 195°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, HLC, defog detection, DIS(Gyro),24VAC/PoE+, IP66/IK10, -58°F ~ +131°F W/ 24VAC power supply	each	2,161.21
XNP-6550RH	2MP IR 55x PTZ	Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 55X optical zoom lens (4.75mm ~ 261.4mm) (58.6° ~ 1.23°), Pan: 360° endless. Tilt: -5°~ 185°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, built-in IR 1640ft (500m), USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, HLC, defog (optical) DIS(Gyro),24VAC/HPOE, IP66/IK10, -58°F ~ +131°F W/ 24VAC power supply	each	3,274.56
XNV-6010/KUS	2MP Outdoor Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (139°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	each	425.69
XNV-6011/KUS	2MP Compact Vandal Dome	Wisenet X powered by Wisenet 5 network outdoor compact vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (112°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and business analytics, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66,Nema 4X, IK10	each	261.31

XNV-6011W/KUS	2MP Compact Vandal Dome	Wisenet X powered by Wisenet 5 network outdoor compact vandal dome camera (white color), 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (112°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and business analytics, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66,Nema 4X, IK10	each	261.31
XNV-6012/KUS	2MP Mobile Vandal Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (135.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, electrical D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X	each	438.79
XNV-6012M/KUS	2MP Mobile Vandal Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 3.6mm fixed lens (135.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, electrical D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X, M12 connector (M12 to RJ45 is not included)	each	438.79
XNV-6013M/KUS	2MP Mobile Vandal Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, electrical D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP6K9K, IK10 NEMA 4X, -40°C ~ +60°C (-40°F ~ +140°F)  This camera was designed to be mounted outside of the vehicle, M12	oach	530.48
XNV-6020R/KUS	2MP IR Outdoor Dome	connector (M12 to RJ45 is not included)  Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 4mm fixed lens (88.6°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	each	425.69
XNV-6022R/KUS	2MP Mobile Vandal Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 3.6mm fixed lens (94.8°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, IR LEDs range of 49', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X	each	484.63

XNV- 6022RM/KUS	2MP Mobile Vandal Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 3.6mm fixed lens (94.8°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, IR LEDs range of 49', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X, M12 connector (M12 to RJ45 is not included)	each	484.63
XNV-6080/KUS	2MP Outdoor Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, - 40°C ~ +55°C (-40°F ~ +131°F)	each	687.66
XNV-6080R/KUS	2MP IR Outdoor Dome	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	each	753.15
XNV-6081	2MP Outdoor Dome	Wisenet X series Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP6K9K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	each	785.89
XNV-6081R	2MP IR Outdoor Dome	Wisenet X series Plus powered by Wisenet 5 IR network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5~~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP6K9K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	each	851.39

XNV-6081Z	2MP Outdoor PTRZ Dome	Wisenet X Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP6K9K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	each	884.13
XNV-6085/KUS	eXtraLUX Outdoor PTRZ Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, eXtraLUX features 1/2" sensor with F0.94 Lens, PTRZ, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.0x (4.1~16.4mm) (100°~26.2.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/POE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	each	916.88
XNV-6120/KUS	2M 12X Outdoor Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 12X optical zoom lens (5.2mm ~62.4mm) (54.58° ~5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	each	884.13
XNV-6120R/KUS	2M 12X IR outdoor Dome	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 12X optical zoom lens (5.2mm ~62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	each	982.37
XNV-8020R/KUS	5MP IR Outdoor Dome	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 3.7mm fixed focal lens (97.5°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	each	589.42

XNV-8030R/KUS	5MP IR Outdoor Dome	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 4.6mm fixed focal lens (77.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	each	589.42
XNV-8040R/KUS	5MP IR Outdoor Dome	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	each	589.42
XNV-8080R/KUS	5MP IR Outdoor Dome	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9~9.4mm) (92.1°~38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	each	1,015.11
XNV-8081R	5MP IR Outdoor Dome	Wisenet X series Plus powered by Wisenet 5 IR network outdoor vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6~9.4mm) (102.5°~38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP6K9K, IK10+, Nema 4X, -50°C~+60°C (-58°F~+140°F), white color, ivory skin included, optional black skin cover	each	1,178.84
XNV-8081Z	5MP Outdoor PTRZ Dome	Wisenet X Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6~9.4mm) (102.5°~38.7°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP6K9K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	each	1,211.59

XNV-L6080/KUS	2MP Outdoor Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm) (109°~33.2°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	each	540.30
XNV-L6080R/KUS	2MP IR Outdoor Dome	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm) (109°~33.2°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, high powered IR LEDs range of 98.43', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	each	605.79
XNZ-6320/KUS	2MP 32x Zoom Box	Wisenet X powered by Wisenet 5 network zoom box camera, 2MP, Full HD(1080p) @60fps, 32X optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.19°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, SFP slot, advanced video analytics and sound classification, true D/N, dual SD card, HLC, defog detection, DIS(Gyro), 12VDC/PoE	each	982.37
HCB-7000A	4MP Wisenet HD+ Box Camera	Wisenet HD+ 4MP box camera, AHD or CVBS formats are available, RS485 /Coaxial Control, true D/N, 24VAC/12VDC (Require 4MP or higher CS Mount Lens).	each	117.88
HCD-7020RA	4MP Wisenet HD+ Indoor Dome Camera	Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC, IR distance 82 feet.	each	117.88
HCD-7030RA	4MP Wisenet HD+ Indoor Dome Camera	Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, 6.0 mm fixed lens, true D/N, 12VDC, IR distance 98 feet.	each	117.88
HCD-7070RA	4MP Wisenet HD+ Indoor Dome Camera	Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, manual vari-focal Lens (3.1X) (3.2-10mm), true D/N, 24VAC/12VDC, IR distance 65 feet.	each	176.83
HCO-7010RA	4MP Wisenet HD+ Bullet Camera	Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC, IR distance 65 feet, IP66/IK10.	each	130.98
HCO-7020RA	4MP Wisenet HD+ Bullet Camera	Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC, IR distance 82 feet, IP66/IK10.	each	130.98
HCO-7030RA	4MP Wisenet HD+ Bullet Camera	Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 6.0 mm fixed lens, true D/N, 12VDC, IR distance 98 feet, IP66/IK10.	each	130.98
HCO-7070RA	4MP Wisenet HD+ Bullet Camera	Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, manual vari-focal Lens (3.1X) (3.2-10mm), true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	each	196.47
HCV-7010RA	4MP Wisenet HD+ Outdoor Dome Camera	Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC, IR distance 65 feet, IP66/IK10.	each	130.98

HCV-7020RA	4MP Wisenet HD+ Outdoor Dome Camera	Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC, IR distance 82 feet, IP66/IK10.	each	130.98
HCV-7030RA	4MP Wisenet HD+ Outdoor Dome Camera	Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 6.0 mm fixed lens, true D/N, 12VDC, IR distance 98 feet, IP66/IK10.	each	130.98
HCV-7070RA	4MP Wisenet HD+ Outdoor Dome Camera	Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, manual vari-focal Lens (3.1X) (3.2-10mm), true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	each	196.47
HT-F1XX-WM	Wall Mount	Wall mount for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z, and TNO-X6322EPT1-Z)	each	622.17
HT-SD-CM	Corner Mount	Corner mount for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z and TNO-X6322EPT1-Z, TNP-X6322EPT3-Z, TNP-Q6232EPT3-Z) requires a wall mount	each	687.66
HT-SD-FP	Protection Kit	Protection kit for the (TNP-X6322EPT3-Z, TNP-Q6232EPT3-Z)	each	261.96
HT-SD-WM	Wall Mount	Wall mount for the (TNP-X6322EPT3-Z, TNP-Q6232EPT3-Z)	each	622.17
HT-SF-FP	Protection Kit	Protection kit for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z and TNO-X6322EPT1-Z)	each	261.96
HT-SPMA-SD	Pole Mount	Pole mount for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z and TNO-X6322EPT1-Z, TNP-X6322EPT3-Z, TNP-Q6232EPT3-Z) requires a wall mount	each	753.15
LND-6012R	2MP IR Dome	L series indoor dome camera, 2MP @ 30fps,3mm fixed focal lens (102°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, PoE, White	each	136.88
LND-6022R	2MP IR Dome	L series indoor dome camera, 2MP @ 30fps,4mm fixed focal lens (80°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, PoE, White	each	136.88
LND-6032R	2MP IR Dome	L series indoor dome camera, 2MP @ 30fps,6mm fixed focal lens (51°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, PoE, White	each	136.88
LND-6072R	2MP IR Dome	L series indoor dome camera, 2MP @ 30fps, vari-focal lens 3.1x (3.2 ~ 10mm) (101.6° ~31.3°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, PoE, White	each	208.92
LNO-6012R	2MP IR Bullet	L series outdoor bullet camera, 2MP @ 30fps,3mm fixed focal lens (102°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, PoE, White	each	163.07
LNO-6022R	2MP IR Bullet	L series outdoor bullet camera, 2MP @ 30fps,4mm fixed focal lens (80°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, PoE, White	each	163.07
LNO-6032R	2MP IR Bullet	L series outdoor bullet camera, 2MP @ 30fps,6mm fixed focal lens (51°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway	each	163.07

		view, SD card, IP66, PoE, White		
LNO-6072R	2MP IR Bullet	L series outdoor bullet camera, 2MP @ 30fps, vari-focal lens 3.1x (3.2 ~ 10mm) (101.6° ~31.3°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, PoE, White	each	235.11
LNV-6012R	2MP IR Vandal Dome	L series outdoor vandal dome camera, 2MP @ 30fps,3mm fixed focal lens (102°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, IK10, PoE, White	each	173.55
LNV-6022R	2MP IR Vandal Dome	L series outdoor vandal dome camera, 2MP @ 30fps,4mm fixed focal lens (80°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, IK10, PoE, White	each	173.55
LNV-6032R	2MP IR Vandal Dome	L series outdoor vandal dome camera, 2MP @ 30fps,6mm fixed focal lens (51°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, IK10, PoE, White	each	173.55
LNV-6072R	2MP IR Vandal Dome	L series outdoor vandal dome camera, 2MP @ 30fps, vari-focal lens 3.1x (3.2 ~ 10mm) (101.6° ~31.3°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, IK10, PoE, White	each	235.11
PNM-9000VD	5MP X 2 outdoor Dome	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (5MP X 2 sensors sold separately) 10MP @ 30fps, modular lenses from 3.7, 4.6 and 7.0mm lenses, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, built in analytics, 2x SD card, hallway view, HLC, defog detection, DIS, PoE, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F).  Lens modules: SLA-5M3700D (3.7mm), SLA-5M4600D (4.6mm), SLA-5M7000D (7.0mm)	each	720.40
PNM-9084QZ	2MP X 4 outdoor Dome, PTRZ	Wisenet P series network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP X 4 sensors) 8MP @ 60fps, motorized vari-focal lens 2x (3.0~6.0mm) (107°~56.3°), PTRZ (Pan/Tilt/Rotate/Zoom) remote adjustment, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, defocus detection, built in analytics, true D/N, 4x SD card, hallway view, HLC, defog detection, Bi-Directional Audio, Alarm I/O 1/1, HPoE (injector included), IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F), White	each	1,440.81
PNM-9084RQZ	2MP X 4 outdoor Dome, PTRZ w/IR	2MP x 4ch multi-directional camera, Motorized PTRZ support, Max. 60fps@2MP(H.265, H.264), 3.2~10mm(3.1x) motorized varifocal lens, IR viewable length: 30m, H.265, H.264, MJPEG codec, Multi streaming, Video analytics, WiseStream II, IP66, IK10, NEMA4X	each	1,886.15
PNM-9085RQZ	5MP X 4 outdoor Dome, PTRZ w/IR	5MP x 4ch multi-directional camera, Motorized PTRZ support, Max. 30fps@5MP(H.265, H.264), 4.13~9.4mm(2.3x) motorized varifocal lens, IR viewable length: 30m, H.265, H.264, MJPEG codec, Multi streaming, Video analytics, WiseStream II, IP66, IK10, NEMA4X	each	2,488.66
		/ · · · / · · · · · · / · · · / · · · ·	1	.,

		2048x2048 @ 30fps, triple codec H.265/H.264/MJPEG with WiseStream technology, business analytics (heatmap and people counting), built-in SD card slot, PoE		
QNP-6230RH	2MP IR 23x PTZ	Wisenet Q network outdoor IR PTZ camera, IR range for up to 328ft, 2MP, Full HD(1080p) 30fps, triple codec H.265/H.264/MJPEG with WiseStream II, 23x optical zoom (4.44 ~ 102.2mm) (61.8º ~ 3.08º), 120dB WDR, HLC, true D/N, 24VAC / HPOE, IP66, IK10, Built-in -58°F (-50°C) Heater (24VAC only)	each	1,309.82
QNV-6023R	2MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 3.6mm fixed focal lens (94.8°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 49', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	each	222.02
QNV-6024RM	2M Mobile IR Flat Camera	Wisenet Q network Mobile IR vandal dome camera, 2MP, Full HD(1080p) 30fps, triple codec H.265/H.264/MJPEG with WiseStream technology, Fixed focal Lens 3.6mm, Built in Mic, M12 Network connectors (M12 connector to RJ-45 adaptor is not included), hallway View, 120dB WDR, built-in IR range of 32.8', true D/N, built-in SD card slot, IP66, IK10	each	261.31
SBP-125WMW	Wall Mount	Outdoor wall mount for outdoor Flat-Eye (QNE-8011R and QNE-8021R), white color	each	42.57
SBP-137WMW1	Wall Mount	Outdoor wall mount for outdoor domes (QNV-6012R/6022R/6032R/8010R/8020R/8030R, 8080R/6082R), white color	each	42.57
SBP-201HMW	Cap Adapter	Cap Adapter for the PNM-9000VD Multi-sensor	each	32.09
SBP-276HMW	Cap Adapter	Cap adaptor for the PNM-9084QZ (Will fit the following accessories: SBP-300WMW1, SBP-390WMW1, SBP-300LMW, SBP-300CMW)	each	49.12
SBP-300BW	Mount Base	Wall Mount Base, Works with Mounts SBP-300WMW1, white	each	58.29
SBP-300NBW	Installation Box	Installation Back box compatible with (SBP-300WMW, SBP-300WMW1, SBP-300KMW, SBP-300PMW)	each	196.47
SBP-300WMW	Wall Mount	White Gooseneck mount	each	51.74
SBP-301HM5	Cap Adapter	Small Cap Adapter (Aluminum) Accessory, (SCV-6083R/6023R, SCV-5082/5083/5083R/6080, SCD-6080, SCV-3083/3082/3081, SCV-2082R/2081R, SCV-2081, SND-7084/7084R, SND-7082, SND-6084/6084R/6083, SND-5084/5084R/5083/5080, SND-3082, SNV-1080/1080R, SNV-L6083R/L5083R, QNV-7080R, QNV-6070R, HCV-6070R, HCV-6080R, XNP-6040H) Works with Mounts (SBP-300WM/W1/CM/LM), Ivory	each	32.09
SBP-302CM-06	Extension pendant pipe 6"	Extension pendant pipe 6" long, fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes SBP-302CM-12 and SBP-302CM-36	each	29.47

SBP-317HMW	Cap Adapter	Can be used with PNM-9084RQZ/9085RQZ. Mount screw size: PF 1 1/2",	each	
3BF-31/TIIVIVV		White	eacii	49.12
	Wall Mount	Wall Mount Accessory, 2x knock out built-in, compatible with all full size		
SBP-390WM2		outdoor PTZs and all caps, Ivory color as well as SBP-300PM pole mount adaptor and SBP-300KM corner mount adaptor	each	140.81
	Wall Mount	Wall Mount Accessory, 2x knock out built-in, compatible with all full size		140.01
SBP-390WMW2	Wan Modific	outdoor PTZs and all caps, White color	each	140.81
SBP-C03	3 Unit Card Cage	3 slot card cage rack, power supply included	each	379.85
SBP-C14	Card Cage Rack Mount	14 slot card cage rack, power supply included	each	671.28
SBP-C14BP1	1 Slot Blank Filler Panel	1 slot blank filler panel for SBP-C14 card cage	each	22.92
SBP-C14BP3	3 Slot Blank Filler Panel	3 slot blank filler panel for SBP-C14 card cage	each	22.92
SBP-C14PS1	Rack Mount Power Supply	90-264 VAC 50/60hz power supply for SBP-C14	each	379.85
SBP-UDR	Universal Din Rail Adapter	Universal DIN-Rail mount adapter kit that allow the Hanwha product to	each	
JBI ODIK		be mounted on the adaptor in a vertical axis configuration	Cacii	22.92
SBV-120GW	Back Box	Back Box with knockouts, Compatible with QNV-6012R/6022R/6032R,QNV-8010R/8020R/8030R	each	32.09
SBV-125BW	Back Box	Back box for outdoor Flat-Eye (QNE-8011R and QNE-8021R), white color	each	32.09
SFP-FLCM202	Multi Mode SFP module	100Mbps, 1310nm, 2km, LC, 2 Fiber, Multi Mode, MSA Compliant	each	104.79
SFP-FLCS220	Single Mode SFP module	100Mbps, 1310nm, 20km, LC, 2 Fiber, Single Mode, MSA Compliant	each	111.34
SFP-FSCM102-A	Multi Mode SFP module A	100Mbps, 1310nm, 2km, SC, 1 Fiber, Pair with SFP-FSCM102-B, Multi	each	
SIT TSCIVITOZ A		Mode, MSA Compliant	Cacii	170.28
SFP-FSCM102-B	Multi Mode SFP module B	100Mbps, 1550nm, 2km, SC, 1 Fiber, Pair with SFP-FSCM102-A, Multi Mode, MSA Compliant	each	170.28
SFP-FSCS120-A	Single Mode SFP module A	100Mbps, 1310nm, 20km, SC, 1 Fiber, Pair with SFP-FSCM102-B, Single	each	
		Mode, MSA Compliant		170.28
SFP-FSCS120-B	Single Mode SFP module B	100Mbps, 1550nm, 20km, SC, 1 Fiber, Pair with SFP-FSCM102-A, Single Mode, MSA Compliant	each	170.28
SFP-GLCM202	Multi Mode SFP module	1000Mbps 1310nm, 2km, 2 Fiber, LC, Multi Mode, MSA Compliant	each	212.85
SFP-GLCS120-A	Single Mode SFP module A	1000Mbps, 1310nm, 20km, LC, 1 Fiber, Pair with SFP-GLCS120-B, Single Mode, MSA Compliant	each	252.14
SFP-GLCS120-B	Single Mode SFP module B	1000Mbps, 1550nm, 20km, LC, 1 Fiber, Pair with SFP-GLCS120-A, Single Mode, MSA Compliant	each	252.14
SFP-GLCS215	Single Mode SFP module	1000Mbps, 1310nm, 15km, LC, 2 Fiber, Single Mode, MSA Compliant	each	104.79
SFP-GRJC	SFP to RJ45	Copper 10/100/1000Mbps RJ45, MSA Compliant	each	147.36
SLA-5M3700D	PNM-9000VD Lens module	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H: 97.5°, V: 71.9° for the PNM-9000VD	each	163.73
SLA-5M4600D	PNM-9000VD Lens module	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H: 77.9°, V: 57.9°	each	163.73
	1	1	1	<del>-</del>

		for the PNM-9000VD		
SLA-5M7000D	PNM-9000VD Lens module	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H: 50.7°, V: 37.8° for the PNM-9000VD	each	163.73
SPB-INW12	Tinted Bubble	Smoked dome cover for White Q/L fixed indoor domes	each	16.37
SPB-INW13	Tinted Bubble	Smoked dome cover for White 5MP Q series fixed lens	each	16.37
SPB-INW72	Tinted Bubble	Smoked dome cover for White Q/L varifocal indoor domes, (except QND-8080R)	each	16.37
SPB-INW73	Tinted Bubble	Smoked dome cover for White QND-8080R	each	16.37
SPD-151	48CH Network Video Decoder	Video decoding up to 48 cameras on HDMI / VGA, 1 camera decoding on BNC, Max. 4K resolution@HDMI, Max. 1080p@VGA, Various view mode (HDMI 1 / 2x2 / 3x3 / 4x4 / 5x5 / 6x6 (32Ch Only,VGA 1 / 2x2 / 3x3 / 4x4,BNC 1 Tile merge support), 12V DC, PoE, Up to 49CH, H.265 / H.264 / MJPEG codec, Layout Sequence Support, Management using Web-Viewer	each	523.93
TNB-9000	8K Network Box Camera	43.3mm full-frame CMOS Image Sensor, Max.15fps@8K, 20fps@24MP, 30fps@15MP, 60fps@4K, Compatible with Canon EF mount Lens, Intelligent video analytics based on AI (Object detection/classification, Attribute, BestShot), HDMI (1080p 30fps) Video Output, H.265/H.264: Main/High, MJPEG, Single Micro SD slot (Up to 256GB), WiseStream II support, RJ-45, SFP slot(100/1000Mbps), HPoE(IEEE802.3bt, Class5), 12VDC, AI based analytics	each	9,823.68
TNO-X6072EPT1- Z	Explosion Proof Fixed Camera	Explosion proof camera using the XNB-6000 (2MP @ 60fps) + 2.8~9mm Lens PoE Only (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual)", C1/D1 certification	each	4,551.64
TNO- X6320E1WT1-C	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-C" for cLC CSA	each	6,811.08
TNO- X6320E1WT1-M	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-M" for INMETRO	each	6,811.08
TNO- X6320E1WT1-Z	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1	each	6,811.08
TNO- X6320E1WT2-C	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 24VAC Only with wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67,IP68, "-C" for cLC CSA	each	7,269.52
TNO- X6320E2F2T1-C	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-C" for cLC CSA	each	9,168.77

TNO- X6320E2F2T1-M	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-M" for INMETRO	each	9,168.77
TNO- X6320E2F2T1-Z	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1	each	9,168.77
TNO- X6320E2F2T2-C	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67,IP68, "-C" for cLC CSA	each	9,627.20
TNO- X6320E2F2WT1-C	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-C" for cLC CSA	each	10,036.52
TNO- X6320E2F2WT1- M	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-M" for INMETRO	each	10,036.52
TNO- X6320E2F2WT1-Z	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1	each	10,036.52
TNO- X6320E2F2WT2-C	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67,IP68, "-C" for cLC CSA	each	10,494.96
TNO-X6320EPT0- C	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 PoE Only (No Wiper), cLCus C1/D1 certification, -10°C $^{\sim}$ +55°C (+14°F $^{\sim}$ +131°F), IP66/IP67,IP68, "-C" for cLC CSA	each	5,010.08
TNO-X6320EPT0- M	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 PoE Only (No Wiper), cLCus C1/D1 certification, -10°C $^{\sim}$ +55°C (+14°F $^{\sim}$ +131°F), IP66/IP67,IP68, "-M" for INMETRO	each	5,010.08
TNO-X6320EPT0- Z	Explosion Proof Zoom Camera	Explosion proof housing using the XNZ-6320 PoE Only (No Wiper), cLCus C1/D1 certification, -10°C $^{\sim}$ +55°C (+14°F $^{\sim}$ +131°F), IP66/IP67,IP68, "-Z" for cLCus C1/D1	each	5,010.08
TNO-X6322EPT1- Z	Explosion Proof Zoom Camera	Explosion proof zoom camera using the XNZ-L6320 (2MP @ 60fps) with 32x optical zoom, PoE Only (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual)", C1/D1 certification	each	5,173.80
TNO-X8072EPT1- Z	Explosion Proof Fixed Camera	Explosion proof camera using the XNB-8000 (5MP @ 30fps) + 4.1~9mm Lens PoE Only (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual)", C1/D1 certification	each	4,682.62
TNP-Q6232EPT3-	Explosion Proof PTZ	Explosion proof PTZ using the QNP-6230 (2MP @ 30fps) +with 23x optical zoom PoE+ (No Wiper), -20°C ~ +55°C (-4°F ~ +131°F), type 4x, IP66, FM (Factory Mutual)", C1/D1 certification	each	12,377.83
TNP-X6322EPT3-	Explosion Proof PTZ	Explosion proof PTZ using the XNP-6320 (2MP @ 60fps) +with 32x optical zoom PoE+ (No Wiper), -20°C ~ +55°C (-4°F ~ +131°F), type 4x, IP66, FM	each	14,015.11

		(Factory Mutual)", C1/D1 certification		
TNU- X6320E1F2WT1-C	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-C" for cLC CSA	each	20,629.72
TNU- X6320E1F2WT1- M	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-M" for INMETRO	each	20,629.72
TNU- X6320E1F2WT1-Z	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-2" for cLCus C1/D1	each	20,629.72
TNU- X6320E1F2WT2-C	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -60°C $^{\sim}$ +40°C (-67°F $^{\sim}$ +104°F), IP66/IP67, "-C" for cLC CSA	each	21,088.16
TNU- X6320E1WT1-C	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 24VAC Only, with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-C" for cLC CSA	each	19,761.96
TNU- X6320E1WT1-M	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 24VAC Only, with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-M" for INMETRO	each	19,761.96
TNU- X6320E1WT1-Z	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 24VAC Only, with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-Z" for cLCus C1/D1	each	19,761.96
TNU- X6320E1WT2-C	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 24VAC Only, with Wiper, cLCus C1/D1 certification, -60°C $^{\sim}$ +40°C (-67°F $^{\sim}$ +104°F), IP66/IP67, "-C" for cLC CSA	each	20,220.40
TNU- X6320E2F2WT1-C	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-C" for cLC CSA	each	20,629.72
TNU- X6320E2F2WT1- M	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-M" for INMETRO	each	20,629.72
TNU- X6320E2F2WT1-Z	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-2" for cLCus C1/D1	each	20,629.72
TNU- X6320E2F2WT2-C	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -60°C $^{\sim}$ +40°C (-67°F $^{\sim}$ +104°F), IP66/IP67, "-C" for cLC CSA	each	21,088.16
TNU- X6320E2WT1-C	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 110VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-C" for cLC CSA	each	19,761.96
TNU-	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 110VAC Only,	each	19,761.96

X6320E2WT1-M		with Wiper, cLCus C1/D1 certification, -40°C $^{\sim}$ +60°C (-40°F $^{\sim}$ +140°F), IP66/IP67, "-M" for INMETRO		
TNU- X6320E2WT1-Z	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 110VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "-Z" for cLCus C1/D1	each	19,761.96
TNU- X6320E2WT2-C	Explosion Proof Positioning Camera	Explosion proof positioning camera using the XNZ-6320 110VAC Only, with Wiper, cLCus C1/D1 certification, -60°C $^{\sim}$ +40°C (-67°F $^{\sim}$ +104°F), IP66/IP67, "-C" for cLC CSA	each	20,220.40
VER-CSTORE15- 104TB	Veracity Coldstore 3U, 104TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 104TB raw (effective: 96TB Normal COLDSTORE mode)	each	22,443.83
VER-CSTORE15- 112TB	Veracity Coldstore 3U, 112TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 112TB raw (effective: 104TB Normal COLDSTORE mode)	each	23,386.90
VER-CSTORE15- 120TB	Veracity Coldstore 3U, 120TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 120TB raw (effective: 112TB Normal COLDSTORE mode)	each	24,329.97
VER-CSTORE15- 40TB	Veracity Coldstore 3U, 40TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 40TB raw (effective: 32TB Normal COLDSTORE mode)	each	14,899.24
VER-CSTORE15- 48TB	Veracity Coldstore 3U, 48TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 48TB raw (effective: 40TB Normal COLDSTORE mode)	each	15,842.32
VER-CSTORE15- 56TB	Veracity Coldstore 3U, 56TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 56TB raw (effective: 48TB Normal COLDSTORE mode)	each	16,785.39
VER-CSTORE15- 64TB	Veracity Coldstore 3U, 64TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 64TB raw (effective: 56TB Normal COLDSTORE mode)	each	17,728.46
VER-CSTORE15- 72TB	Veracity Coldstore 3U, 72TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 72TB raw (effective: 64TB Normal COLDSTORE mode)	each	18,671.54
VER-CSTORE15- 80TB	Veracity Coldstore 3U, 80TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 80TB raw (effective: 72TB Normal COLDSTORE mode)	each	19,614.61
VER-CSTORE15- 88TB	Veracity Coldstore 3U, 88TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 88TB raw (effective: 80TB Normal COLDSTORE mode)	each	20,557.68
VER-CSTORE15- 96TB	Veracity Coldstore 3U, 96TB	Veracity Coldstore 3U, 400mbps, L.A.I.D with SFS disk filing system, requires WAVE Server (not included) to operate, 15 internal SATA HDD bays, 96TB raw (effective: 88TB Normal COLDSTORE mode)	each	21,500.76

VER-CSTORECRDL	Veracity Coldstore 3U HDD Cradle	Veracity Coldstore 3U HDD cradle	each	58.94
VER-CSTORERAIL	Veracity Coldstore 3U Rack Rail	Veracity Coldstore 3U Rack Rail accessory	each	288.16
WRR-P-E200L- 12TB	WAVE Recording Server (Linux OS)	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	5,954.46
WRR-P-E200L- 16TB	WAVE Recording Server (Linux OS)	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	6,651.28
WRR-P-E200L- 24TB	WAVE Recording Server (Linux OS)	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	8,044.94
WRR-P-E200L- 28TB	WAVE Recording Server (Linux OS)	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 28TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Ubuntu 18.04 LTS, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	8,741.76
WRR-P-E200L- 36TB	WAVE Recording Server (Linux OS)	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	10,135.42
WRR-P-E200L- 42TB	WAVE Recording Server (Linux OS)	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 42TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	11,180.65
WRR-P-E200L- 8TB	WAVE Recording Server (Linux OS)	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM,	each	5,257.63

		240GB SSD OS drive, Ubuntu Linux 18.04 LTS, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included		
WRR-P-E200S- 12TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows Server 2016 Standard, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	7,919.19
WRR-P-E200S- 16TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows Server 2016 Standard, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	8,616.02
WRR-P-E200S- 24TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows Server 2016 Standard, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	10,009.67
WRR-P-E200S- 28TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 28TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows Server 2016 Standard, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	10,706.50
WRR-P-E200S- 36TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows Server 2016 Standard, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	12,100.15
WRR-P-E200S- 42TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 42TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows Server 2016 Standard, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	13,145.39
WRR-P-E200S- 8TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM,	each	7,222.37

		240GB SSD OS drive, Windows Server 2016 Standard, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included		
WRR-P-E200W- 12TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	5,954.46
WRR-P-E200W- 16TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	6,651.28
WRR-P-E200W- 24TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	8,044.94
WRR-P-E200W- 28TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 28TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	8,741.76
WRR-P-E200W- 36TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	10,135.42
WRR-P-E200W- 42TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 42TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	11,180.65
WRR-P-E200W- 8TB	WAVE recording server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon E-2124, 16GB RAM,	each	5,257.63

		240GB SSD OS drive, Windows 10 Pro, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included		
WRR-P-HDDCRDL	WAVE recording server HDD Cradle	HDD cradle for WRR-P 1U and 2U server chassis	each	52.39
WRR-P-S202L- 108TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 108TB raw (78TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	27,983.07
WRR-P-S202L- 120TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 120TB raw (89TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	30,073.55
WRR-P-S202L- 132TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 132TB raw (100TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	32,164.03
WRR-P-S202L- 144TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 144TB raw (112TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	34,254.51
WRR-P-S202L- 16TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 16TB raw (7TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	11,956.07
WRR-P-S202L- 20TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 20TB raw (11TB usable after disk	each	12,652.90

		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included		
WRR-P-S202L- 24TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 24TB raw (15TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	13,349.72
WRR-P-S202L- 28TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 28TB raw (19TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	14,046.55
WRR-P-S202L- 32TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 32TB raw (22TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	14,743.38
WRR-P-S202L- 40TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 40TB raw (30TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	16,137.03
WRR-P-S202L- 48TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 48TB raw (37TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	17,530.68
WRR-P-S202L- 64TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 64TB raw (45TB usable after disk	each	20,317.98

			1	T
		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		
	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 80TB raw (60TB usable after disk		
WRR-P-S202L- 80TB		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,	each	
		Keyboard and mouse included, Rail kit included		23,105.29
WRR-P-S202L- 96TB	WAVE Recording Server (Linux OS)	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 96TB raw (74TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache,	each	
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included		25,892.59
WRR-P-S202S- 108TB	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 108TB raw (78TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W	each	
		power supplies, Keyboard and mouse included, Rail kit included		29,947.81
WRR-P-S202S- 120TB	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 120TB raw (89TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W	each	
	<del> </del>	power supplies, Keyboard and mouse included, Rail kit included		32,038.29
WRR-P-S202S- 132TB	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 132TB raw (100TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	34,128.77
WRR-P-S202S-	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses	oach	
144TB		with RAID, Wisenet WAVE pre-installed, 144TB raw (112TB usable after	each	36,219.24

				1
		disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14		
		HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS		
		drives (RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 +		
		8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W		
		power supplies, Keyboard and mouse included, Rail kit included	<u> </u>	
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 16TB raw (7TB usable after disk		
WRR-P-S202S-		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
16TB		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
1010		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		13,920.81
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 20TB raw (11TB usable after disk		
WRR-P-S202S-		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
20TB		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		14,617.63
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 24TB raw (15TB usable after disk		
		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
WRR-P-S202S-		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
24TB		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		15,314.46
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
	Ŭ.	with RAID, Wisenet WAVE pre-installed, 28TB raw (19TB usable after disk		
		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
WRR-P-S202S-		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
28TB		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		16,011.28
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 32TB raw (22TB usable after disk		
		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
WRR-P-S202S-		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
32TB		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		16,708.11
WRR-P-S202S-	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses	<del>                                     </del>	10,700.11
40TB	VVAVE recording server	with RAID, Wisenet WAVE pre-installed, 40TB raw (30TB usable after disk	each	18,101.76
401D		with NAID, Wiseliet WAVE pre-installed, 4016 taw (5016 usable after disk	1	10,101.70

				I
		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives		
		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 48TB raw (37TB usable after disk		
WRR-P-S202S-		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
48TB		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
401D		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		19,495.42
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 64TB raw (45TB usable after disk		
14/DD D 62026		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
WRR-P-S202S-		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
64TB		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		22,282.72
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		,
		with RAID, Wisenet WAVE pre-installed, 80TB raw (60TB usable after disk		
		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
WRR-P-S202S-		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
80TB		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		25,070.03
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		-,
		with RAID, Wisenet WAVE pre-installed, 96TB raw (74TB usable after disk		
		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
WRR-P-S202S-		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
96TB		(RAID 1), Windows Server 2016 Standard, Support RAID 0/1/5/6 + 8GB		
		NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		27,857.33
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		27,007.00
	W/WE recording server	with RAID, Wisenet WAVE pre-installed, 108TB raw (78TB usable after		
		disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14		
WRR-P-S202W-		HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS	each	
108TB		drives (RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache,	Cacii	
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		27,983.07
WRR-P-S202W-	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses	+	21,303.01
	WAVE recording server		each	20 072 55
120TB		with RAID, Wisenet WAVE pre-installed, 120TB raw (89TB usable after		30,073.55

		disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included		
WRR-P-S202W- 132TB	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 132TB raw (100TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	32,164.03
WRR-P-S202W- 144TB	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 144TB raw (112TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	34,254.51
WRR-P-S202W- 16TB	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 16TB raw (7TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	11,956.07
WRR-P-S202W- 20TB	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 20TB raw (11TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	12,652.90
WRR-P-S202W- 24TB	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 24TB raw (15TB usable after disk formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	13,349.72
WRR-P-S202W- 28TB	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses with RAID, Wisenet WAVE pre-installed, 28TB raw (19TB usable after disk	each	14,046.55

				1
		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives		
		(RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 32TB raw (22TB usable after disk		
WRR-P-S202W-		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
32TB		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
3210		(RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA		
		output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		14,743.38
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 40TB raw (30TB usable after disk		
WRR-P-S202W-		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
40TB		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
1015		(RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA		
		output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		16,137.03
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 48TB raw (37TB usable after disk		
WRR-P-S202W-		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
48TB		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
.0.2		(RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA		
		output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		17,530.68
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 64TB raw (45TB usable after disk		
WRR-P-S202W-		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
64TB		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
0112		(RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA		
		output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		20,317.98
	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses		
		with RAID, Wisenet WAVE pre-installed, 80TB raw (60TB usable after disk		
WRR-P-S202W-		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
80TB		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives	each	
		(RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA		
		output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included	<b>_</b>	23,105.29
WRR-P-S202W-	WAVE recording server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses	each	
96TB		with RAID, Wisenet WAVE pre-installed, 96TB raw (74TB usable after disk		25,892.59

				1
		formatting & RAID 6 pre-configured), 470 Mbps recording B/W, 14 HDD		
		Bay (3.5"), Intel Xeon Silver 4210, 16GB RAM, Dual 240GB SSD OS drives		
		(RAID 1), Windows 10 Pro, Support RAID 0/1/5/6 + 8GB NV cache, VGA		
		output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		
WRT-P-3100L-		Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 170 Mbps		
12TB		recording B/W, (3) 3.5" HDD, Intel Core i3, 8GB RAM, 256 GB SSD OS	each	
1216		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to		
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		4,454.71
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		
W/DT D 21001		Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 170 Mbps		
WRT-P-3100L-		recording B/W, (2) 3.5" HDD, Intel Core i3, 8GB RAM, 256 GB SSD OS	each	
16TB		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to		
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		5,151.54
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		
		Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 170 Mbps		
WRT-P-3100L-		recording B/W, (1) 3.5" HDD, Intel Core i3, 8GB RAM, 256 GB SSD OS	each	
4TB		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to		
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included,		3,061.06
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		3,002.00
	Time I necessaring content (Emain co)	Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 170 Mbps		
WRT-P-3100L-		recording B/W, (2) 3.5" HDD, Intel Core i3, 8GB RAM, 256 GB SSD OS	each	
8TB		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to	Cucii	
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		3,757.88
	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		3,737.00
	WAVE Recording Server	Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 170 Mbps		
WRT-P-3100W-		recording B/W, (3) 3.5" HDD, Intel Core i3, 8GB RAM, 256 GB SSD OS	each	
12TB		Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI	eacii	
				4 45 4 74
	MANE Beaudine Commun	adapter included, Dual GbE NICs, Keyboard and mouse included		4,454.71
	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		
WRT-P-3100W-		Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 170 Mbps		
16TB		recording B/W, (2) 3.5" HDD, Intel Core i3, 8GB RAM, 256 GB SSD OS	each	
		Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI		
		adapter included, Dual GbE NICs, Keyboard and mouse included		5,151.54
	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		
WRT-P-3100W-		Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 170 Mbps		
4TB		recording B/W, (1) 3.5" HDD, Intel Core i3, 8GB RAM, 256 GB SSD OS	each	
41B		Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI		
		adapter included, Dual GbE NICs, Keyboard and mouse included,		3,061.06
WRT-P-3100W-	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4	oach	
8TB		Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 170 Mbps	each	3,757.88

				1
		recording B/W, (2) 3.5" HDD, Intel Core i3, 8GB RAM, 256 GB SSD OS		
		Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI		
		adapter included, Dual GbE NICs, Keyboard and mouse included		
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		
WRT-P-5200L-		Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps		
12TB		recording B/W, (3) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS	each	
1210		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to		
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		4,782.17
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		
WRT-P-5200L-		Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps		
16TB		recording B/W, (2) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS	each	
1018		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to		
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		5,478.99
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		
W.D.T. D. E2001		Professional licenses, Wisenet WAVE pre-installed, 20TB raw, 470 Mbps		
WRT-P-5200L-		recording B/W, (2) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS	each	
20TB		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to		
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		6,175.82
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		,
		Professional licenses, Wisenet WAVE pre-installed, 24TB raw, 470 Mbps		
WRT-P-5200L-		recording B/W, (3) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS	each	
24TB		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to		
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		6,872.64
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4		,
	(======================================	Professional licenses, Wisenet WAVE pre-installed, 32TB raw, 470 Mbps		
WRT-P-5200L-		recording B/W, (3) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS	each	
30TB		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to		
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		7,917.88
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4	†	,
	Time I necessaring content (2.11.4.x co)	Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 470 Mbps		
WRT-P-5200L-		recording B/W, (1) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS	each	
4TB		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to	000	
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		3,388.51
	WAVE Recording Server (Linux OS)	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4	+	3,333.31
	With the cording server (Emax 03)	Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps		
WRT-P-5200L-		recording B/W, (2) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS	each	
8TB		Drive, Ubuntu Linux 18.04 LTS, (2) DisplayPort output, (1) DisplayPort to		
		HDMI adapter included, Dual GbE NICs, Keyboard and mouse included		4,085.34
	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4	+	7,003.34
WRT-P-5200W-	WAVE NECOLUTING SELVEL	Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps		
		recording B/W, (3) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS	each	
12TB				4 702 17
		Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI		4,782.17

		adapter included, Dual GbE NICs, Keyboard and mouse included		
WRT-P-5200W- 16TB	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps recording B/W, (2) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Keyboard and mouse included	each	5,478.99
WRT-P-5200W- 20TB	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 20TB raw, 470 Mbps recording B/W, (2) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Keyboard and mouse included	each	6,175.82
WRT-P-5200W- 24TB	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw, 470 Mbps recording B/W, (3) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Keyboard and mouse included	each	6,872.64
WRT-P-5200W- 30TB	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 32TB raw, 470 Mbps recording B/W, (3) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Keyboard and mouse included	each	7,917.88
WRT-P-5200W- 4TB	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 470 Mbps recording B/W, (1) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Keyboard and mouse included	each	3,388.51
WRT-P-5200W- 8TB	WAVE Recording Server	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording B/W, (2) 3.5" HDD, Intel Core i5, 16GB RAM, 256 GB SSD OS Drive, Windows 10 Pro, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Keyboard and mouse included	each	4,085.34
WWT-P-3200L	WAVE Client (Linux OS)	Small form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, Intel Core i3, 8GB RAM, 256 SSD OS Drive, Ubuntu Linux 18.04 LTS, Nvidia Quadro P400 GPU w/ (3) Mini DisplayPort output, Single GbE NIC, (2) MiniDisplayPort to HDMI adapters included, Keyboard and mouse included	each	2,455.92
WWT-P-3200W	WAVE Client	Small form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, Intel Core i3, 8GB RAM, 256 SSD OS Drive, Windows 10 Pro, Nvidia Quadro P400 GPU w/ (3) Mini DisplayPort output, Single GbE NIC, (2) MiniDisplayPort to HDMI adapters included, Keyboard and mouse included	each	2,455.92

WWT-P-7400L	WAVE Client (Linux OS)	Small form factor Wisenet WAVE Client Workstation for 4 monitor output, Wisenet WAVE pre-installed, Intel Core i7, 16GB RAM, 256 SSD OS Drive, Ubuntu Linux 18.04 LTS, Nvidia Quadro P620 GPU w/ (4) Mini DisplayPort output, Single GbE NIC, (4) MiniDisplayPort to HDMI adapters included, Keyboard and mouse included	each	3,307.30
WWT-P-7400W	WAVE Client	Small form factor Wisenet WAVE Client Workstation for 4 monitor output, Wisenet WAVE pre-installed, Intel Core i7, 16GB RAM, 256 SSD OS Drive, Windows 10 Pro, Nvidia Quadro P620 GPU w/ (4) Mini DisplayPort output, Single GbE NIC, (4) MiniDisplayPort to HDMI adapters included, Keyboard and mouse included	each	3,307.30
XNP-6550RH	2MP IR 55x PTZ	Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 55X optical zoom lens (4.75mm ~ 261.4mm) (58.6º ~ 1.23º), Pan: 360° endless. Tilt: -5°~ 185°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, built-in IR 1640ft (500m), USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, HLC, defog (optical) DIS(Gyro),24VAC/HPoE, IP66/IK10, -58°F ~ +131°F W/ 24VAC power supply	each	3,274.56
XNZ-L6320	2MP 32x Zoom Box	Wisenet X powered by Wisenet 5 network zoom box camera, 2MP, Full HD(1080p) @60fps, 32X optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.19°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, advanced video analytics and sound classification, true D/N, built in SD card slot, HLC, defog detection, 12VDC/PoE	each	916.88
HCF-8010V	5MP Analog HD Fisheye Camera	5MP (2560x1944) resolution, 20FPS @5MP, BLC, Day & Night (ICR), Digital Wide Dynamic Range, Coaxial communication (HD / SD mode), Selectable universal output (TVI / AHD / CVBS), IP66, IK10, Power 12VDC/24VAC	each	261.31
DIN-SSDA008/CO	Remote engineering service	This is a remote engineering service that will be provided by a Hanwha Techwin B2B security division trained personnel for our STEP dealers to help configure or train on product including cameras, recorders and software. A reliable phone connection and internet connection (for a connection to the surveillance system via a remote desktop software) is required to be provided by the STEP partner. This SKU is for one day. If multiple days are needed please reflect that by increasing the QTY of the SKU	each	1309.82
OP-A2FMD-01	One Camera License	One Camera License for Face Mask Detection Open Platform Application from a2 Technology. To be installed on Compatible X-Series Cameras (XNB-6000,XNO-6080R, XNO-6010R, XNO-6080R, XNO-6120R,XNV-6080R, XNV-6080R, XNV-6010, XNV-6020R, XNV-6120R, XNV-6120R, XNV-6011,XND-6080R, XND-6080R, XND-6080R, XND-6080RV, XND-6010, XND-6020R, XND-6011F)	each	327.46

PNB-A9001	4K Box Al camera	4K AI Network Box Camera, Max. 4K resolution, 0.03Lux@F1.2(Color), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, Video Analytics based on AI, Object detection and classification(Person, Face, Vehicle, License Plate), Attribute, BestShot, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence,	each	
		Age/gender based People counting, Heatmap, Queue management,POE+		982.37
PND-A9081RF	4K IR Indoor Flush Mount Dome AI Camera	4K Network AI IR Dome Camera, Max. 4K resolution, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, Video Analytics based on AI, Object detection and classification(Person, Face, Vehicle, License Plate), Attribute, BestShot, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installationl, POE+	each	1277.08
PND-A9081RV	4K IR Indoor Vandal Dome AI Camera	4K Network AI IR Dome Camera, Max. 4K resolution, 0.05Lux@F1.6 (Color), OLux (B/W, IR LED on), Day & Night(ICR),WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, Video Analytics based on AI, Object detection and classification(Person, Face, Vehicle, License Plate), Attribute, BestShot, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, PoE+	each	1277.08
PNM-7002VD	2MP X 2 outdoor Dome	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP X 2 sensors sold separately) 4MP @ 60fps, modular lenses from 2.4, 2.8, 3.6 and 6mm lenses, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, built in analytics, 4x SD card, hallway view, HLC, defog detection, DIS, PoE, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F).  Lens modules: SLA-2M2402D (2.4mm), SLA-2M2802D (2.8mm), SLA-2M3602D (3.6mm), SLA-2M6002D (6mm). WHITE COLOR	each	720.40
PNM-9002VQ	2MP / 5MP X 4	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP/5MP X 4 sensors sold separately) 8MP ~20MP (2MP @ 60fps or 5MP @30fps), fixed focal lens modules, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR @ 2MP or 120dB @ 5MP, defocus detection, built in analytics, PTZ handover, 4x SD card, hallway view, HLC, defog detection, DIS(Gyro Sensor), PoE+, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F) 2MP Lens modules: SLA-2M2400Q (2.4mm), SLA-2M2800Q (2.8mm), SLA-2M3600Q (3.6mm), SLA-2M6000Q (6mm) 5MP Lens modules: SLA-5M3700Q (3.7mm), SLA-5M4600Q (4.6mm), SLA-5M7000Q (7.0mm). WHITE COLOR	each	1113.35
PNO-A9081R	4K IR Bullet AI camera	4K Network AI IR Bullet Camera, Max. 4K resolution, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, Video Analytics based on	each	1342.57

		At Object detection and electification/Demons Fore Vehicle Linears	1	
		AI, Object detection and classification(Person, Face, Vehicle, License Plate), Attribute, BestShot, Compatible with Wisenet Retail Insight v2.0		
		for Business Intelligence, Age/gender based People counting, Heatmap,		
		Queue managementl, POE+		
	4K IR Outdoor Vandal Dome Al	4K Network Al IR Vandal Dome Camera, Max. 4K resolution,		
	Camera	0.05Lux@F1.6 (Color), OLux (B/W, IR LED on), Day & Night(ICR),		
	Camera	WDR(120dB) H.265, H.264, MJPEG codec, WiseStream II, Video Analytics		
		based on Al, Object detection and classification(Person, Face, Vehicle,		
NV-A9081R		License Plate), Attribute, BestShot, Compatible with Wisenet Retail	each	
		Insight v2.0 for Business Intelligence, Age/gender based People counting,		
		Heatmap, Queue management, Modular structure for easy installation,		
		POE+		1408.06
_	DIN Rail Mounting 33W Hardened	12VDC 33Watt (2.75A) DIN Rail High Temp Power Supply (-40°C to +71°C		1408.00
WR-DR12033	_	With -40°C Start-Up)	each	124.43
	Power Supply 12MP Indoor fisheye	Wisenet Q series network Indoor fisheye dome camera, 12MP CMOS		124.43
	12MP Indoor fisheye	sensor, max resolution 3008x3008 @ 30fps, triple codec		
NF-9010		H.265/H.264/MJPEG with WiseStream II technology, WDR 120dB,	each	
ZINL-2010		business analytics (heatmap and people counting), built-in SD card slot,	eacii	
		PoE		622.17
	Cap Adapter	Small cap adapter, accessory for Q-mini cameras: QNF-8010,QNF-		022.17
SBP-099HMW	cap Adapter	9010,QND-6011, QND-6021, QND-8011, QND-8021 (White color)	each	22.27
	Cap Adapter	Small cap adapter, accessory for: XNF-8010RW, QNE-6080RVW, QNE-		22.27
SBP-300HMW5	cap / dapte.	7080RVW, (White color)	each	32.09
	8K Camera Housing with Stainless	8K Camera Housing w/Active Cooling and Heating, IP66 NEMA 4X, 18°		
	steel arm	Angled Glass Window for Optimal Reduction of Reflective Artifacts, 12		
HB-D-9000H		VDC Pass Thru Power Available to Camera, Operating Humidity: 10-100%	each	
		RH (condensing) · System Maximum Operating Temperature Range: -20		
		to +60C		3877.08
	Flush mount	In-ceiling flush mount accessory for indoor dome: QND-8080R, QND-		
SHD-1198FW		7080R, QND-6070R, HCD-7080R, HCD-7070RA, HCD-7070R, HCD-6080R,	each	
		HCD-6070R, HCD-6020R, HCD-6010 (White color)		51.74
	Flush mount	In-ceiling flush mount accessory for: HCV-6070R/6080R/7070R/7070RA,		
SHD-1408FW		PND-9080R, QNV-6070R/6082R/7080R/8080R, XND-	each	
		6080RV/6080V/8080R/8080RV/L6080R/L6080RV/L6080V (White color)		51.74
SHD-315F	Flush mount	2X2 drop ceiling tile flush mount adaptor for the PNM-9084RQZ and	each	
5151		PNM-9085RQZ	Cucii	163.73
SHP-1680FW	Flush mount	In-ceiling flush mount accessory for XNP-6120H, XND-6085V, XNV-6085,	each	
10001 44		XNV-6120, XNV-6120R (White color)	Cucii	51.74
SLA-2M2402D	PNM-7002VD Lens module	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H: 135.4°, V: 71.2°,	each	
,L, LIVIZTOZD		for the PNM-7002VD	Cacii	55.67
SLA-2M2802D	PNM-7002VD Lens module	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H: 107.4°, V: 62.2°,	each	55.67

		for the PNM-7002VD		
SLA-2M3602D	PNM-7002VD Lens module	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H: 94.8°, V: 49.3°, for the PNM-7002VD	each	55.67
SLA-2M6002D	PNM-7002VD Lens module	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, FoV: H: 50.4°, V: 28.8°, for the PNM-7002VD	each	55.67
SLA-C-E24	Canon EF 24mm f/1.4L II USM	Canon 24mm f1.4L, Auto-Iris (EF 24mm f/1.4L II USM) : Horizontal field of view: 8K 62.1° , CarePak 4 Years warranty	each	3389.17
SLA-C-E2470	Canon EF 24-70mm f/2.8L II USM	Canon 24-70mm f/2.8L II USM (EF 24-70mm f/2.8L USM) : Horizontal field of view :8K 62.1° ~ 23.2° , CarePak 4 Years Warranty	each	3500.50
SLA-C-E50	Canon EF 50mm f/1.2L USM	Canon 50mm f1.2, Auto-Iris (EF 50mm f/1.2 USM) : Horizontal field of view: 8K 31.6° , CarePak 4 Years Warranty	each	2825.94
SLA-C-E70200	Canon EF 70-200mm f/2.8L IS III USM	Canon 70-200mm f2.8L, Auto-Iris, Vari Focal (EF 70–200mm f/2.8L USM) : Horizontal field of view: 8K 23.2° ~ 8.3°, CarePak 4 Years Warranty	each	3893.45
SLA-C-E85	Canon EF 85mm f/1.2L II USM	Canon 85mm f1.2L, Auto-Iris (EF 85mm f/1.2L II USM) : Horizontal field of view: 8K 19.2° , CarePak 4 Years Warranty	each	4083.38
SLA-C-12885	1/2.7" 2.8-8.5mm (i-CS Mount)	1/2.7" 2.8-8.5mm F1.2 Varifocal, HD Series P-iris (i-CS Mount) Day/Night IR (8 MP capable) for WN7 Box Cameras ( XNB-9002 and XNB-8002)	each	284.89
SLA-C-I3910	1/1.8" 3.9-10mm (i-CS Mount)	1/1.8" 3.9-10mm F1.5 Varifocal, HD Series P-iris (i-CS Mount) Day/Night IR (12 MP capable) for AI Box Camera ( PNB-A9001)	each	297.98
SLA-T-M1250DN	Megapixel DC-iris Lens	Megapixel Lens, image sensor from 1/2.3" up to 1/1.7", Up to 12MP resolution, Vari-focal (12~50mm), DC auto iris, CS-Mount, Compatible with: XNB-6005/8000, PNB-A9001	each	235.77
SLA-T-M410DN	Megapixel DC-iris Lens	Megapixel Lens, image sensor from 1/2.3" up to 1/1.7", Up to 12MP resolution, Vari-focal (4~10mm), DC auto iris, CS-Mount, Compatible with: XNB-6005/8000, PNB-A9001	each	235.77
SLA-T-M940DN	Megapixel DC-iris Lens	Lens, 1/2.3", Up to 4K Vari-focal(9~40mm), Auto DC IRIS, CS-Mount, compatible with: XNB-6000, HCB-6000/6001/7000/7000A	each	241.66
SPB-FCD85W	Tinted Bubble	Tinted bubble for indoor flush mount X-Plus cameras, compatible with: XND-8081RF/8081FZ XND-6081RF/6081F/6081FZ, PND-A9081RF	each	49.12
SPB-IND85W	Tinted Bubble	Tinted bubble for indoor X-Plus cameras, compatible with: XND-8081REV/8081RV/8081VZ XND-6081REV/6081RV/6081V/6081VZ, PND-A9081RV	each	49.12
SPB-VAN85W	Tinted Bubble	Tinted bubble for outdoor X-Plus cameras, compatible with:XNV-8081RE/8081R/8081Z, XNV-6081RE/6081R/6081/6081Z, PNV-A9081R	each	52.39
SPB-VAW72	Tinted Bubble	Smoked dome cover for: QNV-8080R,QNV-6082R,LNV-6070R,LNV-6072R	each	22.92

SPG-IND16B	Black Cover	Black cover for Q-mini cameras QND-6011, QND-6021, QND-8011, QND-8021	each	16.37
STB-2000	ATM mounting bracket	ATM mounting bracket for remote head lens, compatible with SLA-T2480 and SLA-T4680 lenses	each	51.74
SWT-F11MGHP	11 Port Hardened Managed Megabit Ethernet Switch with 60W PoE	Hardened 3 FX SFP 100/1000/2500Mbps FX + 8 Port 10/100Mbps TX Ports Managed Switch 60 Watt PoE, Hardened 48VDC 480Watt (10A) DIN Rail High Temp Power Supply (-40°C to +71°C With -40°C Start-Up) Included	each	2030.23
SWT-G11MGHP	11 Port Hardened Managed Gigbit Ethernet Switch with 60W PoE	Hardened 11 Port - 2 x 100/1000/2500FX + 1 x 100/1000FX SFP Ports and 8 x 10/100/1000TX Ports Managed Switch, four 1000Mbps TX with 30W PoE, four 1000Mbps TX Combo Ports with 60W PoE, Hardened 48VDC 480Watt (10A) DIN Rail High Temp Power Supply (-40°C to +71°C With -40°C Start-Up) Included	each	2521.41
TNO-3010T	QVGA Thermal Bullet	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 2.7mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Hallway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10	each	2685.14
TNO-3020T	QVGA Thermal Bullet	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 4.3mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Hallway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10	each	2685.14
TNO-3030T	QVGA Thermal Bullet	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 13.7mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Hallway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10	each	2685.14
TNU-6321	2MP 32x Positioning Camera	2MP Network Positioning Camera (1920 x 1080) resolution, 4.44 ~ 142.6mm (32x) varifocal lens, 60fps@2MP (H.264), 30fps@2MP (MJPEG), H.265, H.264, MJPEG codec support, 360° Endless, Tilt -90°~40°, Day & Night (ICR), WDR (120dB), Defog, Tampering, Virtual line, Enter / Exit, (Dis)Appear, Audio detection, Face detection, Motion detection, micro SD / SDHC / SDXC slot, Power 24VAC (Optional IR illuminators: SPI-50)	each	3340.05
WRN-1610S-12TB	WAVE recording server with PoE+	2U WAVE POE NVR (Intel based) with 4 Professional licenses, 12TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	each	2896.68
WRN-1610S-2TB	WAVE recording server with PoE+	2U WAVE PoE NVR (Intel based) with 4 Professional licenses, 2TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W),	each	1717.83

		Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA		
		HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs		
WRN-1610S-4TB	WAVE recording server with PoE+	2U WAVE POE NVR (Intel based) with 4 Professional licenses, 4TB RAW, supports: 16 channels with 16 POE/POE+ ports (POE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	each	1953.60
WRN-1610S-6TB	WAVE recording server with PoE+	2U WAVE POE NVR (Intel based) with 4 Professional licenses, 6TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	each	2189.37
WRN-1610S-8TB	WAVE recording server with PoE+	2U WAVE POE NVR (Intel based) with 4 Professional licenses, 8TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	each	2425.14
WRN-810S-1TB	WAVE recording server with PoE+	1U WAVE POE NVR (Intel based) with 4 Professional licenses, 1TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	each	1333.40
WRN-810S-2TB	WAVE recording server with PoE+	1U WAVE POE NVR (Intel based) with 4 Professional licenses, 2TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	each	1451.28
WRN-810S-4TB	WAVE recording server with PoE+	1U WAVE POE NVR (Intel based) with 4 Professional licenses, 4TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	each	1687.05
WRN-810S-6TB	WAVE recording server with PoE+	1U WAVE POE NVR (Intel based) with 4 Professional licenses, 6TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	each	1922.82
WRR-P-E200L1- 12TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw (11TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive,	each	6306.80

	T	Liberty Line 40 04 LTC Neidie CDU MiniDD autout VCA autout Dool	1	T
		Ubuntu Linux 18.04 LTS, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included		
WRR-P-E200L1- 16TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw (14TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	6948.61
WRR-P-E200L1- 24TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw (22TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	7623.17
WRR-P-E200L1- 28TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 28TB raw (26TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	8101.26
WRR-P-E200L1- 36TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw (33TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	9063.98
WRR-P-E200L1- 42TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 42TB raw (39TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Ubuntu Linux 18.04 LTS, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	10079.09
WRR-P-E200L1- 8TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw (7TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Ubuntu	each	5579.85

		Linux 18.04 LTS, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included		
WRR-P-E200S1- 12TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw (11TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows Server 2019 Standard, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	8494.21
WRR-P-E200S1- 16TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw (14TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows Server 2019 Standard, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	8782.37
WRR-P-E200S1- 24TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw (22TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows Server 2019 Standard, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	9463.48
WRR-P-E200S1- 28TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 28TB raw (26TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows Server 2019 Standard, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	9941.56
WRR-P-E200S1- 36TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw (33TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows Server 2019 Standard, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	10904.28
WRR-P-E200S1- 42TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 42TB raw (39TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive,	each	11919.40

		Windows Server 2019 Standard, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included		
WRR-P-E200S1- 8TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw (7TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows Server 2019 Standard, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	7813.10
WRR-P-E200W1- 12TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw (11TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	6306.80
WRR-P-E200W1- 16TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw (14TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	6948.61
WRR-P-E200W1- 24TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw (22TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	7623.17
WRR-P-E200W1- 28TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 28TB raw (26TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included	each	8101.26
WRR-P-E200W1- 36TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw (33TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive,	each	9063.98

		Windows 10 Pro, Nvidia GPU, MiniDP output, VGA output, Dual GbE		
		NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included		
WRR-P-E200W1- 42TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 42TB raw (39TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, Nvidia GPU, MiniDP output, VGA output, Dual GbE	each	
		NICs, IPMI, Single 250W power supply, Keyboard and mouse included, Rail kit included		10079.09
WRR-P-E200W1- 8TB	WAVE Recording Server	1U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw (7TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 4 HDD Bay (3.5" with up to 3 hot plug drives), Intel Xeon, 16GB RAM, 240GB SSD OS drive, Windows 10 Pro, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Single 250W power supply, Keyboard and mouse included,	each	5570.05
	WAVE Recording Server	Rail kit included  2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		5579.85
WRR-P-S202L1- 108TB		Wisenet WAVE pre-installed, 108TB raw (78TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant	each	
WRR-P-S202L1- 120TB	WAVE Recording Server	750W power supplies, Keyboard and mouse included, Rail kit included  2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 120TB raw (89TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	22935.01
WRR-P-S202L1- 132TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 132TB raw (100TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	25246.85
WRR-P-S202L1- 144TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 144TB raw (112TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1),	each	26406.05

			1	1
		Ubuntu Linux 18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia		
		GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant		
		750W power supplies, Keyboard and mouse included, Rail kit included		
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 16TB raw (7TB usable after disk formatting		
WRR-P-S202L1-		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	each	
L6TB		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP		
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		12286.15
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
	ŭ	Wisenet WAVE pre-installed, 20TB raw (11TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202L1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	each	
20TB		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP		
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		12980.35
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses.		
	Witt E Recording Server	Wisenet WAVE pre-installed, 24TB raw (14TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
VRR-P-S202L1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	each	
24TB		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP	cacii	
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		13681.11
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		13001.11
	WAVE Recording Server	Wisenet WAVE pre-installed, 28TB raw (18TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
VRR-P-S202L1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	each	
28TB			eacii	
		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP		
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		14401 51
	MANE Bassadia - Camara	supplies, Keyboard and mouse included, Rail kit included		14401.51
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 32TB raw (22TB usable after disk formatting		
VRR-P-S202L1-		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
32TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	each	
		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP		
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		45400.05
		supplies, Keyboard and mouse included, Rail kit included		15102.27
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
WRR-P-S202L1-		Wisenet WAVE pre-installed, 40TB raw (29TB usable after disk formatting	each	
10TB		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),	20011	
		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	1	16064.99

				1
		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP		
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 48TB raw (37TB usable after disk formatting		
WRR-P-S202L1-		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
48TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	each	
4010		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP		
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		16772.29
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 64TB raw (44TB usable after disk formatting		
WDD D 620214		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202L1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	each	
64TB		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP		
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		17931.49
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
	0	Wisenet WAVE pre-installed, 80TB raw (59TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202L1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	each	
80TB		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP		
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		19287.15
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
	117.12.1333.4	Wisenet WAVE pre-installed, 96TB raw (74TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202L1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Ubuntu Linux	each	
96TB		18.04 LTS, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP		
		output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power		
		supplies, Keyboard and mouse included, Rail kit included		20642.82
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,	1	200 12.02
	Witte Recording Server	Wisenet WAVE pre-installed, 108TB raw (78TB usable after disk		
		formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD		
WRR-P-S202S1-		Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1),		
108TB		Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache,	each	
10818		Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI,		
		Redundant 750W power supplies, Keyboard and mouse included, Rail kit		
		included		24768.77
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,	+	2 17 00.77
WRR-P-S202S1-	TOTAL RECOGNING SCIVE	Wisenet WAVE pre-installed, 120TB raw (89TB usable after disk	each	
120TB		formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD	Cacii	25927.96
		Tormatting & NAID & Configuration), 470 Mbps recording by W, 14 HDD		23327.30

		Ţ	ı	
		Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included		
WRR-P-S202S1- 132TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 132TB raw (100TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	27087.15
WRR-P-S202S1- 144TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 144TB raw (111TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	28239.80
WRR-P-S202S1- 16TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw (7TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	14473.55
WRR-P-S202S1- 20TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 20TB raw (11TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	15193.95
WRR-P-S202S1- 24TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw (14TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"), Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	15914.36

	1 MANUE D			
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 28TB raw (18TB usable after disk formatting		
WRR-P-S202S1- 28TB		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows	each	
		Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia		
		GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant		
		750W power supplies, Keyboard and mouse included, Rail kit included		16634.76
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 32TB raw (22TB usable after disk formatting		
WRR-P-S202S1-		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
32TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows	each	
3216		Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia		
		GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant		
		750W power supplies, Keyboard and mouse included, Rail kit included		17191.44
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 40TB raw (29TB usable after disk formatting		
WDD D 630364		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202S1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows	each	
40TB		Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia		
		GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant		
		750W power supplies, Keyboard and mouse included, Rail kit included		17898.74
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 48TB raw (37TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202S1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows	each	
48TB		Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia		
		GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant		
		750W power supplies, Keyboard and mouse included, Rail kit included		18612.59
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 64TB raw (44TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202S1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows	each	
64TB		Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia		
		GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant		
		750W power supplies, Keyboard and mouse included, Rail kit included		19771.79
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses.	1	
	The containing deriver	Wisenet WAVE pre-installed, 80TB raw (59TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202S1-		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows	each	
80TB		Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia	Cacii	
		GPU, MiniDP output, VGA output, Quad GbE NICs, IPMI, Redundant		
		750W power supplies, Keyboard and mouse included, Rail kit included		21127.46
		75000 power supplies, keyboard and mouse included, hall kit included		21127.40

_	
, , ,,	
l kit included	22483.12
3/W, 14 HDD	
ves (RAID 1), each	
Nvidia GPU,	
dant 750W	
cluded	22935.01
sional licenses,	
er disk	
3/W, 14 HDD	
ves (RAID 1), each	
Nvidia GPU,	
dant 750W	
	24087.66
sional licenses,	
ter disk	
3/W, 14 HDD	
ves (RAID 1), each	
Nvidia GPU,	
dant 750W	
cluded	25246.85
sional licenses,	
ter disk	
3/W, 14 HDD	
ves (RAID 1), each	
Nvidia GPU,	
· · · · · · · · · · · · · · · · · · ·	
	26406.05
_	
* * * * * * * * * * * * * * * * * * * *	
• •	
' ' '	12286.15
	Nvidia GPU, dant 750W cluded sional licenses, er disk B/W, 14 HDD ves (RAID 1), Nvidia GPU, dant 750W cluded sional licenses, ter disk B/W, 14 HDD ves (RAID 1), Nvidia GPU, dant 750W cluded sional licenses, ter disk B/W, 14 HDD ves (RAID 1), Nvidia GPU, dant 750W cluded sional licenses, ter disk B/W, 14 HDD ves (RAID 1), Nvidia GPU, dant 750W cluded sional licenses, ter disk B/W, 14 HDD ves (RAID 1), Nvidia GPU, dant 750W cluded sional licenses, disk formatting D Bay (3.5"),

	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses.		
WRR-P-S202W1-	WAVE Recording Server	Wisenet WAVE pre-installed, 20TB raw (11TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10	each	
20TB		Pro, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output,	Cacii	
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		12980.35
	MAN/F Decording Conver	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses.		12980.33
	WAVE Recording Server	Wisenet WAVE pre-installed, 24TB raw (14TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202W1-			ooob	
24TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10	each	
		Pro, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output,		
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		42504.44
		Keyboard and mouse included, Rail kit included		13681.11
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 28TB raw (18TB usable after disk formatting		
WRR-P-S202W1-		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
28TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10	each	
20.5		Pro, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output,		
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		14401.51
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 32TB raw (22TB usable after disk formatting		
WRR-P-S202W1-		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
32TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10	each	
3216		Pro, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output,		
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		15102.27
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 40TB raw (29TB usable after disk formatting		
WRR-P-S202W1-		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
40TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10	each	
4016		Pro, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output,		
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		16064.99
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 48TB raw (37TB usable after disk formatting		
WDD D 6202W4		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
WRR-P-S202W1- 48TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10	each	
		Pro, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output,		
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		16772.29

	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses.		
WRR-P-S202W1-	WAVE Recording Server	Wisenet WAVE pre-installed, 64TB raw (44TB usable after disk formatting		
		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
			aaah	
64TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10	each	
		Pro, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output,		
1		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		47004 40
}		Keyboard and mouse included, Rail kit included		17931.49
1	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 80TB raw (59TB usable after disk formatting		
WRR-P-S202W1-		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
80TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10	each	
		Pro, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output,		
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		19287.15
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 96TB raw (74TB usable after disk formatting		
WRR-P-S202W1-		& RAID 6 configuration), 470 Mbps recording B/W, 14 HDD Bay (3.5"),		
96TB		Intel Xeon, 16GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows 10	each	
3010		Pro, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output,		
		VGA output, Quad GbE NICs, IPMI, Redundant 750W power supplies,		
		Keyboard and mouse included, Rail kit included		20642.82
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 12TB raw (11TB usable after disk formatting		
WRR-Q-A200W-		& JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with		
12TB		up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS	each	
1210		drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA		
		output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse		
		included, Rail kit included		9031.23
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 16TB raw (14TB usable after disk formatting		
WRR-Q-A200W-		& JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with		
16TB		up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS	each	
1018		drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA		
		output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse		
		included, Rail kit included		9352.14
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 20TB raw (18TB usable after disk formatting		
WDD O 4200144		& JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with		
WRR-Q-A200W- 20TB		up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS	each	
		drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA		
		output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse		
		included, Rail kit included		9673.05

	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw (22TB usable after disk formatting		
WRR-Q-A200W- 24TB		& JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA	each	
		output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse included, Rail kit included		9993.95
WRR-Q-A200W-	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 28TB raw (26TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with		
28TB		up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse	each	40000 04
	WAVE Recording Server	included, Rail kit included  2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		10308.31
	WAVE RECORDING Server	Wisenet WAVE Network video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw (33TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with		
WRR-Q-A200W- 36TB		up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA	each	
		output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse included, Rail kit included		10930.48
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 48TB raw (44TB usable after disk formatting		
WRR-Q-A200W- 48TB		& JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA	each	
		output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse included, Rail kit included		11736.02
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 60TB raw (55TB usable after disk formatting		
WRR-Q-A200W- 60TB		& JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA	each	
		output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse included, Rail kit included		12541.56
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 72TB raw (67TB usable after disk formatting		
WRR-Q-A200W- 72TB		& JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS	each	
		drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse		42252.65
		included, Rail kit included		13353.65

	MANE December Commen	211 Missant MAYE Network Vides Decorder with 4 Duefosional licenses		
WRR-Q-A200W- 84TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 84TB raw (78TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse included, Rail kit included	each	14159.19
WRR-Q-A200W- 8TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw (7TB usable after disk formatting & JBOD configuration), 470 Mbps recording B/W, 8 HDD Bay (3.5" with up to 7 hot plug storage drives), AMD EPYC, 8GB RAM, 480GB SSD OS drive, Windows 10 IoT Enterprise, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, 750W power supply, Keyboard and mouse included, Rail kit included	each	8716.88
WRR-Q-A201W- 12TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw (7TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	10976.32
WRR-Q-A201W- 16TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw (11TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	11297.23
WRR-Q-A201W- 20TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 20TB raw (14TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	11618.14
WRR-Q-A201W- 24TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw (18TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB	each	11939.04

		CCD OC datase (DAID 4) Wite design 40 to T Factorization Co	1	1
		SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID		
		0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE		
		NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse		
		included, Rail kit included		
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 32TB raw (22TB usable after disk formatting		
		& RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with		
WRR-Q-A201W-		up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB	each	
32TB		SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID	Cacii	
		0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE		
		NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse		
		included, Rail kit included		12430.23
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 40TB raw (29TB usable after disk formatting		
		& RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with		
WRR-Q-A201W-		up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB		
40TB		SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID	each	
		0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE		
		NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse		
		included, Rail kit included		13032.75
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 48TB raw (37TB usable after disk formatting		
		& RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with		
WRR-Q-A201W-		up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB		
48TB		SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID	each	
		0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE		
		NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse		
		included, Rail kit included		13635.26
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 56TB raw (44TB usable after disk formatting		
		& RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with		
WRR-Q-A201W-		up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB		
56TB		SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID	each	
		0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE		
		NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse		
		included, Rail kit included		14237.78
	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses,		
		Wisenet WAVE pre-installed, 64TB raw (52TB usable after disk formatting		
WRR-Q-A201W-		& RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with		
64TB		up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB	each	
		SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID		
		0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE		14840.30

		NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included		
WRR-Q-A201W- 72TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 72TB raw (59TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	15442.82
WRR-Q-A201W- 80TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 80TB raw (67TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	16045.34
WRR-Q-A201W- 96TB	WAVE Recording Server	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 96TB raw (78TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording B/W, 12 HDD Bay (3.5" with up to 10 hot plug storage drives), AMD EPYC, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Windows 10 IoT Enterprise, Support RAID 0/1/5/6 + 2GB cache, Nvidia GPU, MiniDP output, VGA output, Dual GbE NICs, IPMI, Redundant 750W power supplies, Keyboard and mouse included, Rail kit included	each	17125.94
XNB-8002	6MP Box Camera	Wisenet 7 X series network box camera, 6MP @ 30fps, triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, -10°C ~ +55°C (+14°F ~ +131°F)	each	622.17
XNB-9002	4K Box Camera	Wisenet 7 X series network box camera, 4K (8MP Max) @ 30fps, triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/POE, -10°C~+55°C (+14°F~+131°F)	each	654.91
XND-6081REV	2MP Indoor Dome, PoE extender camera	Wisenet X powered by Wisenet 5 network IR indoor dome camera with PoE Extender, PoE+ in PoE out, 2MP @60fps, Motorized Varifocal Lens	each	818.64

	5MP Indoor Dome, PoE extender	(2.8mm ~12mm), triple codec H.265/H.264/MJPEG with WiseStream II technology,WDR 150dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), PoE/PoE+ , IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)  Wisenet X powered by Wisenet 5 network IR indoor dome camera with		
XND-8081REV	camera	PoE Extender, PoE+ in PoE out, 5MP @30fps, Motorized Varifocal Lens (3.9mm ~9.4mm), triple codec H.265/H.264/MJPEG with WiseStream II technology, WDR 120dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), PoE/PoE+, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	each	1047.86
XND-8082RF	6MP IR Flush Mount Dome	Wisenet 7 X-plus series network IR flush mount camera (plenum), 6MP @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C~+60°C (-13°F~+140°F)	each	884.13
XND-8082RV	6MP IR Indoor Dome	Wisenet 7 X-plus series network IR vandal indoor camera, 6MP @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	each	884.13
XND-9082RF	4K IR Flush Mount Dome	Wisenet 7 X-plus series network IR flush mount camera (plenum), 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~+60°C (-13°F ~ +140°F)	each	982.37
XND-9082RV	4K IR Indoor Dome	Wisenet 7 X-plus series network IR vandal indoor camera, 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots,	each	982.37

		hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, - $25^{\circ}$ C ~ +60°C (-13°F ~ +140°F)		
XNO-8082R	6MP IR Bullet Camera	Wisenet 7 X series network IR bullet camera, 6MP @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	each	1015.11
XNO-9082R	4K IR Bullet Camera	Wisenet 7 X series network IR bullet camera, 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	each	1146.10
XNV-6080RSA	2MP Stainless Steel IR Dome	Wisenet X powered by Wisenet 5 network IR stainless steel dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, IP6K9K, -40°C ~ +55°C (-40°F ~ +131°F)	each	1060.96
XNV-6081RE	2MP Outdoor Dome, PoE extender camera	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera with PoE Extender, PoE+ in PoE out, 2MP @60fps, Motorized Varifocal Lens (2.8mm ~12mm), triple codec H.265/H.264/MJPEG with WiseStream II technology, WDR 150dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), PoE/PoE+, IP66/IP67/IP6K9K, IK10+, NEMA4X, -50°C ~+60°C (-58°F ~+140°F)	each	884.13
XNV-8080RSA	5MP Stainless Steel IR Dome	Wisenet X powered by Wisenet 5 network IR stainless steel dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9~9.4mm) (92.1°~38.7°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67/IP6K9K/ IK10, Nema 4X, IP6K9K,	each	1440.81

XNV-8081RE	5MP Outdoor Dome, PoE extender camera	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera with PoE Extender, PoE+ in PoE out, 5MP @30fps, Motorized Varifocal Lens (3.9mm ~9.4mm), triple codec H.265/H.264/MJPEG with WiseStream II technology, WDR 120dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), PoE/PoE+,	each	
XNV-8082R	6MP IR Outdoor Vandal Dome	IP66/IP67/IP6K9K, IK10+, NEMA4X, -50°C ~ +60°C (-58°F ~ +140°F)  Wisenet 7 X-plus series network IR vandal outdoor camera, 6MP @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec  H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66/IP6K9K, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	each	1015.11
XNV-9082R	4K IR Outdoor Vandal Dome	Wisenet 7 X-plus series network IR vandal outdoor camera, 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66/IP6K9K, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	each	1146.10